Cucumber Report

| Start : Sept 25, 11:51:09.866 am	End : Sept 25, 11:51:13.272 am	Duration : 3.406 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 2

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
This feature consists of scenarios related to login & logout of application	*3.406 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*

#	Feature Name	Scenario Name
1	*This feature consists of scenarios related to login & logout of application*	*All items on home able to shop or not*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*This feature consists of scenarios related to login & logout of application*	*1*	*0*	*1*	*0*	*3.406 s*

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature consists of scenarios related to login & logout of application	All items on home able to shop or not	3	0	1	2	3.403 s

This feature consists of scenarios related to login & logout of application

FAILED	DURATION - 3.406 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 11:51:09.866 am // 11:51:13.272 am /					

All items on home able to shop or not

FAILED	DURATION - 3.403 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 11:51:09.869 am // 11:51:13.272 am /				
This feature consists of scenarios related to login & logout of application				
@smoke @regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given Log into sauce labs application with credentials "standard_user" and password "secret_sauce"	FAILED	0.204 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h3[@data-test='error']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f456f2ac565b684c70ff30441d94c395, findElement {using=xpath, value=//h3[@data-test='error']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\vijay\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59221}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59221/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f456f2ac565b684c70ff30441d94c395
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy41.isDisplayed(Unknown Source) at pageObjects.LoginPage.getErrorMessageExistence(LoginPage.java:45) at stepDefinitions.shoppingCart.applicationLogin(shoppingCart.java:31) at ?.Log into sauce labs application with credentials "standard_user" and password "secret_sauce"(file:///E:/Learn/Selenium_Practise/SauceLabs_CucumberBDD/src/test/java/features/LoginLogout.feature:5) * Not displayable characters are replaced by '?'.		
2	Given User at home page or not	SKIPPED	0.001 s
3	Then validate each item in home page haveing Add to cart button	SKIPPED	0.000 s