Home × ass_13 × +

localhost:8888/notebooks/GEN%20AI%20(JY)%2Fass_13.ipynb

Chat

jupyter ass_13 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

[3]:

```python
import numpy as np
print("------Store Product Prices------")
price = np.array([120, 250, 180])
print(price)

print("-------Store Weekly Shop Sales----")
sales = np.array([[1500, 1800, 17000], [2000, 2100, 1900]])
print(sales)


print("----Initialize Empty Seats-----")
seats = np.zeros((2,3))
print(seats)

print("------Analyze Sales Data----")
print(sales.shape)
print(sales.ndim)
print(sales.size)
print(sales.dtype)

print("------Retrieve a Single Value-----")
print(sales[1,2])

print("-----Display Second Day Sales-----")
print(sales[:,1])

print("-----Display First Shop Sales-----")
print(sales[0,:1])

print("-----Extract First 2 Rows and 2 Columns----")
print(sales[0:2,0:2])
```

31°C
Mostly cloudy

Search

ENG
IN

08:25 PM
04-07-2026

Home | ass_13

localhost:8888/notebooks/GEN%20AI%20(JY)%2Fass_13.ipynb

jupyter ass_13 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help | Trusted

Code | JupyterLab | Python 3 (ipykernel)

```python
print("----Create Available Tickets-----")
tickets = np.ones((2,3))
print(tickets)

print("------Identity Matrix---")
identity = np.eye(3)
print(identity)

print("------Even Numbers-----")
even = np.arange(2,22,2)
print(even)

print("-----Discount Rates----")
discount = np.linspace(5, 25, 5)
print(discount)
```

```
------Store Product Prices------
[120 250 180]
-------Store Weekly Shop Sales----
[[ 1500  1800 17000]
 [ 2000  2100  1900]]
----Initialize Empty Seats-----
[[0. 0. 0.]
 [0. 0. 0.]]
------Analyze Sales Data----
(2, 3)
2
6
int64
------Retrieve a Single Value-----
1900
-----Display Second Day Sales-----
[1800 2100]
-----Display First Shop Sales-----
```

31°C Mostly cloudy | Search | ENG IN | 08:26 PM 04-07-2026

888/notebooks/GEN%20AI%20(JY)%2Fass_13.ipynb

jupyter ass_13 Last Checkpoint: yesterday

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

```
------Store Product Prices------
[120 250 180]
-------Store Weekly Shop Sales----
[[ 1500  1800 17000]
 [ 2000  2100  1900]]
----Initialize Empty Seats-----
[[0. 0. 0.]
 [0. 0. 0.]]
------Analyze Sales Data----
(2, 3)
2
6
int64
------Retrieve a Single Value-----
1900
-----Display Second Day Sales-----
[1800 2100]
-----Display First Shop Sales-----
[1500]
-----Extract First 2 Rows and 2 Columns----
[[1500 1800]
 [2000 2100]]
----Create Available Tickets-----
[[1. 1. 1.]
 [1. 1. 1.]]
------Identity Matrix---
[[1. 0. 0.]
 [0. 1. 0.]
 [0. 0. 1.]]
------Even Numbers-----
[ 2  4  6  8 10 12 14 16 18 20]
-----Discount Rates----
[ 5. 10. 15. 20. 25.]
```