

Home x ass_12 x +

localhost:8888/notebooks/GEN%20AI%20(JY)%2Fass_12.ipynb

jupyter ass_12 Last Checkpoint: 11 minutes ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[4]: print("----Food Delivery System----")
from abc import ABC, abstractmethod
class Food(ABC):
    @abstractmethod
    def price(self, qty):
        pass
class Pizza(Food):
    def price(self, qty):
        return qty * 250
class Burger(Food):
    def price(self, qty):
        return qty * 150
class Biryani(Food):
    def price(self, qty):
        return qty * 200
class Order:
    def __init__(self, customer, food, qty):
        self.customer = customer
        self.food = food
        self.qty = qty
    def bill(self):
        return self.food.price(self.qty)
orders = [
    Order("Arun", Pizza(), 2),
    Order("Vijay", Burger(), 3),
    Order("Kumar", Biryani(), 1)
]
for o in orders:
    print(o.customer, "Bill:", o.bill())

----Food Delivery System----
Arun Bill: 500
Vijay Bill: 450
Kumar Bill: 200
```



```
[5]: print("----Online Payment System----")
class Payment:
    def pay(self, amount):
        pass
class GPay(Payment):
    def pay(self, amount):
        print("GPay Paid ₹", amount)
class PhonePe(Payment):
    def pay(self, amount):
        print("PhonePe Paid ₹", amount)
class Paytm(Payment):
    def pay(self, amount):
        print("Paytm Paid ₹", amount)
payments = [GPay(), PhonePe(), Paytm()]
for p in payments:
    p.pay(500)

----Online Payment System----
GPay Paid ₹ 500
PhonePe Paid ₹ 500
Paytm Paid ₹ 500
```

```
[6]: print("----Employee Salary System----")
from abc import ABC, abstractmethod
class Employee(ABC):
    @abstractmethod
    def salary(self):
        pass

class Manager(Employee):
    def salary(self):
        return 60000

class Developer(Employee):
    def salary(self):
```



Home

ass_12

localhost:8888/notebooks/GEN%20AI%20(JY)%2Fass_12.ipynb

Chat

Jupyter ass_12 Last Checkpoint: 12 minutes ago

Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[6]: print("----Employee Salary System----")
from abc import ABC, abstractmethod
class Employee(ABC):
    @abstractmethod
    def salary(self):
        pass

class Manager(Employee):
    def salary(self):
        return 60000

class Developer(Employee):
    def salary(self):
        return 45000

class Tester(Employee):
    def salary(self):
        return 35000

employees = [Manager(), Developer(), Tester()]

for e in employees:
    print("Salary:", e.salary())

----Employee Salary System----
Salary: 60000
Salary: 45000
Salary: 35000

[7]: print("----Movie Ticket Booking----")
from abc import ABC, abstractmethod
class Ticket(ABC):
    @abstractmethod
    def cost(self, seats):
```

31°C Partly cloudy

Search

ENG IN

10:57 PM 02-07-2026

Home

ass_12

localhost:8888/notebooks/GEN%20A1%20(JY)%2Fass_12.ipynb

☆ ☆ ... Chat

jupyter ass_12 Last Checkpoint: 12 minutes ago

Python 3 (ipykernel)

File Edit View Run Kernel Settings Help

Code

Salary: 35000

[7]: print("----Movie Ticket Booking----")
from abc import ABC, abstractmethod
class Ticket(ABC):
 @abstractmethod
 def cost(self, seats):
 pass
class Silver(Ticket):
 def cost(self, seats):
 return seats * 120
class Gold(Ticket):
 def cost(self, seats):
 return seats * 180
class Platinum(Ticket):
 def cost(self, seats):
 return seats * 250
class Booking:
 def __init__(self, name, ticket, seats):
 self.name = name
 self.ticket = ticket
 self.seats = seats
 def bill(self):
 return self.ticket.cost(self.seats)
b = [
 Booking("Rahul", Silver(), 2),
 Booking("Vijay", Gold(), 3),
 Booking("Ajay", Platinum(), 2)
]
for i in b:
 print(i.name, "Paid:", i.bill())

----Movie Ticket Booking----
Rahul Paid: 240
Vijay Paid: 540
Ajay Paid: 500

31°C Partly cloudy

Search

ENG IN

10:58 PM 02-07-2026