

```
def pattern_rat_row():
    f=open('iniya.txt','w+')
    f.write('RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
pattern_rat_row()

def pattern_rat_col():
    f=open('iniya.txt','a+')
    f.write('RIGHT ANGLE TRIANGLE - COL\n-----\n')
    for i in range(1,7):
        for j in range(1,i):
            f.write(str(j))
        f.write('\n')
    f.close()
pattern_rat_col()

def pattern_rat_lrow():
    f=open('iniya.txt','a+')
    f.write('INVERSE RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
```

```
def pattern_rat_row():
    f=open('iniya.txt','w+')
    f.write('RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
pattern_rat_row()

def pattern_rat_col():
    f=open('iniya.txt','a+')
    f.write('RIGHT ANGLE TRIANGLE - COL\n-----\n')
    for i in range(1,7):
        for j in range(1,i):
            f.write(str(j))
        f.write('\n')
    f.close()
pattern_rat_col()

def pattern_rat_Irow():
    f=open('iniya.txt','a+')
    f.write('INVERSE RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
```

```
def pattern_rat_lrow():  
    f=open('iniya.txt','a+')  
    f.write('INVERSE RIGHT ANGLE TRIANGLE - ROW\n-----\n')  
    for i in range(5,0,-1):  
        for j in range(0,i):  
            f.write(str(i))  
        f.write('\n')  
    f.close()  
pattern_rat_lrow()  
  
def pattern_rat_lcol():  
    f=open('iniya.txt','a+')  
    f.write('INVERSE RIGHT ANGLE TRIANGLE - COL\n-----\n')  
    for i in range(6,0,-1):  
        for j in range(1,i):  
            f.write(str(j))  
        f.write('\n')  
    f.close()  
pattern_rat_lcol()  
  
def pattern_rat_star():  
    f=open('iniya.txt','w+')  
    f.write('STAR RIGHT ANGLE TRIANGLE\n-----\n')  
    for i in range(1,6):  
        for j in range(0,i):  
            f.write('*')  
        f.write('\n')
```



```
def pattern_rat_star():
    f=open('iniya.txt','w+')
    f.write('STAR RIGHT ANGLE TRIANGLE\n-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write('*')
        f.write('\n')
    f.close()
pattern_rat_star()

def pattern_rat_Istar():
    f=open('iniya.txt','a+')
    f.write('STAR INVERSE RIGHT ANGLE TRIANGLE\n-----\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write('*')
        f.write('\n')
    f.close()
pattern_rat_Istar()

def pattern_pyramid():
    f=open('iniya.txt','a+')
    f.write('PYRAMID TRIANGLE\n-----\n')
    for i in range(1,6):
        for j in range(6,i,-1):
            f.write(' ')
        for k in range(1,i):
            f.write('* ')
```

```
def pattern_pyramid():
    f=open('iniya.txt','a+')
    f.write('PYRAMID TRIANGLE\n-----\n')
    for i in range(1,6):
        for j in range(6,i,-1):
            f.write(' ')
        for k in range(1,i):
            f.write('* ')
        f.write('\n')
    f.close()
pattern_pyramid()

def pattern_Ipyramid():
    f=open('iniya.txt','a+')
    f.write('INVERSE PYRAMID TRIANGLE\n-----\n')
    for i in range(5,0,-1):
        for j in range(5,i,-1):
            f.write(' ')
        for k in range(1,i):
            f.write('* ')
        f.write('\n')
    f.close()
pattern_Ipyramid()

def pattern_lower_row():
    f=open('iniya.txt','a+')
    f.write('LOWER RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(1,6):
```



```
def pattern_lower_row():
    f=open('iniya.txt','a+')
    f.write('LOWER RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(chr(i+96))
        f.write('\n')
    f.close()
pattern_lower_row()

def pattern_lower_col():
    f=open('iniya.txt','a+')
    f.write('LOWER RIGHT ANGLE TRIANGLE - COL\n-----\n')
    for i in range(1,6):
        for j in range(1,i):
            f.write(str(j+96))
        f.write('\n')
    f.close()
pattern_lower_col()

def pattern_lower_Irow():
    f=open('iniya.txt','a+')
    f.write('INVERSE LOWER RIGHT ANGLE TRIANGLE - row\n-----\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write(str(i+96))
        f.write('\n')
    f.close()
```



```
def pattern_lower_Irow():
    f=open('iniya.txt','a+')
    f.write('INVERSE LOWER RIGHT ANGLE TRIANGLE - row\n-----\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write(str(i+96))
        f.write('\n')
    f.close()
pattern_lower_Irow()

def pattern_pyramid_row():
    f=open('iniya.txt','a+')
    f.write('PYRAMID - row\n-----\n')
    for i in range(1,6):
        for j in range(5,i,-1):
            f.write(' ')
        for k in range(0,i):
            f.write(str(i)+' ')
        f.write('\n')
    f.close()
pattern_pyramid_row()

def pattern_pyramid_col():
    f=open('iniya.txt','a+')
    f.write('PYRAMID - col\n-----\n')
    for i in range(1,7):
        for j in range(6,i,-1):
            f.write(' ')
```




```
def pattern_pyramid_col():
    f=open('iniya.txt','a+')
    f.write('PYRAMID - col\n-----\n')
    for i in range(1,7):
        for j in range(6,i,-1):
            f.write(' ')
        for k in range(1,i):
            f.write(str(k)+' ')
        f.write('\n')
    f.close()
pattern_pyramid_col()

def pattern_pyramid_Irow():
    f=open('iniya.txt','a+')
    f.write('INVERSE PYRAMID - row\n-----\n')
    for i in range(5,0,-1):
        for j in range(5,i,-1):
            f.write(' ')
        for k in range(0,i):
            f.write(str(i)+' ')
        f.write('\n')
    f.close()
pattern_pyramid_Irow()

def pattern_pyramid_Icol():
    f=open('iniya.txt','a+')
    f.write('INVERSE PYRAMID - col\n-----\n')
    for i in range(5,0,-1):
```




```
def pattern_pyramid_Icol():
    f=open('iniya.txt','a+')
    f.write('INVERSE PYRAMID - col\n-----\n')
    for i in range(5,0,-1):
        for j in range(5,i,-1):
            f.write(' ')
        for k in range(1,i):
            f.write(str(k)+' ')
        f.write('\n')
    f.close()
pattern_pyramid_Icol()

def pattern_lower_Icol():
    f=open('iniya.txt','a+')
    f.write('LOWER RIGHT ANGLE TRIANGLE - ROW\n-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(chr(i+96))
        f.write('\n')
    f.close()
pattern_lower_Icol()

def name_col():
    f=open('iniya.txt','a+')
    f.write('NAME RIGHT ANGLE TRIANGLE - COL\n-----\n')
    val='vijay'
    for i in range(0,5):
        for j in range(4-i,-1):
```



```
def name_col():
    f=open('iniya.txt','a+')
    f.write('NAME RIGHT ANGLE TRIANGLE - COL\n-----\n')
    val='vijay'
    for i in range(0,5):
        for j in range(4,i,-1):
            f.write(' ')
        for k in range(i+1):
            f.write(val[k])
        f.write('\n')
    f.close()
pattern_lower_row()

def name_Icol():
    f=open('iniya.txt','a+')
    f.write('NAME RIGHT ANGLE TRIANGLE - COL\n-----\n')
    val='vijay'
    for i in range(4,-1,-1):
        for j in range(4,i,-1):
            f.write(' ')
        for k in range(i+1):
            f.write(val[i])
        f.write('\n')
    f.close()
pattern_lower_Icol()
```