STANDARDIZED ADR CASE REPORTING FORMS

SYN-PV-007 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	63
Sex	Male
Suspect Drug	Omeprazole
Dose / Frequency	500 mg twice daily
Route	Oral
Reaction Description	Headache
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	16 day(s) after treatment began
Outcome	Recovered
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Negative
Rechallenge	Negative
Reporter Type	Consumer

Case Summary

Case SYN-PV-007: A 63-year-old patient (male) received Omeprazole (500 mg twice daily, oral) for Hypertension. The reported reaction was Headache, occurring 16 day(s) after treatment began. The reported outcome is Recovered. Concomitant medication(s): Paracetamol.

SYN-PV-008 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	36
Sex	Male
Suspect Drug	Losartan
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Fatigue
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	2 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Infection
Expectedness Reference	Unexpected
Seriousness (as supplied)	Not serious
Dechallenge	Negative
Rechallenge	Not done
Reporter Type	Pharmacist

Case Summary

Case SYN-PV-008: A 36-year-old patient (male) received Losartan (5 mg once daily, oral) for Infection. The reported reaction was Fatigue, occurring 2 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Paracetamol.

SYN-PV-009 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	78
Sex	Unknown
Suspect Drug	Amoxicillin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Rash
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	7 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Vitamin D
Relevant Medical History / Indication	Anxiety
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Positive
Rechallenge	Not done
Reporter Type	Physician

Case Summary

Case SYN-PV-009: A 78-year-old patient (unknown) received Amoxicillin (5 mg once daily, oral) for Anxiety. The reported reaction was Rash, occurring 7 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Vitamin D.

SYN-PV-010 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	57
Sex	Female
Suspect Drug	Atorvastatin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Myalgia
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	21 day(s) after treatment began
Outcome	Recovered
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Infection
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Unknown
Rechallenge	Negative
Reporter Type	Pharmacist

Case Summary

Case SYN-PV-010: A 57-year-old patient (female) received Atorvastatin (5 mg once daily, oral) for Infection. The reported reaction was Myalgia, occurring 21 day(s) after treatment began. The reported outcome is Recovered. Concomitant medication(s): Paracetamol.

SYN-PV-011 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	23
Sex	Unknown
Suspect Drug	Metformin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Nausea
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	19 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	None reported
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Unknown
Rechallenge	Positive
Reporter Type	Consumer

Case Summary

Case SYN-PV-011: A 23-year-old patient (unknown) received Metformin (5 mg once daily, oral) for Hypertension. The reported reaction was Nausea, occurring 19 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): None reported.

SYN-PV-012 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	24
Sex	Female
Suspect Drug	Amlodipine
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Peripheral oedema
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	4 day(s) after treatment began
Outcome	Not recovered at follow-up
Concomitant Medications	None reported
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Unknown
Rechallenge	Positive
Reporter Type	Pharmacist

Case Summary

Case SYN-PV-012: A 24-year-old patient (female) received Amlodipine (5 mg once daily, oral) for Hypertension. The reported reaction was Peripheral oedema, occurring 4 day(s) after treatment began. The reported outcome is Not recovered at follow-up. Concomitant medication(s): None reported.

SYN-PV-013 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	75
Sex	Female
Suspect Drug	Ciprofloxacin
Dose / Frequency	500 mg twice daily
Route	Oral
Reaction Description	Tendon pain
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	5 day(s) after treatment began
Outcome	Not recovered at follow-up
Concomitant Medications	Vitamin D
Relevant Medical History / Indication	Diabetes
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Negative
Rechallenge	Positive
Reporter Type	Physician

Case Summary

Case SYN-PV-013: A 75-year-old patient (female) received Ciprofloxacin (500 mg twice daily, oral) for Diabetes. The reported reaction was Tendon pain, occurring 5 day(s) after treatment began. The reported outcome is Not recovered at follow-up. Concomitant medication(s): Vitamin D.

SYN-PV-014 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	75
Sex	Female
Suspect Drug	Sertraline
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Dizziness
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	9 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Diabetes
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Negative
Rechallenge	Negative
Reporter Type	Physician

Case Summary

Case SYN-PV-014: A 75-year-old patient (female) received Sertraline (5 mg once daily, oral) for Diabetes. The reported reaction was Dizziness, occurring 9 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Paracetamol.

SYN-PV-015 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	33
Sex	Male
Suspect Drug	Omeprazole
Dose / Frequency	20 mg once daily
Route	Oral
Reaction Description	Headache
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	16 day(s) after treatment began
Outcome	Recovered
Concomitant Medications	None reported
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Unknown
Rechallenge	Positive
Reporter Type	Physician

Case Summary

Case SYN-PV-015: A 33-year-old patient (male) received Omeprazole (20 mg once daily, oral) for Hypertension. The reported reaction was Headache, occurring 16 day(s) after treatment began. The reported outcome is Recovered. Concomitant medication(s): None reported.

SYN-PV-016 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	66
Sex	Unknown
Suspect Drug	Losartan
Dose / Frequency	20 mg once daily
Route	Oral
Reaction Description	Fatigue
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	10 day(s) after treatment began
Outcome	Not recovered at follow-up
Concomitant Medications	None reported
Relevant Medical History / Indication	Diabetes
Expectedness Reference	Unexpected
Seriousness (as supplied)	Not serious
Dechallenge	Positive
Rechallenge	Negative
Reporter Type	Physician

Case Summary

Case SYN-PV-016: A 66-year-old patient (unknown) received Losartan (20 mg once daily, oral) for Diabetes. The reported reaction was Fatigue, occurring 10 day(s) after treatment began. The reported outcome is Not recovered at follow-up. Concomitant medication(s): None reported.

SYN-PV-017 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	57
Sex	Unknown
Suspect Drug	Amoxicillin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Rash
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	21 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Vitamin D
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Unknown
Rechallenge	Positive
Reporter Type	Physician

Case Summary

Case SYN-PV-017: A 57-year-old patient (unknown) received Amoxicillin (5 mg once daily, oral) for Hypertension. The reported reaction was Rash, occurring 21 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Vitamin D.

SYN-PV-018 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	56
Sex	Female
Suspect Drug	Atorvastatin
Dose / Frequency	500 mg twice daily
Route	Oral
Reaction Description	Myalgia
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	17 day(s) after treatment began
Outcome	Not recovered at follow-up
Concomitant Medications	None reported
Relevant Medical History / Indication	Anxiety
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Unknown
Rechallenge	Positive
Reporter Type	Physician

Case Summary

Case SYN-PV-018: A 56-year-old patient (female) received Atorvastatin (500 mg twice daily, oral) for Anxiety. The reported reaction was Myalgia, occurring 17 day(s) after treatment began. The reported outcome is Not recovered at follow-up. Concomitant medication(s): None reported.

SYN-PV-019 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	29
Sex	Unknown
Suspect Drug	Metformin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Nausea
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	9 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	None reported
Relevant Medical History / Indication	Anxiety
Expectedness Reference	Known
Seriousness (as supplied)	Not serious
Dechallenge	Positive
Rechallenge	Negative
Reporter Type	Pharmacist

Case Summary

Case SYN-PV-019: A 29-year-old patient (unknown) received Metformin (5 mg once daily, oral) for Anxiety. The reported reaction was Nausea, occurring 9 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): None reported.

SYN-PV-020 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	56
Sex	Unknown
Suspect Drug	Amlodipine
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Peripheral oedema
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	7 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Diabetes
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Unknown
Rechallenge	Not done
Reporter Type	Pharmacist

Case Summary

Case SYN-PV-020: A 56-year-old patient (unknown) received Amlodipine (5 mg once daily, oral) for Diabetes. The reported reaction was Peripheral oedema, occurring 7 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Paracetamol.

SYN-PV-021 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	33
Sex	Unknown
Suspect Drug	Ciprofloxacin
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Tendon pain
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	9 day(s) after treatment began
Outcome	Recovered
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Infection
Expectedness Reference	Known
Seriousness (as supplied)	Medically important
Dechallenge	Positive
Rechallenge	Not done
Reporter Type	Physician

Case Summary

Case SYN-PV-021: A 33-year-old patient (unknown) received Ciprofloxacin (5 mg once daily, oral) for Infection. The reported reaction was Tendon pain, occurring 9 day(s) after treatment began. The reported outcome is Recovered. Concomitant medication(s): Paracetamol.

SYN-PV-022 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	43
Sex	Female
Suspect Drug	Sertraline
Dose / Frequency	5 mg once daily
Route	Oral
Reaction Description	Dizziness
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	21 day(s) after treatment began
Outcome	Not recovered at follow-up
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Infection
Expectedness Reference	Known
Seriousness (as supplied)	Not serious
Dechallenge	Negative
Rechallenge	Positive
Reporter Type	Consumer

Case Summary

Case SYN-PV-022: A 43-year-old patient (female) received Sertraline (5 mg once daily, oral) for Infection. The reported reaction was Dizziness, occurring 21 day(s) after treatment began. The reported outcome is Not recovered at follow-up. Concomitant medication(s): Paracetamol.

SYN-PV-023 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	26
Sex	Male
Suspect Drug	Omeprazole
Dose / Frequency	500 mg twice daily
Route	Oral
Reaction Description	Headache
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	4 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	None reported
Relevant Medical History / Indication	Anxiety
Expectedness Reference	Known
Seriousness (as supplied)	Hospitalisation
Dechallenge	Negative
Rechallenge	Negative
Reporter Type	Physician

Case Summary

Case SYN-PV-023: A 26-year-old patient (male) received Omeprazole (500 mg twice daily, oral) for Anxiety. The reported reaction was Headache, occurring 4 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): None reported.

SYN-PV-024 — Individual ADR Case Form

Patient Initials / Identifier	Not provided — obtain from source; do not infer
Age	79
Sex	Unknown
Suspect Drug	Losartan
Dose / Frequency	500 mg twice daily
Route	Oral
Reaction Description	Fatigue
Reaction Start Date	Not provided — calendar date absent from source
Reaction Onset Interval	3 day(s) after treatment began
Outcome	Recovering
Concomitant Medications	Paracetamol
Relevant Medical History / Indication	Hypertension
Expectedness Reference	Unexpected
Seriousness (as supplied)	Hospitalisation
Dechallenge	Positive
Rechallenge	Positive
Reporter Type	Physician

Case Summary

Case SYN-PV-024: A 79-year-old patient (unknown) received Losartan (500 mg twice daily, oral) for Hypertension. The reported reaction was Fatigue, occurring 3 day(s) after treatment began. The reported outcome is Recovering. Concomitant medication(s): Paracetamol.