



[Home](#)
[Interview Questions](#)
[Java Programs](#)
[Pyramid Programs](#)
[Programming Challenges](#)
[Download Notes](#)
[What's new..?](#)

Exception Handling based Questions

1. How could Java classes direct messages to a file instead of the Console?

The System class has a variable "out" that represents the standard output, and the variable "err" that represents the standard error device. By default, they both point at the system console.

The standard output could be re-directed to a file as follows:

```
Stream st = new Stream(new FileOutputStream("output.txt"));
System.setErr(st);
System.setOut(st);
```

2. Does it matter in what order catch statements for FileNotFoundException and IOException are written?


Yes, it does. The child exceptions classes must always be caught first and the "Exception" class should be caught last.

3. What is user-defined exception in java ?

User-defined exceptions are the exceptions defined by the application developer which are errors related to specific application. Application Developer can define the user defined exception by inheriting the Exception class. Using this class we can create & throw new exceptions.

4. What is the difference between checked and Unchecked Exceptions in Java ?

Checked exceptions must be caught using try-catch() block or thrown using throws clause. If you don't, compilation of program will fail. whereas we need not catch or throw Unchecked exceptions.



5. What is the catch or declare rule for method declarations?

If a checked exception may be thrown within the body of a method, the method must either catch that exception or declare it in its throws clause. This is done to ensure that there are no orphan exceptions that are not handled by any method.


6. What is the purpose of the finally clause of a try-catch-finally statement?

Like 12k

G+1


2.2k

3 Online Now




Search Program

Follow by Email



COLOMBIA



Labels

Addition of number **Advance Java** **Android** **AP Series** **Armstrong**
 Number Arrays assertion Binary Addition binary Multiplication
 Binary to Decimal Binary to Hexadecimal C C++ **Class** Coding
 Standard Collection Conversion **Core Java** Daemon
 Thread Datatypes Decimal To Binary Decimal to hexadecimal
 Decimal to octal Diamond **Durga Sir Durgasoft** Encapsulation
Exception Handling Factorial Features Fibonacci Garbage
 Collection Generic Root GP Series HCF and LCF Hibernnet HP
 Series HR Questions **IBM** **DB-2** **IBPS** Identifiers Indore interface
Interview **Interview** **Question** **Java**

The finally clause is used to provide the capability to execute code no matter whether or not an exception is thrown or caught. It is usually used in places where we are connecting to a database so that, we can close the connection or perform any cleanup even if the query execution in the try block caused an exception.

7. What classes of exceptions may be caught by a catch clause?

A catch clause can catch any exception that may be assigned to the Throwable type. This includes the Error and Exception types.

8. Can an exception be rethrown?

Yes, an exception can be rethrown any number of times.

9. When is the finally clause of a try-catch-finally statement executed?

The finally clause of the try-catch-finally statement is always executed after the catch block is executed, unless the thread of execution terminates or an exception occurs within the execution of the finally clause.

10. What classes of exceptions may be thrown by a throw statement?

A throw statement may throw any expression that may be assigned to the Throwable type.

11. What happens if an exception is not caught?

An uncaught exception results in the uncaughtException() method of the thread's ThreadGroup being invoked, which eventually results in the termination of the program in which it is thrown.

12. What happens if a try-catch-finally statement does not have a catch clause to handle an exception that is thrown within the body of the try statement? The exception propagates up to the next higher level try-catch statement (if any) or results in the program's termination.

13. Can try statements be nested?

Try statements can be nested. It is possible to nest them to any level, but it is preferable to keep the nesting to 2 or 3 levels at max.

14. How does a try statement determine which catch clause should be used to handle an exception?

When an exception is thrown within the body of a try statement, the catch clauses of the try statement are examined in the order in which they appear. The first catch clause that is capable of handling the exception that was thrown, is executed. The remaining catch clauses are ignored.

15. What is difference between error and exception

Error occurs at runtime and cannot be recovered, OutOfMemory is one such example. Exceptions on the other hand are due conditions which the application encounters, that can be recovered such as FileNotFoundException exception or IO exceptions

16. What is the base class from which all exceptions are subclasses ?

All exceptions are subclasses of a class called java.lang.Throwable

17. How do you intercept and control exceptions ?

We can intercept and control exceptions by using try/catch

Java Program Java4732 JavaEE JavaSE
JDBC JSP Linux Literals Matrix Multi threading Natraj sir
Natraj Technology NCR Notes Number Pattern Number
System Object Octal to binary Octal to Decimal OOPS Oracle
Palindrome Pattern PDF Polymorphism Practice Programs
Prime Number Programming Challenges
Programs Pyramid Real-Life-Example Rectangle
Pattern Recursion Reserved Words Reverse Number SAP SCJP
Serialization Series Series Servlet Session Silver Light
Software Companies Spring Star Pattern String Struts-2 Sum of
digits Swapping Two Array Top 10 triangle tutorial var-args
Method Video Tutorial Web Logic Web Service Written
Test

/finally blocks.

You place the normal processing code in try block

You put the code to deal with exceptions that might arise in try block in catch block

Code that must be executed no matter what happens must be placed in finally block

18. When do we say an exception is handled ?

When an exception is thrown in a try block and is caught by a matching catch block, the exception is considered to have been handled. Or when an exception thrown by a method is caught by the calling method and handled, an exception can be considered handled.

19. When do we say an exception is not handled?

There is no catch block that names either the class of exception that has been thrown or a class of exception that is a parent class of the one that has been thrown, then the exception is considered to be unhandled, in such condition the execution leaves the method directly as if no try has been executed

20. In what sequence does the finally block get executed ?

If you put finally after a try block without a matching catch block then it will be executed after the try block

If it is placed after the catch block and there is no exception then also it will be executed after the try block

If there is an exception and it is handled by the catch block then it will be executed after the catch block

21. What can prevent the execution of the code in finally block ?

Theoretically, the finally block will execute no matter what. But practically, the following scenarios can prevent the execution of the finally block.

- * The death of thread
- * Use of `System.exit()`
- * Turning off the power to CPU
- * An exception arising in the finally block itself

22. What are the rules for catching multiple exceptions?

A more specific catch block must precede a more general one in the source, else it gives compilation error about unreachable code blocks.

23. What does throws statement declaration in a method indicate?

This indicates that the method throws some exception and the caller method should take care of handling it. If a method invokes another method that throws some exception, the compiler will complain until the method itself throws it or surrounds the method invocation with a try-catch block.

24. What are checked exceptions?

Checked exceptions are exceptions that arise in a correct program, typically due to user mistakes like entering wrong data or I/O problems. Checked Exceptions can be caught and handled by the programmer to avoid random error messages on screen.

25. What are runtime exceptions

Runtime exceptions are due to programming bugs like out of bound arrays or null pointer exceptions.

26. What is difference between Exception and errors ?

Errors are situations that cannot be recovered and the system will just crash or end. Whereas, Exceptions are just unexpected situations that can be handled and the system can recover from it. We usually catch & handle exceptions while we dont handle Errors.

27. How will you handle the checked exceptions?

You can provide a try/catch block to handle it or throw the exception from the method and have the calling method handle it.

28. When you extend a class and override a method, can this new method throw exceptions other than those that were declared by the original method?

No it cannot throw, except for the subclasses of the exceptions thrown by the parent class's method.

29. Is it legal for the extending class which overrides a method which throws an exception, not to throw in the overridden class?

Yes, it is perfectly legal.

 Like 30  Share  +1 3

Posted by [Umesh Kushwaha](#)

 +3 Recommend this on Google

Labels: [Exception Handling](#), [Interview Question](#), [Java](#), [JavaSE](#)

1 comment



Add a comment as Vijay Kumar

Top comments



Umesh Kushwaha via Google+ · 1 year ago · Shared publicly

Exception Handling based Questions

1. How could Java classes direct messages to a file instead of the Console? The System class has a variable "out" that represents the standard output, and the variable "err" that represents the standard error device. By default, they both point at the syst...

+2  1 · Reply

[Newer Post](#)

[Home](#)

[Older Post](#)

Subscribe to: [Post Comments \(Atom\)](#)