

DIE ORDER JUSTIFICATION FORM

SHIPMENT VIA: LAND ☒
AIR ☐

Die Supplier: PDTMC

Press code	Die No/str	Die Specifications	Wt/m.	Delivery Request Date	Org	New	Repeat.	Last Die Order Date	Die stock Level	Justification			Customer Ref.
										Reg. Order	Pre-mature failure	O/wt	
D	11598-438	Dia 220X130; 1 CAV; SF				☐	☒						BACKUP (URGENT)
E	12003-505	Dia 250X160; 4 CAV; PH				☐	☒						BACKUP (TOP URGENT)
D	INS-29957	Dia 300X100				☒	☐						NEW (URGENT)
						☐	☐						
						☐	☐						

Ordered By

(To be signed and faxed back to Gulf Extrusion's as order confirmation by the Die supplier)


Order received date :-

Signature :-





DETAIL-Z
(TYP)



For Anodizing Finish

J. mvan
28/11/26

11598-438

1. All dimensions are in millimeter
2. For sharp corners radius = 0.4R
3. BS EN 755-9:2008 applicable for tolerances - unless mentioned otherwise
4. F=full rad ; R=0.3rad ; R1=0.5rad ; R2=0.75rad
5. V=0.35x90° vee groove
6. * denotes important dimn.

الخليج للسحب
Gulf Extrusions

P.O.Box-5598, DUBAI- United Arab Emirates
Tel +9714 8846146 Fax +9714 8846830
Email:mail@gulfex.com Web:www.gulfex.com

Customer :

Customer's Ref. No. :	11506/R/98
-----------------------	------------

Mating :

Date :	18/08/02
--------	----------

Scale :	1:1	1.25:1	3:1
---------	-----	--------	-----

Appd. By :


Section No.

11598

Gen. wall thickness	1.3-1.5	Container diameter		Mating :		
Weight in kg./m.	1 , 345	No. of cavites		Date : 18/08/02	Scale : 1:1 1.25:1 3:1	Section No. 11598
Perimeter	727.63	Alloy	6063-T5	Drn. By :	Appd. By :	


SUPPLIER	PDTMC		DATE	-22-01-2026
EMAIL THE DESIGN BEFORE MANUFACTURING				
DIE SIZE	- Dia 250X160			
No OF CAV	- 4	PRESS	- P5	
SOLID	-	HOLLOW	- Hollow	
BOLSTER No.	-	INSERT No.	- I-12495	
SIZE	-	SIZE	- old	
REQUESTED DELIVERY DATE		05/02/2026		
3D MODULE FOR SIMULATION		No		
MODE OF SHIPMENT		- By Road		
NOTE:- PROFILE WEIGHT SHOULD START FROM %				
FINISH	Mill ☒	Anodizing ☐	Powder coating ☒	

for powder coating finish




SCALE 1:1

REVISION - 1	DATED:-11/04/2018
a. Dimension was 7.6	
b. Wall thickness was 1.8Typ.	
c. This drawing supersedes drawing dated 29/10/2005	



DETAIL-I
GULF EXTRUSIONS
(IDENTIFICATION MARK)

TOP URGENT
Fast Track




Imran
23/01/26

12003-505

1. All dimensions are in millimeter 2. For sharp corners radius = 0.3R 3. BS EN 755-9:2008 applicable for tolerances - unless mentioned otherwise 4. F=full rad, R=0.7rad							P.O.Box-5598, DUBAI- United Arab Emirates Tel +9714 8846146 Fax +9714 8846830 Email:mail@gulfex.com Web:www.gulfex.com		
Customer :					Description :				
Main visible surf.: - - - - -	C/S Area	183.35	CCD	35	Ref. No. :		NPE	-	
Sec. visible surf.: _____	Weight kg/m.	0.496	Alloy	6063	Mating :		Appd.	Rev	01
Main visible surface	General wall thickness	1.75	Temper	T6	Scale : 1:1, 3:1		Drawn	Ravinder	Section No. 12003
C/S Length	Area/mtr.	External Perimeter	91	Ext./R	Die Criticality	-	Date	11/04/18	
91		Total Internal Perimeter	106	No. of cavites					

TOP



Press 4

INS_300x100

Top Urgent
Fast Truck

Insert 29957
Supplier: PDTMC
Press: 4
Size 300X100

Vijeesh

2026.01.26

15:22:41

+04'00'

Vijeesh