

# Cucumber Report

May 1, 2024, 1:59:10 PM

**Start : May 01, 1:56:56.645 PM**

**End : May 01, 1:59:06.806 PM**

**Duration : 2 m 10.161 s**

Features





PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 3  
FAILED - 27  
SKIPPED - 0

Steps

PASSED - 19  
FAILED - 27  
SKIPPED - 43



<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Admin Validating Batch Page</u>		2 m 10.161 s		30	3	27	0	89	19	27	43


#	Feature Name	Scenario Name
1	<u>Admin Validating Batch Page</u>	<u>Validate pop up for adding batch</u>
2		<u>Validate data rows of checkbox</u>
3		<u>Validate landing in Batch page</u>
4		<u>Validate data rows of delete icon</u>
5		<u>Validate header in the Batch Page</u>
6		<u>Validate data rows of edit icon</u>
7		<u>Validate pagination in the Batch Page</u>
8		<u>Validate data table headers in the Batch Page</u>
9		<u>Validate feils in popUp page</u>
10		<u>Validate feils in popUp page</u>
11		<u>Validate feils in popUp page</u>
12		<u>Validate feils in popUp page</u>
13		<u>Check if description is optional field</u>

#	Feature Name	Scenario Name
14	<u>Admin Validating Batch Page</u>	<u>Check if the program details are added in data table</u>
15		<u>Check for error messages for invalid fields</u>
16		<u>Check for error messages for mandatory fields</u>
17		<u>Validate row level delete icon</u>
18		<u>Validate accept alert</u>
19		<u>Validate reject alert</u>
20		<u>Validate the delete icon below the header</u>
21		<u>Check for multi row delete</u>
22		<u>Check for single row delete</u>
23		<u>Validate row level edit icon</u>
24		<u>Check if the fields are updated</u>
25		<u>Check if the update throws error with invalid values</u>
26		<u>Check if you get error message when mandatory fields are erased</u>


#	<b>Feature Name</b>	<b>Scenario Name</b>
27	<u>Admin Validating Batch Page</u>	<u>Check if description field is optional in update</u>

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@BatchPage		30	3	27	0	1	0	1	0
@BatchPage-05		1	1	0	0	1	0	1	0
@BatchPage-06		1	1	0	0	1	0	1	0
@BatchPage-10		1	0	1	0	1	0	1	0
@BatchPage-07		1	0	1	0	1	0	1	0
@BatchPage-01		1	0	1	0	1	0	1	0
@BatchPage-09		1	0	1	0	1	0	1	0
@BatchPage-02		1	0	1	0	1	0	1	0
@BatchPage-08		1	0	1	0	1	0	1	0
@BatchPage-03		1	0	1	0	1	0	1	0
@BatchPage-04		1	0	1	0	1	0	1	0
@BatchPage-11		5	1	4	0	1	0	1	0
@BatchPage-12		1	0	1	0	1	0	1	0
@BatchPage-13		1	0	1	0	1	0	1	0
@BatchPage-14		1	0	1	0	1	0	1	0
@BatchPage-15		1	0	1	0	1	0	1	0
@BatchPage-16		1	0	1	0	1	0	1	0


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@BatchPage-17		1	0	1	0	1	0	1	0
@BatchPage-18		1	0	1	0	1	0	1	0
@BatchPage-19		1	0	1	0	1	0	1	0
@BatchPage-21		1	0	1	0	1	0	1	0
@BatchPage-20		1	0	1	0	1	0	1	0
@BatchPage-22		1	0	1	0	1	0	1	0
@BatchPage-23		1	0	1	0	1	0	1	0
@BatchPage-24		1	0	1	0	1	0	1	0
@BatchPage-25		1	0	1	0	1	0	1	0
@BatchPage-26		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Admin Validating Batch Page</u>	30	3	27	0	2 m 10.161 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Admin Validating Batch Page</u>	<u>Validate Delete button in Batch Page</u>	3	3	0	0	45.745 s
2		<u>Validate "+ A New batch" in Batch Page</u>	3	3	0	0	46.777 s
3		<u>Validate pop up for adding batch</u>	3	0	1	2	44.079 s
4		<u>Validate data rows of checkbox</u>	3	1	1	1	1 m 15.961 s
5		<u>Validate landing in Batch page</u>	3	1	1	1	45.583 s
6		<u>Validate data rows of delete icon</u>	3	1	1	1	45.694 s
7		<u>Validate header in the Batch Page</u>	3	1	1	1	43.961 s
8		<u>Validate data rows of edit icon</u>	3	1	1	1	44.419 s
9		<u>Validate pagination in the Batch Page</u>	3	1	1	1	49.767 s
10		<u>Validate data table headers in the Batch Page</u>	3	1	1	1	49.113 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Admin Validating Batch Page</u>	<u>Validate feils in popUp page</u>	3	0	1	2	35.170 s
12		<u>Validate feils in popUp page</u>	3	0	1	2	33.715 s
13		<u>Validate feils in popUp page</u>	3	3	0	0	35.988 s
14		<u>Validate feils in popUp page</u>	3	0	1	2	33.351 s
15		<u>Validate feils in popUp page</u>	3	0	1	2	38.251 s
16		<u>Check if description is optional field</u>	3	0	1	2	33.922 s
17		<u>Check if the program details are added in data table</u>	3	0	1	2	34.036 s
18		<u>Check for error messages for invalid fields</u>	3	0	1	2	28.851 s
19		<u>Check for error messages for mandatory fields</u>	3	0	1	2	52.233 s
20		<u>Validate row level delete icon</u>	3	0	1	2	40.200 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Admin Validating Batch Page</u>	<u>Validate accept alert</u>	3	1	1	1	45.984 s
22		<u>Validate reject alert</u>	3	0	1	2	43.376 s
23		<u>Validate the delete icon below the header</u>	2	0	1	1	45.110 s
24		<u>Check for multi row delete</u>	3	1	1	1	42.402 s
25		<u>Check for single row delete</u>	3	1	1	1	44.242 s
26		<u>Validate row level edit icon</u>	3	0	1	2	43.481 s
27		<u>Check if the fields are updated</u>	3	0	1	2	43.607 s
28		<u>Check if the update throws error with invalid values</u>	3	0	1	2	40.076 s
29		<u>Check if you get error message when mandatory fields are erased</u>	3	0	1	2	22.071 s
30		<u>Check if description field is optional in update</u>	3	0	1	2	13.503 s

## Admin Validating Batch Page




### Validate Delete button in Batch Page




#	Step / Hook Details	Status	Duration	
1	Given Admin is on dashboard page after Login	PASSED	39.798 s	
2	When Admin clicks "Batch" from navigation bar	PASSED	2.046 s	
3	Then Admin should be able to see the "Delete" icon button that is disabled	PASSED	0.255 s	

### Validate "+ A New batch" in Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	41.673 s
2	When Admin clicks "Batch" from navigation bar	PASSED	0.640 s
3	Then Admin should be able to see the "+ A New batch" button	PASSED	0.259 s


## Validate pop up for adding batch




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on batch page after Login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [da100c5f27fd5e5669a1e60dbabc3b95, findElement {using&gt;xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...), goog:chromeOptions: {debuggerAddress: localhost:52182}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52182/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: da100c5f27fd5e5669a1e60dbabc3b95     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre>	FAILED	39.705 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_is_on_batch_page_after_login(BatchSteps.java:101) at ?.Admin is on batch page after Login(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:63) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.776 s
	image		
			
2	When Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
3	Then A new pop up with Batch details appears	SKIPPED	0.001 s


### Validate data rows of checkbox



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	44.054 s
2	When Admin clicks "Batch" from navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f3a3f65c9c1e80f256d009b11b5b6d1d, findElement {using=xpath, value=//button[@id='batch']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52188/devtoo...}	FAILED	0.070 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f3a3f65c9c1e80f256d009b11b5b6d1d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:46) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.761 s
3	Then Each row in the data table should have a checkbox	SKIPPED	0.001 s


## Validate landing in Batch page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	34.620 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [dc2057c8ec867a67b8c67fa44c467a7a, findElement {using&gt;xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52184/devtoo...., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dc2057c8ec867a67b8c67fa44c467a7a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:10)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	3.433 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.667 s
3	Then Admin should see the "Manage Batch" in the URL	SKIPPED	0.001 s


### Validate data rows of delete icon



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	39.933 s
2	When Admin clicks "Batch" from navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ca43d3af0bad96fd879e1c411c113c6c, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52233}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52233/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ca43d3af0bad96fd879e1c411c113c6c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	0.059 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:58) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.191 s
3	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.001 s


### Validate header in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	22.326 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: </pre>	FAILED	0.080 s

#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c06225647c0e8567276902f3ba1e4b54, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52175/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c06225647c0e8567276902f3ba1e4b54 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:16) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	4.129 s
3	Then Admin should see the "Manage Batch" in the header	SKIPPED	0.007 s


Validate data rows of edit icon




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	34.166 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7ae6562c5d5527af6f9bf7a6e4c310b9, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52180}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52180/devtoo...., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7ae6562c5d5527af6f9bf7a6e4c310b9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:52)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	2.398 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	1.430 s
3	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.001 s


### Validate pagination in the Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	30.115 s
2	When Admin clicks "Batch" from navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f29b3432156aeeeea0439b2fde381deed, findElement {using=xpath, value=/button[@id='batch']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52183}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52183/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f29b3432156aeeeea0439b2fde381deed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	1.419 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:22)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.133 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.004 s


### Validate data table headers in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	38.197 s
2	When Admin clicks "Batch" from navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit:	FAILED	0.137 s

#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b62aa1a401d9378dcb9b6364ac0137, findElement {using&gt;xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52204/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e0b62aa1a401d9378dcb9b6364ac0137 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_from_navigation_bar(BatchSteps.java:33) at ?.Admin clicks "Batch" from navigation bar(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:28) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	2.155 s
3	Then Admin Should see the data table with headers Batch name, Batch Description, Batch Status, No. of classes, Program Name, EditDelete	SKIPPED	0.001 s


Validate feils in popUp page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on batch page after Login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [6650b39aa0162935533195fba7446a1b, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\lsateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52642}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52642/devtoo...,  se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6650b39aa0162935533195fba7446a1b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_is_on_batch_page_after_login(BatchSteps.java:101) at ?.Admin is on batch page after Login(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:68)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	20.669 s
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.706 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
2	When Admin clicks "+ A New Batch" button	SKIPPED	0.001 s
3	Then The pop up should include the "BatchName" as respective text boxes,radio button,dropdown	SKIPPED	0.001 s


## Validate feils in popUp page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on batch page after Login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [4fc8ac0ca334b2b8262baf5e45ae2801, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52637}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52637/devtoo... se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4fc8ac0ca334b2b8262baf5e45ae2801 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</pre>	FAILED	17.723 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_is_on_batch_page_after_login(BatchSteps.java:101) at ?.Admin is on batch page after Login(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:68)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	1.829 s
2	When Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
3	Then The pop up should include the "BatchDescription" as respective text boxs,radio button,dropdown	SKIPPED	0.000 s

### Validate feils in popUp page




#	Step / Hook Details	Status	Duration
1	Given Admin is on batch page after Login	PASSED	21.656 s
2	When Admin clicks "+ A New Batch" button	PASSED	3.708 s
3	Then The pop up should include the "ProgramName" as respective text boxs,radio button,dropdown	PASSED	2.803 s


## Validate feils in popUp page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on batch page after Login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [87123c872fd0cc33af0ea21b4518e749, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52685/devtoo... , se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 87123c872fd0cc33af0ea21b4518e749 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_is_on_batch_page_after_login(BatchSteps.java:101) at ?.Admin is on batch page after Login(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:68)</pre>	FAILED	28.066 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.  AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.458 s
2	When Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
3	Then The pop up should include the "Status" as respective text boxes,radio button,dropdown	SKIPPED	0.001 s


### Validate feils in popUp page



#	Step / Hook Details	Status	Duration
1	Given Admin is on batch page after Login  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [608a379b46902fec4e788087e1c81649, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52697}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52697/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 608a379b46902fec4e788087e1c81649 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	28.423 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_is_on_batch_page_after_login(BatchSteps.java:101) at ?.Admin is on batch page after Login(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:68) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.267 s
	image		
			
2	When Admin clicks "+ A New Batch" button	SKIPPED	0.001 s
3	Then The pop up should include the "NoOfclasses" as respective text boxs,radio button,dropdown	SKIPPED	0.001 s


### Check if description is optional field



#	Step / Hook Details	Status	Duration
1	<p>Given A new pop up with Batch details appears after clicking add batch on BatchPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [8c60351558a748a0c77f32799ff4ef3a, findElement {using&gt;xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52684}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52684/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c60351558a748a0c77f32799ff4ef3a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. a_new_pop_up_with_batch_details_appears_after_clicking_add_batch_on_batch_page(BatchSteps.java:130) at ?.A new pop up with Batch details appears after clicking add batch on BatchPage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:80)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	26.771 s
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	1.166 s
2	When Fill in all the "SDET137","< BatchDescription>","LMSprogram" and "3" except description with valid values and click save	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The newly added batch should be present in the data table in Manage Batch page	SKIPPED	0.001 s


## Check if the program details are added in data table



#	Step / Hook Details	Status	Duration
1	<p>Given A new pop up with Batch details appears after clicking add batch on BatchPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [663d432ebf44dfa531aa453e97a93027, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...), goog:chromeOptions: {debuggerAddress: localhost:52767}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52767/devtoo... , se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 663d432ebf44dfa531aa453e97a93027 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	27.475 s

#	Step / Hook Details	Status	Duration
	<pre>at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. a_new_pop_up_with_batch_details_appears_after_clicking_add_batch_on_batch_page(BatchSteps.java:130)     at ?.A new pop up with Batch details appears after clicking add batch on BatchPage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:90) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.995 s
2	When Fill in all the "OOPS02","< BatchDescription>","LMSprogram" and "3" with valid values and click save	SKIPPED	0.000 s
3	Then The newly added batch should be present in the data table in Manage Batch page when you search	SKIPPED	0.000 s


### Check for error messages for invalid fields



#	Step / Hook Details	Status	Duration
1	<p>Given A new pop up with Batch details appears after clicking add batch on BatchPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [862f8c82a62e6249db817e681cdbff48, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...), goog:chromeOptions: {debuggerAddress: localhost:52793}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52793/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</pre>	FAILED	24.419 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: 862f8c82a62e6249db817e681cdbff48 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. a_new_pop_up_with_batch_details_appears_after_clicking_add_batch_on_batch_page(BatchSteps.java:130) at ?.A new pop up with Batch details appears after clicking add batch on BatchPage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:100) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.774 s
2	When Fill in all the "@@@", "<BatchDescription>", "LMSprogram" and "3" with batch name invalid value and click save	SKIPPED	0.002 s
3	Then Error message should appear for batch name	SKIPPED	0.001 s


## Check for error messages for mandatory fields



#	Step / Hook Details	Status	Duration
1	<p>Given A new pop up with Batch details appears after clicking add batch on BatchPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [27a1e7f89c731e7ae3a6cdf5260ebeb66, findElement {using&gt;xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52798}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52798/devtoo... , se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 27a1e7f89c731e7ae3a6cdf5260ebeb66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. a_new_pop_up_with_batch_details_appears_after_clicking_add_batch_on_batch_page(BatchSteps.java:130) at ?.A new pop up with Batch details appears after clicking add batch on BatchPage(file:///E:/New-Selenium/LMS_Hackathon/src/test/ resources/features/4Batch.feature:110)</pre>	FAILED	28.554 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.380 s
	image		
2	When Fill in all the "OOPS01","< BatchDescription>","", and "3" with program name empty value and click save	SKIPPED	0.000 s
3	Then Error message should appear for program name	SKIPPED	0.000 s


### Validate row level delete icon




#	Step / Hook Details	Status	Duration
1	<p>Given The delete icon on row level in data table is enabled after landing on batchpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9cbc5012d0921db656bcab4d4f36ff8f, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:52984}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52984/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9cbc5012d0921db656bcab4d4f36ff8f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</pre>	FAILED	20.899 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. the_delete_icon_on_row_level_in_data_table_is_enabled_after_landing_on_batchpage(BatchSteps.java:183) at ?.The delete icon on row level in data table is enabled after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:120) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.414 s
2	When Admin clicks the delete icon	SKIPPED	0.000 s
3	Then Alert appears with yes and No option	SKIPPED	0.000 s

### Validate accept alert



#	Step / Hook Details	Status	Duration
1	Given Admin clicks the delete icon for one batch after landing on batchpage	PASSED	31.628 s
2	When Admin click yes option  org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7371977e0de6cca162efb1b501c6c874, getElementText {id=787d617c-d5f7-484e-883e-2215892f5299}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53046}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53046/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@36c0ef8e -> unknown locator] Session ID: 7371977e0de6cca162efb1b501c6c874 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:191) at lms.hackathon.ui.pageobjects.BatchPage.acceptAlertForDeleteWithCheck(BatchPage.java:699) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_click_yes_option(BatchSteps.java:209) at ?.Admin click yes option(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:127) * Not displayable characters are replaced by '?'.	FAILED	4.808 s
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.448 s
3	Then Batch deleted alert pops and batch is no more available in the data table	SKIPPED	0.002 s


**Validate reject alert**




#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the delete icon for another batch after landing on batchpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c3e9cd9c156bb3c7d7ebcc139f703a9a, findElement {using&gt;xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53035}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53035/devtoo... , se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c3e9cd9c156bb3c7d7ebcc139f703a9a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_the_delete_icon_for_another_batch_after_landing_on_batchpage(BatchSteps.java:222) at ?.Admin clicks the delete icon for another batch after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:132)</pre>	FAILED	37.110 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.  AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.808 s
2	When Admin click No option	SKIPPED	0.000 s
3	Then Batch is still listed in data table after searching	SKIPPED	0.001 s



### Validate the delete icon below the header




#	Step / Hook Details	Status	Duration
1	Given None of the checkboxes in data table are selected after landing on batchpage  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d976d1dff127944d3034407429bc21b, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53047}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53047/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d976d1dff127944d3034407429bc21b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	28.930 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.  none_of_the_checkboxes_in_data_table_are_selected_after_landing_on_batchpage(BatchSteps.java:242)   at ?.None of the checkboxes in data table are selected after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:138) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.909 s
2	Then The delete icon under the "Manage Batch" header should be disabled	SKIPPED	0.001 s

### Check for multi row delete


FAILED	DURATION - 42.402 s		
/ 1:58:16.714 PM // 1:58:59.116 PM /			
Admin Validating Batch Page			
@BatchPage @BatchPage-21			
1		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Two or more checkboxes of row is selected after landing on batchpage	PASSED	33.026 s
2	When Click delete icon below "Manage Batch" header  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='p-button-icon p-button-icon-left pi pi-check']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c2aa268bd36f6c307aa49bd092385575, findElement {using>xpath, value=/span[@class='p-button-icon p-button-icon-left pi pi-check']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da...}, userDatumDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53063}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53063/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c2aa268bd36f6c307aa49bd092385575 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.singleBatchDelete(BatchPage.java:775) at lms.hackathon.ui.stepdefinitions.BatchSteps.click_delete_icon_below_header(BatchSteps.java:260) at ?.Click delete icon below "Manage Batch" header(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:150) * Not displayable characters are replaced by '?'.	FAILED	2.484 s
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.525 s
3	Then The respective row in the data table is deleted for selected rows	SKIPPED	0.000 s


## Check for single row delete




#	Step / Hook Details	Status	Duration
1	Given One of the checkbox of row is selected after landing on batchpage	PASSED	33.959 s
2	<p>When Click delete icon below "Manage Batch" header</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21f5649b907674e91b220a5c3903621f, clickElement {id=f8e3dea6-5d0f-46dd-817d-7168071140f8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Local\Temp\scoped_dir32084_11049}, goog:chromeOptions: {debuggerAddress: localhost:53059}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53059/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (21f5649b907674e91b220a5c3903621f)] -&gt; xpath: //button[@class='p-button-rounded p-button-danger p-button p-component p-button-icon-only']] Session ID: 21f5649b907674e91b220a5c3903621f at java.base/jdk/internal/reflect/DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java/lang/reflect/Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java/lang/reflect/Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at lms.hackathon.ui.pageobjects.BatchPage.singleBatchDelete(BatchPage.java:774) at lms.hackathon.ui.stepdefinitions.BatchSteps.click_delete_icon_below_header(BatchSteps.java:260) at ?.Click delete icon below "Manage Batch" header(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:144)</pre>	FAILED	1.514 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.453 s
3	Then The respective row in the data table is deleted	SKIPPED	0.001 s


### Validate row level edit icon



#	Step / Hook Details	Status	Duration
1	Given The edit icon on row level in data table is enabled after landing on batchpage  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5a88bb2c0d74149f206c7e9fe7015638, findElement {using>xpath, value=/button[@id='batch']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDatadir: C:\Users\sateesh\AppData\Local\Temp..., goog:chromeOptions: {debuggerAddress: localhost:53076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53076/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a88bb2c0d74149f206c7e9fe7015638 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	27.977 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps. the_edit_icon_on_row_level_in_data_table_is_enabled_after_landing_on_batchpage(BatchSteps.java:284) at ?.The edit icon on row level in data table is enabled after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:155) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.180 s
2	When Admin clicks the edit icon	SKIPPED	0.000 s
3	Then A new pop up with Batch details appears	SKIPPED	0.011 s


### Check if the fields are updated



#	Step / Hook Details	Status	Duration
1	Given Admin clicks the edit icon after landing on batchpage	FAILED	39.850 s

#	Step / Hook Details	Status	Duration																												
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [230ffa3557883f587be42b9819e75a17, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53073}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53073/devtoo...,  se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 230ffa3557883f587be42b9819e75a17 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_the_edit_icon_after_landing_on_batchpage(BatchSteps.java:296) at ?.Admin clicks the edit icon after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:161)</pre> <p>* Not displayable characters are replaced by '?'.</p>																														
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> <table border="1"> <thead> <tr> <th>Program Name</th> <th>Batch Description</th> <th>Program Status</th> <th>Action</th> </tr> </thead> <tbody> <tr> <td>S001000</td> <td>Batch1</td> <td>Active</td> <td></td> </tr> <tr> <td>S001001</td> <td>Batch2</td> <td>Active</td> <td></td> </tr> <tr> <td>S001002</td> <td>Batch3</td> <td>Active</td> <td></td> </tr> <tr> <td>S001003</td> <td>Batch4</td> <td>Active</td> <td></td> </tr> <tr> <td>S001004</td> <td>Batch5</td> <td>Active</td> <td></td> </tr> <tr> <td>S001005</td> <td>Batch6</td> <td>Active</td> <td></td> </tr> </tbody> </table>	Program Name	Batch Description	Program Status	Action	S001000	Batch1	Active		S001001	Batch2	Active		S001002	Batch3	Active		S001003	Batch4	Active		S001004	Batch5	Active		S001005	Batch6	Active		PASSED	1.653 s
Program Name	Batch Description	Program Status	Action																												
S001000	Batch1	Active																													
S001001	Batch2	Active																													
S001002	Batch3	Active																													
S001003	Batch4	Active																													
S001004	Batch5	Active																													
S001005	Batch6	Active																													
2	When Update the fields "OOPS04","< BatchDescription>","LMSprogram" and "4" click save	SKIPPED	0.000 s																												
3	Then The updated batch details should appear on the data table	SKIPPED	0.001 s																												


## Check if the update throws error with invalid values




#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the edit icon after landing on batchpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3d102f2b7961236bf059f4ad9b7e31d8, findElement {using=xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53157}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53157/devtoo... , se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3d102f2b7961236bf059f4ad9b7e31d8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_the_edit_icon_after_landing_on_batchpage(BatchSteps.java:296) at ?.Admin clicks the edit icon after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.</pre>	FAILED	36.318 s

#	Step / Hook Details	Status	Duration
	feature:171) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	1.739 s
	image		
			
2	When Update the fields "OOPS04","< BatchDescription>","LMSprogram" and "4" with invalid description click save	SKIPPED	0.002 s
3	Then Error message should appear	SKIPPED	0.000 s


### Check if you get error message when mandatory fields are erased



#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the edit icon after landing on batchpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c9af6cd49b31d3bd71242040ab535472, findElement {using=xpath, value=/button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53342/devtoo..., se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c9af6cd49b31d3bd71242040ab535472 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</pre>	FAILED	20.079 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_the_edit_icon_after_landing_on_batchpage(BatchSteps.java:296) at ?.Admin clicks the edit icon after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch.feature:181) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.752 s
2	When Update the fields "ci/cd","< BatchDescription>","LMSprogram" and "" with no noOfClasses click save	SKIPPED	0.002 s
3	Then Error message should appear for mandatory fields	SKIPPED	0.001 s

### Check if description field is optional in update



#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the edit icon after landing on batchpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='batch']"} (Session info: chrome=109.0.5414.168) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1629686c373a36a03956c60e421a791a, findElement {using&gt;xpath, value=//button[@id='batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.168, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\sateesh\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53417/devtoo...,  se:cdpVersion: 109.0.5414.168, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},  unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,  webauthn:virtualAuthenticators: true} Session ID: 1629686c373a36a03956c60e421a791a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at lms.hackathon.ui.pageobjects.BatchPage.clickBatch(BatchPage.java:85) at lms.hackathon.ui.stepdefinitions.BatchSteps.admin_clicks_the_edit_icon_after_landing_on_batchpage(BatchSteps.java:296) at ?.Admin clicks the edit icon after landing on batchpage(file:///E:/New-Selenium/LMS_Hackathon/src/test/resources/features/4Batch. feature:191)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	11.893 s
	<p>AFTER_STEP - lms.hackathon.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.325 s
2	When Update the fields "OOPS05","< BatchDescription>","LMSprogram" and "4" with no description click save	SKIPPED	0.001 s
3	Then The updated batch details should appear on the data table	SKIPPED	0.002 s