Duration: 2 m 39.372 s Start: Apr 26, 12:17:31.193 PM End: Apr 26, 12:20:10.565 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 20 10 30 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Admin Validating Batch Page	2 m 39.372 s	10	0	10	0	30	0	10	20	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Admin Validating Batch Page	Validate data table headers in the Batch Page
2		Validate Delete button in Batch Page
3		Validate pagination in the Batch Page
4		Validate data rows of edit icon
5		Validate landing in Batch page
6		Validate data rows of checkbox
7		Validate header in the Batch Page
8		Validate data rows of delete icon
9		Validate "+ A New batch" in Batch Page
10		Validate pop up for adding batch


TAG		Scenario				Feature			
Name	T	P	F	S	T	P	F	S	
@BatchPage	10	0	10	0	1	0	1	0	
@BatchPage-04	1	0	1	0	1	0	1	0	
@BatchPage-05	1	0	1	0	1	0	1	0	
@BatchPage-03	1	0	1	0	1	0	1	0	
@BatchPage-08	1	0	1	0	1	0	1	0	
@BatchPage-01	1	0	1	0	1	0	1	0	
@BatchPage-07	1	0	1	0	1	0	1	0	
@BatchPage-02	1	0	1	0	1	0	1	0	
@BatchPage-09	1	0	1	0	1	0	1	0	
@BatchPage-06	1	0	1	0	1	0	1	0	
@BatchPage-10	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Admin Validating Batch Page	10	0	10	0	2 m 39.372 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Admin Validating Batch Page	Validate data table headers in the Batch Page	3	0	1	2	2 m 39.354 s
2		Validate Delete button in Batch Page	3	0	1	2	2 m 39.340 s
3		Validate pagination in the Batch Page	3	0	1	2	2 m 39.350 s
4		Validate data rows of edit icon	3	0	1	2	2 m 39.339 s
5		Validate landing in Batch page	3	0	1	2	2 m 39.326 s
6		Validate data rows of checkbox	3	0	1	2	2 m 39.319 s
7		Validate header in the Batch Page	3	0	1	2	2 m 39.303 s
8		Validate data rows of delete icon	3	0	1	2	2 m 39.317 s
9		Validate "+ A New batch" in Batch Page	3	0	1	2	2 m 39.305 s
10		Validate pop up for adding batch	3	0	1	2	2 m 39.306 s

DETAILED SECTION -- 7 -

## **Admin Validating Batch Page**

FAILED	DURATION - 2 m 39.372 s	Scenarios		Steps	
		Total - 10		Total - 30	
/ 12:17:31.193 PM /	// 12:20:10.565 PM /	Pass - 0	10	Pass - 0	30
		Fail - 10	10	Fail - 10	
		Skip - 0		Skip - 20	

### **Validate data table headers in the Batch Page**



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.030 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.418 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []}}]]     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232)     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)     at org.openqa.selenium.remote.RemoteWebDriver.siartSession(RemoteWebDriver.java:232)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:114)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:89)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:84)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:73)</init>		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(TestNGCucumberRunner.java:129) at jo.cucumber.testng.AbstractTestNGCucumberTests.runScenario(TestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.MethodIvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Evacutors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor.sunWorker(ThreadPoolExecutor.java:642) at java.base/java.util.concurrent.ThreadPoolExecutor\$Morker.run(ThreadPoolExecutor.java:642)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.006 s
3	Then Admin Should see the data table with headers Batch name, Batch Description, Batch Status, No. of classes, Program Name, Edit Delete	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.750 s
	java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112) at java.base/java.util.Map.of(Map.java:1365) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilitites.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilitites.TextContextSetUp.<init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:145) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)</init></init>		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	$at\ or g. picocontainer. injectors. Abstract Injection Factory \$Life cycle Adapter. get Component Instance (Abstract Injection Factory. java: 56)$		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	$at\ or g. picocontainer. parameters. Basic Component Parameter \$1. resolve Instance (Basic Component Parameter. java: 118)$		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	$at\ or g. picocontainer. injectors. Constructor Injector \$Ctor And Adapters. get Parameter Arguments (Constructor Injector. java: 309)$		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		

### **Validate Delete button in Batch Page**



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.039 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.456 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:114)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:89)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:84)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:73)</init>		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org. testng. in ternal. TestMethod With Data Provider Method Worker. call (TestMethod With Data Provider Method Worker. java: 15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.033 s
3	Then Admin should be able to see the "Delete" icon button that is disabled	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.724 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>		
	at java.base/java.util.Map.of(Map.java:1365)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		

## **Validate pagination in the Batch Page**



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.029 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.464 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:89)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:84)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:73)</init>		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	$at\ or g. picocontainer. injectors. Abstract Injection Factory \$Life cycle Adapter. get Component Instance (Abstract Injection Factory. java: 56)$		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	$at\ or g. picocontainer. parameters. Basic Component Parameter \$1. resolve Instance (Basic Component Parameter. java: 118)$		
	$at\ or g. picocontainer. parameters. Component Parameter \$1. resolve Instance (Component Parameter. java: 136)$		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	$at\ or g. picocontainer. injectors. Constructor Injector \$Ctor And Adapters. get Parameter Arguments (Constructor Injector. java: 309)$		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	$at\ or g. picocontainer. injectors. Abstract Injection Factory \$Life cycle Adapter. get Component Instance (Abstract Injection Factory. java: 56)$		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org. testng. internal. TestMethod With Data Provider Method Worker. call (TestMethod With Data Provider Method Worker. java: 15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	CKIDDED	0.030 s
<b>—</b>	WHEN AUTHIN CHEKS BAICH HOTH HAVIGATION BAI	SKIPPED	
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s
	· · · · · · · · · · · · · · · · · · ·		
	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233)	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)</init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)</init>	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)</init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)</init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)  at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)</init></init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)  at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</init></init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112) at java.base/java.util.Map.of(Map.java:1365) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</init></init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)  at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)  at java.base/java.lang.reflect.DirectConstructor.newInstance(WithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</init></init>	SKIPPED	0.000 s
_	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)  at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:145)</init></init>	SKIPPED	0.000 s
	Then Admin should see the pagination controls under the data table  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342)</init></init>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		

#### Validate data rows of edit icon



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.015 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 59.963 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromeDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromeDriver.java:39)</init></init>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:84)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:73)</init>		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	$at\ or g. picocontainer. injectors. Constructor Injector \$Ctor And Adapters. get Parameter Arguments (Constructor Injector. java: 309)$		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.002 s
	Whom Admin oncho Batch hom havigation bai	SIGHT ED	0.002 3
3	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.002 s
	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233)	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)</init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)</init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)</init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)</init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)     at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112) at java.base/java.util.Map.of(Map.java:1365) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException  at java.base/java.util.Objects.requireNonNull(Objects.java:233)  at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)  at java.base/java.util.Map.of(Map.java:1365)  at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)  at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:145)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342)</init></init>	SKIPPED	0.001 s
	Then Each row in the data table should have a edit icon that is enabled  AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException     at java.base/java.util.Objects.requireNonNull(Objects.java:233)     at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)     at java.base/java.util.Map.of(Map.java:1365)     at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)     at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)</init></init>	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		

# Validate landing in Batch page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.049 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.419 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []]}]]]  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)</init></init></init></init>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:73)</init>		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.021 s
3	Then Admin should see the "Manage Batch" in the URL	SKIPPED	0.000 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.759 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.lmmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>		
	at java.base/java.util.Map.of(Map.java:1365)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)		
	at org. open qui se le munitire mote. Di iver Communitaria. Gent Communitaria. Java. 100)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(Constructor.java:342)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)</init>		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)</init>		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		

#### **Validate data rows of checkbox**



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.032 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	2 m 3.023 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession (capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []]}]]]  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.sint>(ChromiumDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver.sint>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sint>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sint>(ChromeDriver.java:33)		


#	Step / Hook Details	Status	Duration
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.FreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutors\$Worker.run(ThreadPoolExecutor.java:642)		
2	at java.base/java.lang.Thread.run(Thread.java:1583)  When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
3	Then Each row in the data table should have a checkbox	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	36.217 s
	java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112) at java.base/java.util.Map.of(Map.java:1365) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342) at org.picocontainer.injectors.ConstructorlnjectorsIntructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector.\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:69)</init></init>		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	$at\ or g. picocontainer. parameters. Basic Component Parameter \$1. resolve Instance (Basic Component Parameter. java: 118)$		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	$at\ or g. picocontainer. injectors. Constructor Injector \$Ctor And Adapters. get Parameter Arguments (Constructor Injector. java: 309)$		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		

## Validate header in the Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.036 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.405 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []]}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.satrSession(RemoteWebDriver.java:114) at org.openqa.selenium.remote.RemoteWebDriver.sinit>(ChromiumDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.lms.ui.utilities.Base.WebDriver.Manager(Base.java:41)</init></init>		


#	Step / Hook Details	Status	Duration
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.001 s
3	Then Admin should see the "Manage Batch" in the header	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.735 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>		
	at java.base/java.util.Map.of(Map.java:1365)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)	I	1

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		

#### Validate data rows of delete icon



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.031 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.447 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession (apabilities=[Capabilities=[Capabilities (browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.sexecute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.sinti>(RemoteWebDriver.java:161) at org.openqa.selenium.chrome.RemoteWebDriver.sinti>(ChromeDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.sinti>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.sinti>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.sinti>(ChromeDriver.java:73) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41) at com.lms.ui.utilities.TextContextSetUp.sinti>(TextContextSetUp.java:14)		


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org. testng. in ternal. TestMethodWithDataProviderMethodWorker. call (TestMethodWithDataProviderMethodWorker. java: 15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.011 s
3	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.754 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.lmmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>		
	at java.base/java.util.Map.of(Map.java:1365)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	$at\ org. testng. internal. TestMethod With Data Provider Method Worker. call (TestMethod With Data Provider Method Worker. java: 77)$		
	$at\ org. testng. internal. TestMethodWithDataProviderMethodWorker. call (TestMethodWithDataProviderMethodWorker. java: 15)$		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.Thread.run(Thread.java:1583)		

#### Validate "+ A New batch" in Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.029 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.426 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []]}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.chromiumDriver.sinit>(ChromiumDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:73) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:41) at orgpenqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:14) at orgpenqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:14) at orgpenqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:84) at orgpenqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:14) at orgpenqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:14)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.007 s
3	Then Admin should be able to see the "+ A New batch" button	SKIPPED	0.001 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()	FAILED	55.747 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112)</init>		
	at java.base/java.util.Map.of(Map.java:1365)		
	at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58)		
	at com.lms.ui.utilities.TextContextSetUp. <init>(TextContextSetUp.java:14)</init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at organicocontameradata icocontameragetinatarioc(detatata icocontameratava.000)		1
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	$at\ or g. picocontainer. injectors. Constructor Injector \$Ctor And Adapters. get Parameter Arguments (Constructor Injector. java: 309)$		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		

DETAILED SECTION -- 43 --

## Validate pop up for adding batch



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.025 s
	Step undefined		
	AFTER_STEP - com.lms.ui.stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	1 m 43.449 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Host info: host: 'MYPC', ip: '192.168.0.9' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 8.1', os.arch: 'amd64', os.version: '6.3', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession (apabilities=[Capabilities [browserName: chrome, goog:chromeOptions: {args: [headless=new], binary: C:\Program Files (x86)\Goog, extensions: []]}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.Service.DriverCommandExecutor.movkeExecute(DriverCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromeDriver.java:114) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:34) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDriver.sinit&gt;(ChromeDriver.java:30) at org.openqa.selenium.chrome.ChromeDri</init></init></init></init></init></init></init>	PAILED	1111 43.449 5

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	$at\ or g. picocontainer. injectors. Abstract Injection Factory \$Life cycle Adapter. get Component Instance (Abstract Injection Factory. java: 56)$		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	$at\ or g. picocontainer. parameters. Basic Component Parameter \$1. resolve Instance (Basic Component Parameter. java: 118)$		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)		
2	When Admin clicks "Batch" from navigation bar	SKIPPED	0.018 s
3	Then A new pop up with Batch details appears	SKIPPED	0.016 s
	AFTER - com.lms.ui.stepdefinitions.Hooks.AfterScenario()  java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:233)	FAILED	55.744 s
	at java.base/java.util.ImmutableCollections\$Map1. <init>(ImmutableCollections.java:1112) at java.base/java.util.Map.of(Map.java:1365) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:180) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at com.lms.ui.utilities.Base.WebDriverManager(Base.java:58) at com.lms.ui.utilities.TextContextSetUp.<init>(TextContextSetUp.java:14)</init></init>		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	$at\ io. cucumber. testng. TestNGC ucumber Runner. lambda \$runScenario \$1 (TestNGC ucumber Runner. java: 132)$		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 136)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	$at\ or g. testng. in ternal. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 77)$		
	$at\ or g. testng. in ternal. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 15)$		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		