

File Edit Diagram Code Settings Help

New Open Save Print Undo Redo Cut Copy Paste Find

stereotypes

Name	Usage
folder	1
datatype	11

Tree View

- Alloate Seats
- Central System
- inite Delegate
- Maintaining conference ...
- Member
- Organier
- planning
- Presenting Paper
- Prie Distribution

debug

Class Name

- ☐ umlwidgets
- ☒ umbrella
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel


Documentation

Organier

Documentation Command history Log

Press Ctrl with left mouse click to delete a point

class diagram use case diagram



100% Fit 100%

## Stereotypes

Name	Usage
folder	1
datatype	11


## Debug

## Class Name

- ☐ umlwidgets
- ☒ umbrello
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel


## Documentation

customer.




Name	Usage
folder	1
datatype	11


- ☐ umlwidgets
- ☒ umbrella
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel



Name	Usage
folder	1
datatype	11


- ☐ umlwidgets
- ☒ umbrello
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel





Name	Usage
folder	1
datatype	11

- ☐ umlwidgets
- ☒ umbrella
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel





Name	Usage
folder	1
datatype	11

- ☐ umlwidgets
- ☒ umbrello
- ☐ cppparser
- ☒ dialogs
- ☒ codeimport
- ☒ refactoring
- ☒ umlmodel

