

Phase 6 – Project Testing

1. Introduction

The Project Testing phase verifies that the ServiceNow application works correctly after development. Testing was performed using Impersonate User to confirm that the Read, Create, Write, and Delete ACLs provide the correct permissions for different users.

2. Testing Objectives

- Verify Read ACL.
- Verify Create ACL.
- Verify Write ACL.
- Verify Delete ACL.
- Confirm Admin has full access.

3. Testing Environment

Component	Details
Platform	ServiceNow Developer Instance
Table	u_institution_details
Test User	EEE User
Roles	bb1, bb2, bb3, bb4

4. Test Cases

Test	Expected Result	Status
Read ACL	Only EEE records visible	Pass
User without role	No records visible	Pass
Admin	All records visible	Pass
Create ACL	New button visible	Pass
Write ACL	EEE records editable	Pass
Delete ACL	EEE records deletable	Pass

5. Verification Screenshots

Figure 1 – EEE User Viewing Only EEE Records




Figure 2 – Admin Viewing All Records

The screenshot shows the ServiceNow 'Institution Details' page. The browser tabs include WhatsApp, Project Development, Phase 6 - Project, SmartBridge Proj, ServiceNow Dev, and Institution Details. The URL is dev395038.service-now.com/now/nav/ui/classic/params/target/u_institution_details_list.do%3Fsysparm_clear_stack%3Dtrue. The page header shows 'servicenow' and navigation links: All, Favorites, History, Workspaces, and Institution Details. A search bar is present. Below the header, there's a filter section with 'Institution Details' selected and a 'Branch' dropdown menu. A table displays the following data:

Branch	Description	Email	Faculty Name	Phone Number	Student Name	Student Roll Number
ECE			Abel Tuter		Abraham Lincoln	STU100
CSE			Amos Linnan		Andrew Och	STU300
EEE	ACL Is Executed		Alejandra Prenatt		Allyson Gillisple	STU200

At the bottom, there's a pagination bar showing '1 to 3 of 3' and a Windows taskbar with the date 27-09-2026 and time 11:26.

Figure 3 – Create ACL (New Button Visible)

Access Control - u_institution_details

Type: record

Operation: create

Application: Global

Active: ☒

Admin overrides: ☒

Decision Type: Allow If

Protection policy: -- None --

Name: u_institution_details

Description: Allow create for records in u_institution_details, for users with role bb2.

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

[More Info](#)

Requires role

1 to 1 of 1

Institution Details

Branch	Description	Email	Faculty Name	Phone Number	Student Name	Student Roll Number
EEE	ACL is Executed		Alejandra Prenatt		Allyson Gillispie	STU200

1 to 1 of 1

Figure 4 – Write ACL (Edit Record)

dev395038.service-now.com/now/nav/ui/classic/params/target/sys_security_acl.do%3Fsys_id%3D6e655df8c3630f10949353f1b40131e2%26sysparm_record_target%3Dsys_se...

servicenow All Favorites History Access Control - u_institution_details Search

Access Control
u_institution_details

Type record Application Global
Operation write Active ☒
Admin overrides ☒ Advanced ☐
Decision Type Allow If
Protection policy -- None --
Name u_institution_details
Description Allow write for records in u_institution_details, for users with role bb3.

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.
1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
[More Info](#)

Requires role

1 to 1 of 1

35°C Sunny 14:27 27-09-2026

dev395038.service-now.com/now/nav/ui/classic/params/target/u_institution_details.do%3Fsys_id%3D6d03ddb4c3630f10949353f1b401311f%26sysparm_record_target%3Du...

servicenow All Favorites History Institution Details - Created 2026-0... Update Delete

Institution Details
19:51:36

Save
Insert
Insert and Stay
Export
Create Favorite
Copy URL
Reload form

STU200
PDF natt
Allyson Gillispie
EEE

Email
Description ACL is Executed
Phone Number

Update Delete

32°C Sunny 11:32 27-09-2026

Figure 5 – Delete ACL (Delete Option)

The screenshot shows the ServiceNow interface for configuring an Access Control List (ACL). The page title is "Access Control - u_institution_details". The configuration fields are as follows:

- Type: record
- Operation: delete
- Application: Global
- Active: ☒
- Admin overrides: ☒
- Advanced: ☐
- Decision Type: Allow If
- Protection policy: -- None --
- Name: u_institution_details
- Description: Allow delete for records in u_institution_details, for users with role bb4.

Below the configuration fields is a "Conditions" section with a blue box containing the following text:

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

A link "More Info" is provided below the text.

Figure 6 – Final Verification

The screenshot shows the ServiceNow interface for the "Institution Details" list view. The table has the following columns: Branch, Description, Email, Faculty Name, Phone Number, Student Name, and Student Roll Number. The data row shows:

Branch	Description	Email	Faculty Name	Phone Number	Student Name	Student Roll Number
EEE	ACL is Executed		Alejandra Prenatt		Allyson Gillispie	STU200

6. Testing Summary

- bb1 – View only EEE branch records.
- bb2 – Create new records.
- bb3 – Edit EEE records.
- bb4 – Delete EEE records.

- Admin – Full access to all records.