

Task 1 — EC2: Allow All Actions BUT Deny Termination

Task 2 — S3: Allow Full Access to All Buckets BUT Deny One Specific Bucket

Task 3 — EC2: Allow Start/Stop BUT Deny in Specific Region

Task 4 — VPC: Allow VPC Creation BUT Deny Internet Gateway Creation

Task 5 — S3: Deny Deletion BUT Allow Everything Else

task1

Terminate (delete) instance

On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.

Are you sure you want to terminate these instances?

Instance ID

Termination protection

i-03e305516f39ea17a (ebs-snapshot)

You are not authorized to perform this operation. User: arr

To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.

Skip OS shutdown

This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.

☐ Skip OS shutdown

Cancel

Terminate (delete)

Failed to terminate (delete) an instance: You are not authorized to perform this operation. User: arn:aws:iam::372048261497:user/vij-start-stop is not authorized to perform: ec2:TerminateInstances on resource: arn:aws:ec2:eu-north-1:372048261497:instance/i-03e305516f39ea17a with an explicit deny in an identity-based policy: arn:aws:iam::372048261497:policy/Tak1-EC2AllExceptTerminate. Encoded authorization failure message: AF0E-EYTTmx1521BYCs7qPvANbPUcGwoPgWIHWtgb_ZSuNt7hEj1wSSEZzRmQZOx1q3E9pledvg8XGCV1xQh7_fn_39gbe-12vDTbtfnjVTI51eOnrBGiKCMQlOv5MuOK8jbuALKqdcy9fEzoYkTjy8kHXWq8ZeVJik2KaP2V6UnV1e2C-iOB-naUSJdfdtBspX60C3LgT27koGmrnsEtaXB9slEFmFBILKEYeTmhEoqb2LvUXQsVWU-3RYjvxDbnPKUQ-60lwkWhDVxOyDs8_Mwlhk5ZqFhF7bqSCoOdHornG0QxVnNcdzeiZddCj2dpVA8DsZqjP5RDrndFkbV88HSckatrrNliw_FlauxPEEnX_7chTF4Ab73Go49cZ08T8HLDORzTcAvymFOGmf1Pet_JNGZxUzNN3rKspeZAGllhEtOI23cm-uLS8lftbvytKEI9VmF5lgl5VGBTzR3TM58A0kFit4rEJU8XDxQDCTNJJUyQub5dA5EZOggZ7pSF-y6V5MO7JN-ANGblvFSVQwiO0XxeuZb9FIZ5jv6lCPcVbTu225Na7FolmS08oVRdOGCT5Q6c7TWDAcWpFAYDUQgch5r97nfV6owT5ALZKWYyxxueqPkXpxaPmjC8cm0cEeXu6Woc95avJmvyXGUxKs3z6dLapRQFSunq4VjPWHOgYG7Hkq-F8sJx4rViqbByb_bm44o8Y2PEIV5WA3j8jW_ktj5SaHvdKpZvCplaPmXaKy9NvsSY1-Vt3NoVxg1TnSYhCvENITH1mkhWXTxkZohemM5PsRUwOSYPf41qxyvpZp9KxwoK65Sj9jCsyS27vg6fBoQR7LnAnSTgODgAMnsrWeflrmYqWwOk9FUIBESIIKziG7v0xS74KQ_jdMGEGLXOSq8NDNWRWAMplyD-3LSAq32NeDIEYBtsbA

Diagnose with Amazon Q

i-03e305516f39ea17a (ebs-snapshot)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary Info

Instance ID

i-03e305516f39ea17a

Public IPv4 address

13.53.48.134 | open address

Private IPv4 addresses

172.31.7.3

IPv6 address

Instance state

Public DNS

Task2

Amazon S3

Upload succeeded

For more information, see the **Files and folders** table.

Upload: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://vij-allowed-bucket-123

Succeeded

1 file, 31.8 KB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 31.8 KB)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
Screenshot 2025-0...	-	image/png	31.8 KB	✓ Succeeded	-

Amazon S3 > Buckets > vij-deny-bucket-123

vij-deny-bucket-123

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects

Refresh

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

< 1 >


Name	Type	Last modified	Size	Storage class
------	------	---------------	------	---------------

Insufficient permissions to list objects

After you or your AWS administrator has updated your permissions to allow the s3:ListBucket action, refresh the page. Learn more about [Identity and access management in Amazon S3](#)

Diagnose with Amazon Q

Task3



The screenshot shows the AWS IAM console interface. At the top, the account ID is 3720-4 and the region is set to United States (N. Virginia). A blue arrow points to the region dropdown menu. Below the header, a red error message is displayed:

Failed to start the instance i-0f0846f0ec7d5b9b6
You are not authorized to perform this operation. User: arn:aws:iam::372048261497:user/vij-start-stop is not authorized to perform: ec2:StartInstances on resource: arn:aws:ec2:us-east-1:372048261497:instance/i-0f0846f0ec7d5b9b6 with an explicit deny in an identity-based policy: arn:aws:iam::372048261497:policy/Task3-region. Encoded authorization failure message: o0slvBomVYTLCVt2glCEmr_O00po-M1OLzVaskxkOJmgN4k82WEfwOZQUyS0d1iB3R7-F8AnjeZ6kQUcj8X3KtLd1mL3zxXufUWrGXHNDD4D67IAkJ2s-D43NPS_evXFf944YutvjeP1WtkTZDczyvyAA_pYkiHbz-4foi6ey5ocPreOgxpGk6X7UG5YeaUw-6JoTGYVamw0lzZMWgU5zRGEkwLrybxfDbqx2pLVCEjjZyvbO9QPj5jvBH0QcsYFUpbuJh0GThwQJKJloMcMF - bXPdWhztqx339ntOxHTTbqV_k3CpBOtp5WkgbqBQtN6i4PbGV589sj387V9X5LeJTTsEZ0wxENN5TVoXv12b f9j2Txa32nKyhYjblQHCHoSqABn-fxlvcBXug-EiRDuuJjuDOAb4iRZvHY7GqzKb5z_eBJzBt392u8ACINDTnT1skxPEI7K1gLf5X2_JN7KWZB7FNljvkWa8_Ww-6Zxq-LQGDURwSWeekv_qi4VYLEC62IH_ZBmp7UDg3zITVuCdqP_HwAyZrgZmDtUGUSBPThbUv_G4Prz0-cN2d92r5ZrouSVaxsJrzZ-bdPg2eWSmfyX9tj1UeZBkaF46ZVOQiU9ndxqeSarU08-jIEPLx5xiWuBXBMz8uzroblEDNUxHT3-Lvg46FFGQUzSWYcGUuaBtWZLmkUOl6rzD8RNxr63e0735_Ba3kaWnj80qXGv0HNI6oR_gFOqDpL23RghP fWXdNr6U02KJ8l-Zp42OAVZBJ8U6DyZPUT6YMkSnj-MAJkuxCTrj8iFZKNRybLqcpY2YEmtFWUAR0w1yROLLgBAJPHj7V1IYIXN67eBSQ9XFhXXC0s_aeEczbKVK6j2b GwsH8ly7C_Y3AbcBFSuXT0kTBgniDqU9HyILDyqTB5X0viAYNqNPuvJsr0l-CINmTpElTj20All8akUFuZDTRD1_G5-VOSxM0SdNSLJbwY8ZY9FPQ

Below the error message is a button labeled "Diagnose with Amazon Q". At the bottom of the console, the instance ID "i-0f0846f0ec7d5b9b6 (JenkinConfiguration)" is visible.

Task3: denied in north virginia us-east-1

Task 4

VPC > Internet gateways > Create internet gateway

You are not authorized to perform this operation. User: arn:aws:iam::372048261497:user/vij-start-stop is not authorized to perform: ec2:CreateInternetGateway on resource: arn:aws:ec2:us-east-2:372048261497:internet-gateway/* with an explicit deny in an identity-based policy: arn:aws:iam::372048261497:policy/Task4-VPC (Task4-VPC). Encoded authorization failure message: oW-9vpEFITIdOIIt2YGFTypYKxwdFcOxoLforEpG3hku0iOmRzAzKRv28o9xxyFTtpUg9yOZC4fdl743bipnjdO00XVHSY1OSOFYz2Pt6X82V8P-jsGdOdPnC6eZ7D73ynELPstMHS82JmIAVs3KOL155AMGr0E9y4ZhsGBa9YdHedtn5_BkMpxLmbm7u8thUJKPx_E9_yFojzePf8q73RIX38VXyvt3fV-L59ORQvSp8kQB8IHcUjyA1KRSsVUsgKn9ngOqPXVtHLJfZo058IFQiLot33xxQ8lYhfqjHMLXJHWreSAqvqdoPmNTs2UGkyKCvUgBvGYxYXTQ1PVglbDoKay3eSQu9cxSi3W4THfg5k_Pfi_hm3M54myga_WH20rFlriDdSaquPGC7YNgJkzBjhyW982XGT6dKcE6viYMuVdP9kCnR4XXazhFAAQPVYvQfXAwPxxkPFF5SYTvUJW2QHBIqGWZkQDsMY6k1XG-3f4AbCarkqMwVdTfK6H6TxNvMTKN-NtFCS6TXQek32yTHJVAO9bh5pE6ggrvfs57KBTs6VvA6cp4GU1xMa5gPwMHX9qcWqqAgLpNhxVK0ciBDRX66dt7qotXvtwDEivV6QPSoqqk2r61kA

Diagnose with Amazon Q

Create internet gateway [Info](#)

An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.

Internet gateway settings

Name tag
Creates a tag with a key of 'Name' and a value that you specify.

IG-task4

Tags - optional

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	Value - optional
Q Name X	Q IG-task4 X
Remove	

Task5

aws

Search

[Alt+S]

Europe (Stockholm)

vij-start-stop

Amazon S3

Failed to delete objects

For more information, see the **Error** column in the **Failed to delete** table below.

Diagnose with Amazon Q

Delete objects: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Source

s3://vij-allowed-bucket-123

Successfully deleted

0 objects

Failed to delete

1 object, 31.8 KB

Failed to delete

Configuration

Failed to delete (1 object, 31.8 KB)

Find objects by name

Name	Folder	Type	Last modified	Size	Error
Screenshot 2025-06-26 174322.png	-	png	February 13, 2026, 14:04:39 (UTC+05:30)	31.8 KB	Access denied

Amazon S3

Buckets

task-5-bucket-last-delete

Delete bucket

Delete bucket

Info

Deleting a bucket cannot be undone.

Bucket names are unique. If you delete a bucket, another AWS user can use the name.

If this bucket is used with a Multi-Region Access Point in an external account, initiate failover before deleting the bucket.

If this bucket is used with an access point in an external account, the requests made through those access points will fail after you delete this bucket.

Learn more

Delete bucket "task-5-bucket-last-delete"?

To confirm deletion, enter the name of the bucket in the text input field.

task-5-bucket-last-delete

You don't have permission to delete bucket "task-5-bucket-last-delete"

After you or your AWS admin has updated your IAM permissions to allow s3:DeleteBucket, choose **delete bucket**. Learn more about [Identity and Access Management in Amazon S3](#)

Diagnose with Amazon Q

If you have the s3:DeleteBucket permission in your IAM user policy and you cannot delete a bucket, the bucket policy might include a deny statement for s3:DeleteBucket. Before you can delete the bucket, you must delete the deny s3:DeleteBucket statement or delete the bucket policy.

API response

Cancel

Delete bucket