

agent = model + harness; the harness is everything below

**THE MODEL: reasoning only (Claude session,
Mode B) — no memory between calls, no ground truth**

1 run the loop

burst-walkthrough
protocol: RUN →
PRESENT → GATE
→ LITERATURE →
DISTILL

dispatcher: roster,
gates, order at task
intake

prototype chains:
fit, merge, products,
temporal, assembly

queue manager +
typed workflows
(A17)

2 execute tools

spectral engine:
24-model menu
× every usable
bin (campaign
run), validity + rail
columns

Bayesian blocks (3ML
native) + significance
merge

Stage-1 approval:
detectors,
background, source
— stamped

figures, temporal
chain, SED family,
per-burst report

3 manage context

27 guide files; 10 step
skills indexed by the
ledger; lessons with
IDs

skill-reader: the
binding checklist at
every step open

standing contracts in
the PI's quoted words
(S-, R-items)

memory files +
notes; fresh-context
sub-agents (isolate)

4 persist state

state board derived
from DISK evidence,
never from memory

identity stamps,
receipts, sidecars,
commit pin

object schemas (10)
+ validation test;
action trace with
model id

first-class actions:
intent → preflight →
commit → receipt
stamps

**5 enforce
boundaries**

hooks: no-ship
(sha), dispatch plan,
raw-data guard

producer ≠ verifier
≠ approver;
fresh-context verifiers

fit-table auditor,
tie rule, count
coordinates, edge
stamps

loop caps, spend
ledger, post-tool
audit, pre-commit,
sandbox

solid: DEPLOYED

dashed:
PROPOSED

census 2026-09-02;
each box maps to
rows of Table T1

PI gate: every step

approval identity-stamped; never fabricated