

```
In [1]: !pip install langchain
```

Collecting langchain  
Downloading langchain-0.3.1-py3-none-any.whl.metadata (7.1 kB)  
Requirement already satisfied: PyYAML>=5.3 in /usr/local/lib/python3.10/dist-packages (from langchain) (6.0.2)  
Requirement already satisfied: SQLAlchemy<3,>=1.4 in /usr/local/lib/python3.10/dist-packages (from langchain) (2.0.35)  
Requirement already satisfied: aiohttp<4.0.0,>=3.8.3 in /usr/local/lib/python3.10/dist-packages (from langchain) (3.10.5)  
Requirement already satisfied: async-timeout<5.0.0,>=4.0.0 in /usr/local/lib/python3.10/dist-packages (from langchain) (4.0.3)  
Collecting langchain-core<0.4.0,>=0.3.6 (from langchain)  
Downloading langchain\_core-0.3.6-py3-none-any.whl.metadata (6.3 kB)  
Collecting langchain-text-splitters<0.4.0,>=0.3.0 (from langchain)  
Downloading langchain\_text\_splitters-0.3.0-py3-none-any.whl.metadata (2.3 kB)  
Collecting langsmith<0.2.0,>=0.1.17 (from langchain)  
Downloading langsmith-0.1.129-py3-none-any.whl.metadata (13 kB)  
Requirement already satisfied: numpy<2,>=1 in /usr/local/lib/python3.10/dist-packages (from langchain) (1.26.4)  
Requirement already satisfied: pydantic<3.0.0,>=2.7.4 in /usr/local/lib/python3.10/dist-packages (from langchain) (2.9.2)  
Requirement already satisfied: requests<3,>=2 in /usr/local/lib/python3.10/dist-packages (from langchain) (2.32.3)  
Collecting tenacity!=8.4.0,<9.0.0,>=8.1.0 (from langchain)  
Downloading tenacity-8.5.0-py3-none-any.whl.metadata (1.2 kB)  
Requirement already satisfied: aiohappyeyeballs>=2.3.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (2.4.0)  
Requirement already satisfied: aiosignal>=1.1.2 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.3.1)  
Requirement already satisfied: attrs>=17.3.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (24.2.0)  
Requirement already satisfied: frozenlist>=1.1.1 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.4.1)  
Requirement already satisfied: multidict<7.0,>=4.5 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (6.1.0)  
Requirement already satisfied: yarl<2.0,>=1.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.11.1)  
Collecting jsonpatch<2.0,>=1.33 (from langchain-core<0.4.0,>=0.3.6->langchain)  
Downloading jsonpatch-1.33-py2.py3-none-any.whl.metadata (3.0 kB)  
Requirement already satisfied: packaging<25,>=23.2 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4.0,>=0.3.6->langchain) (24.1)  
Requirement already satisfied: typing-extensions>=4.7 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4.0,>=0.3.6->langchain) (4.12.2)  
Collecting httpx<1,>=0.23.0 (from langsmith<0.2.0,>=0.1.17->langchain)  
Downloading httpx-0.27.2-py3-none-any.whl.metadata (7.1 kB)  
Collecting orjson<4.0.0,>=3.9.14 (from langsmith<0.2.0,>=0.1.17->langchain)  
Downloading orjson-3.10.7-cp310-cp310-manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl.metadata (50 kB)

---

50.4/50.4 kB 686.3 kB/s eta 0:00:00

Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.10/dist-packages (from pydantic<3.0.0,>=2.7.4->langchain) (0.7.0)  
Requirement already satisfied: pydantic-core==2.23.4 in /usr/local/lib/python3.10/dist-packages (from pydantic<3.0.0,>=2.7.4->langchain) (2.23.4)  
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain) (3.3.2)  
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain) (3.10)  
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain) (2.2.3)  
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain) (2024.8.30)  
Requirement already satisfied: greenlet!=0.4.17 in /usr/local/lib/python3.10/dist-packages (from SQLAlchemy<3,>=1.4->langchain) (3.1.1)

```

Requirement already satisfied: anyio in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (3.7.1)
Collecting httpcore==1.* (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain)
  Downloading httpcore-1.0.5-py3-none-any.whl.metadata (20 kB)
Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (1.3.1)
Collecting h11<0.15,>=0.13 (from httpcore==1.*->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain)
  Downloading h11-0.14.0-py3-none-any.whl.metadata (8.2 kB)
Collecting jsonpointer>=1.9 (from jsonpatch<2.0,>=1.33->langchain-core<0.4.0,>=0.3.6->langchain)
  Downloading jsonpointer-3.0.0-py2.py3-none-any.whl.metadata (2.3 kB)
Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-packages (from anyio->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (1.2.2)
Downloading langchain-0.3.1-py3-none-any.whl (1.0 MB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 1.0/1.0 MB 20.4 MB/s eta 0:00:00
Downloading langchain_core-0.3.6-py3-none-any.whl (399 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 399.9/399.9 kB 15.3 MB/s eta 0:00:00
Downloading langchain_text_splitters-0.3.0-py3-none-any.whl (25 kB)
Downloading langsmith-0.1.129-py3-none-any.whl (292 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 292.2/292.2 kB 13.3 MB/s eta 0:00:00
Downloading tenacity-8.5.0-py3-none-any.whl (28 kB)
Downloading httpx-0.27.2-py3-none-any.whl (76 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 76.4/76.4 kB 5.5 MB/s eta 0:00:00
Downloading httpcore-1.0.5-py3-none-any.whl (77 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 77.9/77.9 kB 5.2 MB/s eta 0:00:00
Downloading jsonpatch-1.33-py2.py3-none-any.whl (12 kB)
Downloading orjson-3.10.7-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (141 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 141.9/141.9 kB 9.9 MB/s eta 0:00:00
Downloading jsonpointer-3.0.0-py2.py3-none-any.whl (7.6 kB)
Downloading h11-0.14.0-py3-none-any.whl (58 kB)
  ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 58.3/58.3 kB 2.5 MB/s eta 0:00:00
Installing collected packages: tenacity, orjson, jsonpointer, h11, jsonpatch, httpcore, httpx, langsmith, langchain-core, langchain-text-splitters, langchain
  Attempting uninstall: tenacity
    Found existing installation: tenacity 9.0.0
    Uninstalling tenacity-9.0.0:
      Successfully uninstalled tenacity-9.0.0
Successfully installed h11-0.14.0 httpcore-1.0.5 httpx-0.27.2 jsonpatch-1.33 jsonpointer-3.0.0 langchain-0.3.1 langchain-core-0.3.6 langchain-text-splitters-0.3.0 langsmith-0.1.129 orjson-3.10.7 tenacity-8.5.0

```

```
In [2]: !pip install langchain-groq
```

Collecting langchain-groq

Downloading langchain\_groq-0.2.0-py3-none-any.whl.metadata (2.9 kB)

Collecting groq<1,>=0.4.1 (from langchain-groq)

Downloading groq-0.11.0-py3-none-any.whl.metadata (13 kB)

Requirement already satisfied: langchain-core<0.4,>=0.3 in /usr/local/lib/python3.10/dist-packages (from langchain-groq) (0.3.6)

Requirement already satisfied: anyio<5,>=3.5.0 in /usr/local/lib/python3.10/dist-packages (from groq<1,>=0.4.1->langchain-groq) (3.7.1)

Requirement already satisfied: distro<2,>=1.7.0 in /usr/lib/python3/dist-packages (from groq<1,>=0.4.1->langchain-groq) (1.7.0)

Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.10/dist-packages (from groq<1,>=0.4.1->langchain-groq) (0.27.2)

Requirement already satisfied: pydantic<3,>=1.9.0 in /usr/local/lib/python3.10/dist-packages (from groq<1,>=0.4.1->langchain-groq) (2.9.2)

Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages (from groq<1,>=0.4.1->langchain-groq) (1.3.1)

Requirement already satisfied: typing-extensions<5,>=4.7 in /usr/local/lib/python3.10/dist-packages (from groq<1,>=0.4.1->langchain-groq) (4.12.2)

Requirement already satisfied: PyYAML<=5.3 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4,>=0.3->langchain-groq) (6.0.2)

Requirement already satisfied: jsonpatch<2.0,>=1.33 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4,>=0.3->langchain-groq) (1.33)

Requirement already satisfied: langsmith<0.2.0,>=0.1.125 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4,>=0.3->langchain-groq) (0.1.129)

Requirement already satisfied: packaging<25,>=23.2 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4,>=0.3->langchain-groq) (24.1)

Requirement already satisfied: tenacity!=8.4.0,<9.0.0,>=8.1.0 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4,>=0.3->langchain-groq) (8.5.0)

Requirement already satisfied: idna<=2.8 in /usr/local/lib/python3.10/dist-packages (from anyio<5,>=3.5.0->groq<1,>=0.4.1->langchain-groq) (3.10)

Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-packages (from anyio<5,>=3.5.0->groq<1,>=0.4.1->langchain-groq) (1.2.2)

Requirement already satisfied: certifi in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->groq<1,>=0.4.1->langchain-groq) (2024.8.30)

Requirement already satisfied: httpcore==1.\* in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->groq<1,>=0.4.1->langchain-groq) (1.0.5)

Requirement already satisfied: h11<0.15,>=0.13 in /usr/local/lib/python3.10/dist-packages (from httpcore==1.\*->httpx<1,>=0.23.0->groq<1,>=0.4.1->langchain-groq) (0.14.0)

Requirement already satisfied: jsonpointer<=1.9 in /usr/local/lib/python3.10/dist-packages (from jsonpatch<2.0,>=1.33->langchain-core<0.4,>=0.3->langchain-groq) (3.0.0)

Requirement already satisfied: orjson<4.0.0,>=3.9.14 in /usr/local/lib/python3.10/dist-packages (from langsmith<0.2.0,>=0.1.125->langchain-core<0.4,>=0.3->langchain-groq) (3.10.7)

Requirement already satisfied: requests<3,>=2 in /usr/local/lib/python3.10/dist-packages (from langsmith<0.2.0,>=0.1.125->langchain-core<0.4,>=0.3->langchain-groq) (2.32.3)

Requirement already satisfied: annotated-types<=0.6.0 in /usr/local/lib/python3.10/dist-packages (from pydantic<3,>=1.9.0->groq<1,>=0.4.1->langchain-groq) (0.7.0)

Requirement already satisfied: pydantic-core==2.23.4 in /usr/local/lib/python3.10/dist-packages (from pydantic<3,>=1.9.0->groq<1,>=0.4.1->langchain-groq) (2.23.4)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langsmith<0.2.0,>=0.1.125->langchain-core<0.4,>=0.3->langchain-groq) (3.3.2)

Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langsmith<0.2.0,>=0.1.125->langchain-core<0.4,>=0.3->langchain-groq) (2.2.3)

Downloading langchain\_groq-0.2.0-py3-none-any.whl (14 kB)

Downloading groq-0.11.0-py3-none-any.whl (106 kB)

106.5/106.5 kB 6.0 MB/s eta 0:00:00

Installing collected packages: groq, langchain-groq

Successfully installed groq-0.11.0 langchain-groq-0.2.0

```
In [3]: from langchain_groq import ChatGroq
```

```
In [4]: llm = ChatGroq(
        model="llama-3.1-70b-versatile",
        temperature=0,
        groq_api_key='gsk_rAI5zuQV0WFFJ0inDfZnqWGdyb3FYt0aYR29kseCuamLcby07uQHs'
    )
    response = llm.invoke("the first person to to published a paper on AI")
    print(response)
```

content='The first person to publish a paper on Artificial Intelligence (AI) is often credited to be Alan Turing, a British mathematician, computer scientist, and logician. His paper, titled "On Computable Numbers, with an Application to the Entscheidungsproblem," was published in 1936 in the Proceedings of the London Mathematical Society.\n\nHowever, the paper that is often considered the foundation of AI as a field is Turing\'s 1950 paper, "Computing Machinery and Intelligence," which was published in the journal Mind. In this paper, Turing proposed the Turing Test, a measure of a machine\'s ability to exhibit intelligent behavior equivalent to, or indistinguishable from, that of a human.\n\nTuring\'s work laid the foundation for the development of AI as a field of research, and his ideas continue to influence AI research to this day.\n\nOther notable early papers on AI include:\n\n\* "A Logical Calculus of the Ideas Immanent in Nervous Activity" by Warren McCulloch and Walter Pitts (1943), which introduced the concept of artificial neural networks.\n\* "The Logical Theory of Automata" by Stephen Kleene (1951), which introduced the concept of finite automata.\n\* "A Proposal for the Dartmouth Summer Research Project on Artificial Intelligence" by John McCarthy, Marvin Minsky, Nathaniel Rochester, and Claude Shannon (1956), which proposed the first AI research project and coined the term "Artificial Intelligence".\n\nThese papers, along with Turing\'s work, helped establish AI as a field of research and laid the foundation for the development of modern AI systems.'

additional\_kwargs={'token\_usage': {'completion\_tokens': 324, 'prompt\_tokens': 45, 'total\_tokens': 369, 'completion\_time': 1.296, 'prompt\_time': 0.011000887, 'queue\_time': 0.005083534000000001, 'total\_time': 1.307000887}, 'model\_name': 'llama-3.1-70b-versatile', 'system\_fingerprint': 'fp\_5c5d1b5cfb', 'finish\_reason': 'stop', 'logprobs': None} id='run-075b9a49-8a83-4359-b004-b0fa4ff81c7c-0' usage\_metadata={'input\_tokens': 45, 'output\_tokens': 324, 'total\_tokens': 369}}

```
In [6]: !pip install langchain-community
```

Collecting langchain-community

Downloading langchain\_community-0.3.1-py3-none-any.whl.metadata (2.8 kB)

Requirement already satisfied: PyYAML>=5.3 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (6.0.2)

Requirement already satisfied: SQLAlchemy<3,>=1.4 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (2.0.35)

Requirement already satisfied: aiohttp<4.0.0,>=3.8.3 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (3.10.5)

Collecting dataclasses-json<0.7,>=0.5.7 (from langchain-community)

Downloading dataclasses\_json-0.6.7-py3-none-any.whl.metadata (25 kB)

Requirement already satisfied: langchain<0.4.0,>=0.3.1 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (0.3.1)

Requirement already satisfied: langchain-core<0.4.0,>=0.3.6 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (0.3.6)

Requirement already satisfied: langsmith<0.2.0,>=0.1.125 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (0.1.129)

Requirement already satisfied: numpy<2,>=1 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (1.26.4)

Collecting pydantic-settings<3.0.0,>=2.4.0 (from langchain-community)

Downloading pydantic\_settings-2.5.2-py3-none-any.whl.metadata (3.5 kB)

Requirement already satisfied: requests<3,>=2 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (2.32.3)

Requirement already satisfied: tenacity!=8.4.0,<9.0.0,>=8.1.0 in /usr/local/lib/python3.10/dist-packages (from langchain-community) (8.5.0)

Requirement already satisfied: aiohappyeyeballs>=2.3.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (2.4.0)

Requirement already satisfied: aiosignal>=1.1.2 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (1.3.1)

Requirement already satisfied: attrs>=17.3.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (24.2.0)

Requirement already satisfied: frozenlist>=1.1.1 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (1.4.1)

Requirement already satisfied: multidict<7.0,>=4.5 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (6.1.0)

Requirement already satisfied: yarl<2.0,>=1.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (1.11.1)

Requirement already satisfied: async-timeout<5.0,>=4.0 in /usr/local/lib/python3.10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain-community) (4.0.3)

Collecting marshmallow<4.0.0,>=3.18.0 (from dataclasses-json<0.7,>=0.5.7->langchain-community)

Downloading marshmallow-3.22.0-py3-none-any.whl.metadata (7.2 kB)

Collecting typing-inspect<1,>=0.4.0 (from dataclasses-json<0.7,>=0.5.7->langchain-community)

Downloading typing\_inspect-0.9.0-py3-none-any.whl.metadata (1.5 kB)

Requirement already satisfied: langchain-text-splitters<0.4.0,>=0.3.0 in /usr/local/lib/python3.10/dist-packages (from langchain<0.4.0,>=0.3.1->langchain-community) (0.3.0)

Requirement already satisfied: pydantic<3.0.0,>=2.7.4 in /usr/local/lib/python3.10/dist-packages (from langchain<0.4.0,>=0.3.1->langchain-community) (2.9.2)

Requirement already satisfied: jsonpatch<2.0,>=1.33 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4.0,>=0.3.6->langchain-community) (1.33)

Requirement already satisfied: packaging<25,>=23.2 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4.0,>=0.3.6->langchain-community) (24.1)

Requirement already satisfied: typing-extensions>=4.7 in /usr/local/lib/python3.10/dist-packages (from langchain-core<0.4.0,>=0.3.6->langchain-community) (4.12.2)

Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.10/dist-packages (from langsmith<0.2.0,>=0.1.125->langchain-community) (0.27.2)

Requirement already satisfied: orjson<4.0.0,>=3.9.14 in /usr/local/lib/python3.10/dist-packages (from langsmith<0.2.0,>=0.1.125->langchain-community) (3.10.7)

Collecting python-dotenv>=0.21.0 (from pydantic-settings<3.0.0,>=2.4.0->langchain-community)

Downloading python\_dotenv-1.0.1-py3-none-any.whl.metadata (23 kB)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.10/dist



```

-packages (from requests<3,>=2->langchain-community) (3.3.2)
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain-community) (3.10)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain-community) (2.2.3)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/dist-packages (from requests<3,>=2->langchain-community) (2024.8.30)
Requirement already satisfied: greenlet!=0.4.17 in /usr/local/lib/python3.10/dist-packages (from SQLAlchemy<3,>=1.4->langchain-community) (3.1.1)
Requirement already satisfied: anyio in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.125->langchain-community) (3.7.1)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.125->langchain-community) (1.0.5)
Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.125->langchain-community) (1.3.1)
Requirement already satisfied: h11<0.15,>=0.13 in /usr/local/lib/python3.10/dist-packages (from httpcore==1.*->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.125->langchain-community) (0.14.0)
Requirement already satisfied: jsonpointer>=1.9 in /usr/local/lib/python3.10/dist-packages (from jsonpatch<2.0,>=1.33->langchain-core<0.4.0,>=0.3.6->langchain-community) (3.0.0)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.10/dist-packages (from pydantic<3.0.0,>=2.7.4->langchain<0.4.0,>=0.3.1->langchain-community) (0.7.0)
Requirement already satisfied: pydantic-core==2.23.4 in /usr/local/lib/python3.10/dist-packages (from pydantic<3.0.0,>=2.7.4->langchain<0.4.0,>=0.3.1->langchain-community) (2.23.4)
Collecting mypy_extensions>=0.3.0 (from typing-inspect<1,>=0.4.0->dataclasses-json<0.7,>=0.5.7->langchain-community)
  Downloading mypy_extensions-1.0.0-py3-none-any.whl.metadata (1.1 kB)
Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-packages (from anyio->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.125->langchain-community) (1.2.2)
Downloading langchain_community-0.3.1-py3-none-any.whl (2.4 MB)
  2.4/2.4 MB 36.5 MB/s eta 0:00:00
Downloading dataclasses_json-0.6.7-py3-none-any.whl (28 kB)
Downloading pydantic_settings-2.5.2-py3-none-any.whl (26 kB)
Downloading marshmallow-3.22.0-py3-none-any.whl (49 kB)
  49.3/49.3 kB 3.6 MB/s eta 0:00:00
Downloading python_dotenv-1.0.1-py3-none-any.whl (19 kB)
Downloading typing_inspect-0.9.0-py3-none-any.whl (8.8 kB)
Downloading mypy_extensions-1.0.0-py3-none-any.whl (4.7 kB)
Installing collected packages: python-dotenv, mypy_extensions, marshmallow, typing-inspect, pydantic-settings, dataclasses-json, langchain-community
Successfully installed dataclasses-json-0.6.7 langchain-community-0.3.1 marshmallow-3.22.0 mypy_extensions-1.0.0 pydantic-settings-2.5.2 python-dotenv-1.0.1 typing-inspect-0.9.0

```

```
In [7]: from langchain_community.document_loaders import WebBaseLoader
```

```
WARNING:langchain_community.utils.user_agent:USER_AGENT environment variable not set, consider setting it to identify your requests.
```

```
In [47]: loader = WebBaseLoader("https://jobs.nike.com/job/R-38844")
page_data = loader.load().pop().page_content
print(page_data)
```

Search JobsSkip navigationSearch JobsNIKE, INC. JOBSContract JobsJoin The Talent CommunityLife @ NikeOverviewBenefitsBrandsOverviewJordanConverseTeamsOverviewAdministrative SupportAdvanced InnovationAir Manufacturing InnovationAviationCommunicationsCustomer ServiceDesignDigitalFacilitiesFinance & AccountingGovernment & Public AffairsHuman ResourcesInsights & AnalyticsLegalManufacturing & EngineeringMarketingMerchandisingPlanningPrivacyProcurementProduct Creation, Development & ManagementRetail CorporateRetail StoresSalesSocial & Community ImpactSports MarketingStrategic PlanningSupply Chain, Distribution & LogisticsSustainabilityTechnologyLocationsOverviewNike WHQNIKE New York HQEHQ: Hilversum, The NetherlandsELC: Laakdal, BelgiumGreater China HQDiversity, Equity & InclusionOverviewMilitary InclusionDisability InclusionIndigenous InclusionInternshipsTechnologySoftware Engineer I Beaverton, OregonBecome a Part of the NIKE, Inc. TeamNIKE, Inc. does more than outfit the world's best athletes. It is a place to explore potential, obliterate boundaries and push out the edges of what can be. The company looks for people who can grow, think, dream and create. Its culture thrives by embracing diversity and rewarding imagination. The brand seeks achievers, leaders and visionaries. At NIKE, Inc. it's about each person bringing skills and passion to a challenging and constantly evolving game.NIKE is a technology company. From our flagship website and five-star mobile apps to developing products, managing big data and providing leading edge engineering and systems support, our teams at NIKE Global Technology exist to revolutionize the future at the confluence of tech and sport. We invest and develop advances in technology and employ the most creative people in the world, and then give them the support to constantly innovate, iterate and serve consumers more directly and personally. Our teams are innovative, diverse, multidisciplinary and collaborative, taking technology into the future and bringing the world with it.Digital Employee Experience Software Engineer IBeaverton, Oregon United StatesWHO WE ARE LOOKING FORTH e Digital Employee Experience Software Engineer I will be responsible for design, support, development, and testing of internal employee-facing websites and web applications.WHAT YOU WILL WORK ONDesign and develop technical solutions that meet the needs of the business and aligns with Nike architectural and quality standardsBuild mobile first Front-End applications in a manner visually and culturally consistent with Nike brand using React.js and Redux.Ensure SLAs (Service Level Agreements) for different interfaces are met and test them by executing performance tests using various loads.Provide production support on new and existing applications WHO YOU WILL WORK WITHAs a Software Engineer I You will be working closely with our communication business team and multiple engineering squads to solve a wide range of business and technology related problems, and you will be reporting under Digital Employee Experience Software Engineering Director.WHAT YOU BRINGBachelor's degree in computer science, Information Systems, Business, or other relevant subject area 2+ years of professional experience in application engineering2+ years hands-on experience in JavaScript (Node.js, React.js, Vue.js, etc.)Passionate about engineering, operational excellence, DevOps maturity and enabling the team and dependent teams to diagnose and tackle production issues quicklyFamiliar with agile processes, continuous integration, and test automationAbility to Collaborate on road maps with Product Managers, Architects, and Tech Leads to ensure feasibility and scalability of new features and enhancementsExperience with AWS CloudFront for content delivery and cachingKnowledge of AWS S3 for static website hosting and asset storageFamiliarity with AWS Route 53 for DNS management and understanding of AWS Certificate ManagerProficiency in AWS LambdaExperience with GitHub Co-pilot is an advantageNIKE, Inc. is a growth company that looks for team members to grow with it. Nike offers a generous total rewards package, casual work environment, a diverse and inclusive culture, and an electric atmosphere for professional development. No matter the location, or the role, every Nike employee shares one galvanizing mission: To bring inspiration and innovation to every athlete\* in the world.NIKE, Inc. is committed to employing a diverse workforce. Qualified applicants will receive consideration without regard to race, color, religion, sex, national origin, age, sexual orientation, gender identity, gender expression, veteran status, or disability.How We HireAt NIKE, Inc. we promise to provide a premium, inclusive, compelling and authentic candidate experience. Delivering on this promise means we allow you to be at your best – and to do that, you need to understand how the hiring process works. Transparency is key.

\* This overview explains our hiring process for corporate roles. Note there may be different hiring steps involved for non-corporate roles.Start nowBenefitsWhether it's transportation or financial health, we continually invest in our employees to help them achieve gr



eatness – inside and outside of work. All who work here should be able to realize their full potential. Employee Assistance Program Employee Stock Purchase Plan (ESPP) Holidays Medical Plan Paid Time Off (PTO) Product Discounts Sabbaticals Learn more GIFT CARDS PROMOTIONS FIND A STORE SIGN UP FOR EMAIL BECOME A MEMBER NIKE JOURNAL SEND US FEEDBACK GET HELP GET HELP Order Status Shipping and Delivery Returns Payment Options Gift Cards Balance Contact Us ABOUT NIKE ABOUT NIKE News Careers Investors Purpose Sustainability United States © 2024 Nike, Inc. All Rights Reserved Guides Nike Adapt Nike Air Max Nike Flyleather Nike React Space Hippie Nike Air Nike FlyEase Nike Free Nike Vaporfly Nike Air Force 1 Nike Flyknit Nike Joyride Nike ZoomX Terms of Sale Terms of Use Nike Privacy Policy Your Privacy Choices CA Supply Chain Act

```
In [48]: from langchain_core.prompts import PromptTemplate
```

```
In [49]: prompt_extract = PromptTemplate.from_template(
        """
        ### SCRAPED TEXT FROM WEBSITE:
        {page_data}
        ### INSTRUCTION:
        The scraped text is from the career's page of a website.
        Your job is to extract the job postings and return them in JSON format containing the
        Only return the valid JSON.
        ### VALID JSON (NO PREAMBLE):
        """
    )

    chain_extract = prompt_extract | llm
    res = chain_extract.invoke(input = {"page_data": page_data})
    print(res.content)
```

```
```json
{
  "role": "Software Engineer I",
  "experience": "2+ years of professional experience in application engineering",
  "skills": [
    "JavaScript (Node.js, React.js, Vue.js, etc.)",
    "Agile processes",
    "Continuous integration",
    "Test automation",
    "AWS CloudFront",
    "AWS S3",
    "AWS Route 53",
    "AWS Certificate Manager",
    "AWS Lambda",
    "GitHub Co-pilot"
  ],
  "description": "The Digital Employee Experience Software Engineer I will be responsible for design, support, development, and testing of internal employee-facing websites and web applications."
}
```
```

```
In [50]: from langchain_core.output_parsers import JsonOutputParser
```

```
json_parser = JsonOutputParser()
json_res = json_parser.parse(res.content)
print(json_res)
```

```
{'role': 'Software Engineer I', 'experience': '2+ years of professional experience in application engineering', 'skills': ['JavaScript (Node.js, React.js, Vue.js, etc.)', 'Agile processes', 'Continuous integration', 'Test automation', 'AWS CloudFront', 'AWS S3', 'AWS Route 53', 'AWS Certificate Manager', 'AWS Lambda', 'GitHub Co-pilot'], 'description': 'The Digital Employee Experience Software Engineer I will be responsible for design, support, development, and testing of internal employee-facing websites and web applications.'}
```

```
In [51]: import pandas as pd

df = pd.read_csv("my_portfolio.csv")
df
```

Out [51]:

|    | Techstack                            | Links   |
|----|--------------------------------------|---|
| 0  | React, Node.js, MongoDB              | <a href="https://example.com/react-portfolio">https://example.com/react-portfolio</a>                             |
| 1  | Angular, .NET, SQL Server            | <a href="https://example.com/angular-portfolio">https://example.com/angular-portfolio</a>                         |
| 2  | Vue.js, Ruby on Rails, PostgreSQL    | <a href="https://example.com/vue-portfolio">https://example.com/vue-portfolio</a>                                 |
| 3  | Python, Django, MySQL                | <a href="https://example.com/python-portfolio">https://example.com/python-portfolio</a>                           |
| 4  | Java, Spring Boot, Oracle            | <a href="https://example.com/java-portfolio">https://example.com/java-portfolio</a>                               |
| 5  | Flutter, Firebase, GraphQL           | <a href="https://example.com/flutter-portfolio">https://example.com/flutter-portfolio</a>                         |
| 6  | WordPress, PHP, MySQL                | <a href="https://example.com/wordpress-portfolio">https://example.com/wordpress-portfolio</a>                     |
| 7  | Magento, PHP, MySQL                  | <a href="https://example.com/magento-portfolio">https://example.com/magento-portfolio</a>                         |
| 8  | React Native, Node.js, MongoDB       | <a href="https://example.com/react-native-portfolio">https://example.com/react-native-portfolio</a>               |
| 9  | iOS, Swift, Core Data                | <a href="https://example.com/ios-portfolio">https://example.com/ios-portfolio</a>                                 |
| 10 | Android, Java, Room Persistence      | <a href="https://example.com/android-portfolio">https://example.com/android-portfolio</a>                         |
| 11 | Kotlin, Android, Firebase            | <a href="https://example.com/kotlin-android-portfolio">https://example.com/kotlin-android-portfolio</a>           |
| 12 | Android TV, Kotlin, Android NDK      | <a href="https://example.com/android-tv-portfolio">https://example.com/android-tv-portfolio</a>                   |
| 13 | iOS, Swift, ARKit                    | <a href="https://example.com/ios-ar-portfolio">https://example.com/ios-ar-portfolio</a>                           |
| 14 | Cross-platform, Xamarin, Azure       | <a href="https://example.com/xamarin-portfolio">https://example.com/xamarin-portfolio</a>                         |
| 15 | Backend, Kotlin, Spring Boot         | <a href="https://example.com/kotlin-backend-portfolio">https://example.com/kotlin-backend-portfolio</a>           |
| 16 | Frontend, TypeScript, Angular        | <a href="https://example.com/typescript-frontend-portfolio">https://example.com/typescript-frontend-portfolio</a> |
| 17 | Full-stack, JavaScript, Express.js   | <a href="https://example.com/full-stack-js-portfolio">https://example.com/full-stack-js-portfolio</a>             |
| 18 | Machine Learning, Python, TensorFlow | <a href="https://example.com/ml-python-portfolio">https://example.com/ml-python-portfolio</a>                     |
| 19 | DevOps, Jenkins, Docker              | <a href="https://example.com/devops-portfolio">https://example.com/devops-portfolio</a>                           |

```
In [52]: !pip install chromadb
```

Requirement already satisfied: chromadb in /usr/local/lib/python3.10/dist-packages (0.5.11)

Requirement already satisfied: build>=1.0.3 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.2.2)

Requirement already satisfied: pydantic>=1.9 in /usr/local/lib/python3.10/dist-packages (from chromadb) (2.9.2)

Requirement already satisfied: chroma-hnswlib==0.7.6 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.7.6)

Requirement already satisfied: fastapi>=0.95.2 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.115.0)

Requirement already satisfied: uvicorn>=0.18.3 in /usr/local/lib/python3.10/dist-packages (from uvicorn[standard]>=0.18.3->chromadb) (0.31.0)

Requirement already satisfied: numpy>=1.22.5 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.26.4)

Requirement already satisfied: posthog>=2.4.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (3.6.6)

Requirement already satisfied: typing-extensions>=4.5.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (4.12.2)

Requirement already satisfied: onnxruntime>=1.14.1 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.19.2)

Requirement already satisfied: opentelemetry-api>=1.2.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.27.0)

Requirement already satisfied: opentelemetry-exporter-otlp-proto-grpc>=1.2.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.27.0)

Requirement already satisfied: opentelemetry-instrumentation-fastapi>=0.41b0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.48b0)

Requirement already satisfied: opentelemetry-sdk>=1.2.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.27.0)

Requirement already satisfied: tokenizers>=0.13.2 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.19.1)

Requirement already satisfied: pypika>=0.48.9 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.48.9)

Requirement already satisfied: tqdm>=4.65.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (4.66.5)

Requirement already satisfied: overrides>=7.3.1 in /usr/local/lib/python3.10/dist-packages (from chromadb) (7.7.0)

Requirement already satisfied: importlib-resources in /usr/local/lib/python3.10/dist-packages (from chromadb) (6.4.5)

Requirement already satisfied: grpcio>=1.58.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (1.64.1)

Requirement already satisfied: bcrypt>=4.0.1 in /usr/local/lib/python3.10/dist-packages (from chromadb) (4.2.0)

Requirement already satisfied: typer>=0.9.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.12.5)

Requirement already satisfied: kubernetes>=28.1.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (31.0.0)

Requirement already satisfied: tenacity>=8.2.3 in /usr/local/lib/python3.10/dist-packages (from chromadb) (8.5.0)

Requirement already satisfied: PyYAML>=6.0.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (6.0.2)

Requirement already satisfied: mmh3>=4.0.1 in /usr/local/lib/python3.10/dist-packages (from chromadb) (5.0.1)

Requirement already satisfied: orjson>=3.9.12 in /usr/local/lib/python3.10/dist-packages (from chromadb) (3.10.7)

Requirement already satisfied: httpx>=0.27.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (0.27.2)

Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.10/dist-packages (from chromadb) (13.8.1)

Requirement already satisfied: packaging>=19.1 in /usr/local/lib/python3.10/dist-packages (from build>=1.0.3->chromadb) (24.1)

Requirement already satisfied: pyproject\_hooks in /usr/local/lib/python3.10/dist-packages (from build>=1.0.3->chromadb) (1.1.0)

Requirement already satisfied: tomli>=1.1.0 in /usr/local/lib/python3.10/dist-packages (from build>=1.0.3->chromadb) (2.0.1)

Requirement already satisfied: starlette<0.39.0,>=0.37.2 in /usr/local/lib/python3.10/dist-packages (from fastapi>=0.95.2->chromadb) (0.38.6)

Requirement already satisfied: anyio in /usr/local/lib/python3.10/dist-packages (from httpx>=0.27.0->chromadb) (3.7.1)

Requirement already satisfied: certifi in /usr/local/lib/python3.10/dist-packages (from httpx>=0.27.0->chromadb) (2024.8.30)

Requirement already satisfied: httpcore==1.\* in /usr/local/lib/python3.10/dist-packages (from httpx>=0.27.0->chromadb) (1.0.5)

Requirement already satisfied: idna in /usr/local/lib/python3.10/dist-packages (from httpx>=0.27.0->chromadb) (3.10)

Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages (from httpx>=0.27.0->chromadb) (1.3.1)

Requirement already satisfied: h11<0.15,>=0.13 in /usr/local/lib/python3.10/dist-packages (from httpcore==1.\*->httpx>=0.27.0->chromadb) (0.14.0)

Requirement already satisfied: six>=1.9.0 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (1.16.0)

Requirement already satisfied: python-dateutil>=2.5.3 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (2.8.2)

Requirement already satisfied: google-auth>=1.0.1 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (2.27.0)

Requirement already satisfied: websocket-client!=0.40.0,!0.41.\*,!0.42.\*,>=0.32.0 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (1.8.0)

Requirement already satisfied: requests in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (2.32.3)

Requirement already satisfied: requests-oauthlib in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (1.3.1)

Requirement already satisfied: oauthlib>=3.2.2 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (3.2.2)

Requirement already satisfied: urllib3>=1.24.2 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (2.2.3)

Requirement already satisfied: durationpy>=0.7 in /usr/local/lib/python3.10/dist-packages (from kubernetes>=28.1.0->chromadb) (0.7)

Requirement already satisfied: coloredlogs in /usr/local/lib/python3.10/dist-packages (from onnxruntime>=1.14.1->chromadb) (15.0.1)

Requirement already satisfied: flatbuffers in /usr/local/lib/python3.10/dist-packages (from onnxruntime>=1.14.1->chromadb) (24.3.25)

Requirement already satisfied: protobuf in /usr/local/lib/python3.10/dist-packages (from onnxruntime>=1.14.1->chromadb) (3.20.3)

Requirement already satisfied: sympy in /usr/local/lib/python3.10/dist-packages (from onnxruntime>=1.14.1->chromadb) (1.13.3)

Requirement already satisfied: deprecated>=1.2.6 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-api>=1.2.0->chromadb) (1.2.14)

Requirement already satisfied: importlib-metadata<=8.4.0,>=6.0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-api>=1.2.0->chromadb) (8.4.0)

Requirement already satisfied: googleapis-common-protos~=1.52 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-exporter-otlp-proto-grpc>=1.2.0->chromadb) (1.65.0)

Requirement already satisfied: opentelemetry-exporter-otlp-proto-common==1.27.0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-exporter-otlp-proto-grpc>=1.2.0->chromadb) (1.27.0)

Requirement already satisfied: opentelemetry-proto==1.27.0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-exporter-otlp-proto-grpc>=1.2.0->chromadb) (1.27.0)

Requirement already satisfied: opentelemetry-instrumentation-asgi==0.48b0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-instrumentation-fastapi>=0.41b0->chromadb) (0.48b0)

Requirement already satisfied: opentelemetry-instrumentation==0.48b0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-instrumentation-fastapi>=0.41b0->chromadb) (0.48b0)

Requirement already satisfied: opentelemetry-semantic-conventions==0.48b0 in /usr/local/lib/python3.10/dist-packages (from opentelemetry-instrumentation-fastapi>=0.41b0->chromadb) (0.48b0)

Requirement already satisfied: util-[http](#)==0.48b0 in [/usr/local/lib/python3.10/dist-packages](#) (from [opentelemetry-instrumentation-fastapi](#)>=0.41b0->[chromadb](#)) (0.48b0)

Requirement already satisfied: [setuptools](#)>=16.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [opentelemetry-instrumentation](#)==0.48b0->[opentelemetry-instrumentation-fastapi](#)>=0.41b0->[chromadb](#)) (71.0.4)

Requirement already satisfied: [wrapt](#)<2.0.0,>=1.0.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [opentelemetry-instrumentation](#)==0.48b0->[opentelemetry-instrumentation-fastapi](#)>=0.41b0->[chromadb](#)) (1.16.0)

Requirement already satisfied: [asgiref](#)~=3.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [opentelemetry-instrumentation-asgi](#)==0.48b0->[opentelemetry-instrumentation-fastapi](#)>=0.41b0->[chromadb](#)) (3.8.1)

Requirement already satisfied: [monotonic](#)>=1.5 in [/usr/local/lib/python3.10/dist-packages](#) (from [posthog](#)>=2.4.0->[chromadb](#)) (1.6)

Requirement already satisfied: [backoff](#)>=1.10.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [posthog](#)>=2.4.0->[chromadb](#)) (2.2.1)

Requirement already satisfied: [annotated-types](#)>=0.6.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [pydantic](#)>=1.9->[chromadb](#)) (0.7.0)

Requirement already satisfied: [pydantic-core](#)==2.23.4 in [/usr/local/lib/python3.10/dist-packages](#) (from [pydantic](#)>=1.9->[chromadb](#)) (2.23.4)

Requirement already satisfied: [markdown-it-py](#)>=2.2.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [rich](#)>=10.11.0->[chromadb](#)) (3.0.0)

Requirement already satisfied: [pygments](#)<3.0.0,>=2.13.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [rich](#)>=10.11.0->[chromadb](#)) (2.18.0)

Requirement already satisfied: [huggingface-hub](#)<1.0,>=0.16.4 in [/usr/local/lib/python3.10/dist-packages](#) (from [tokenizers](#)>=0.13.2->[chromadb](#)) (0.24.7)

Requirement already satisfied: [click](#)>=8.0.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [typer](#)>=0.9.0->[chromadb](#)) (8.1.7)

Requirement already satisfied: [shellingham](#)>=1.3.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [typer](#)>=0.9.0->[chromadb](#)) (1.5.4)

Requirement already satisfied: [httpxtools](#)>=0.5.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [uvicorn\[standard\]](#)>=0.18.3->[chromadb](#)) (0.6.1)

Requirement already satisfied: [python-dotenv](#)>=0.13 in [/usr/local/lib/python3.10/dist-packages](#) (from [uvicorn\[standard\]](#)>=0.18.3->[chromadb](#)) (1.0.1)

Requirement already satisfied: [uvloop](#)!=0.15.0,!0.15.1,>=0.14.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [uvicorn\[standard\]](#)>=0.18.3->[chromadb](#)) (0.20.0)

Requirement already satisfied: [watchfiles](#)>=0.13 in [/usr/local/lib/python3.10/dist-packages](#) (from [uvicorn\[standard\]](#)>=0.18.3->[chromadb](#)) (0.24.0)

Requirement already satisfied: [websockets](#)>=10.4 in [/usr/local/lib/python3.10/dist-packages](#) (from [uvicorn\[standard\]](#)>=0.18.3->[chromadb](#)) (13.1)

Requirement already satisfied: [cachetools](#)<6.0,>=2.0.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [google-auth](#)>=1.0.1->[kubernetes](#)>=28.1.0->[chromadb](#)) (5.5.0)

Requirement already satisfied: [pyasn1-modules](#)>=0.2.1 in [/usr/local/lib/python3.10/dist-packages](#) (from [google-auth](#)>=1.0.1->[kubernetes](#)>=28.1.0->[chromadb](#)) (0.4.1)

Requirement already satisfied: [rsa](#)<5,>=3.1.4 in [/usr/local/lib/python3.10/dist-packages](#) (from [google-auth](#)>=1.0.1->[kubernetes](#)>=28.1.0->[chromadb](#)) (4.9)

Requirement already satisfied: [filelock](#) in [/usr/local/lib/python3.10/dist-packages](#) (from [huggingface-hub](#)<1.0,>=0.16.4->[tokenizers](#)>=0.13.2->[chromadb](#)) (3.16.1)

Requirement already satisfied: [fsspec](#)>=2023.5.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [huggingface-hub](#)<1.0,>=0.16.4->[tokenizers](#)>=0.13.2->[chromadb](#)) (2024.6.1)

Requirement already satisfied: [zipp](#)>=0.5 in [/usr/local/lib/python3.10/dist-packages](#) (from [importlib-metadata](#)<=8.4.0,>=6.0->[opentelemetry-api](#)>=1.2.0->[chromadb](#)) (3.20.2)

Requirement already satisfied: [mdurl](#)~=0.1 in [/usr/local/lib/python3.10/dist-packages](#) (from [markdown-it-py](#)>=2.2.0->[rich](#)>=10.11.0->[chromadb](#)) (0.1.2)

Requirement already satisfied: [charset-normalizer](#)<4,>=2 in [/usr/local/lib/python3.10/dist-packages](#) (from [requests](#)->[kubernetes](#)>=28.1.0->[chromadb](#)) (3.3.2)

Requirement already satisfied: [exceptiongroup](#) in [/usr/local/lib/python3.10/dist-packages](#) (from [anyio](#)->[httpx](#)>=0.27.0->[chromadb](#)) (1.2.2)

Requirement already satisfied: [humanfriendly](#)>=9.1 in [/usr/local/lib/python3.10/dist-packages](#) (from [coloredlogs](#)->[onnxruntime](#)>=1.14.1->[chromadb](#)) (10.0)

Requirement already satisfied: [mpmath](#)<1.4,>=1.1.0 in [/usr/local/lib/python3.10/dist-packages](#) (from [sympy](#)->[onnxruntime](#)>=1.14.1->[chromadb](#)) (1.3.0)

Requirement already satisfied: [pyasn1](#)<0.7.0,>=0.4.6 in [/usr/local/lib/python3.10/dist-packages](#)

kages (from pyasn1-modules>=0.2.1->google-auth>=1.0.1->kubernetes>=28.1.0->chromadb) (0.6.1)

```
In [53]: import chromadb
import uuid

client = chromadb.PersistentClient('vectorstore')
collection = client.get_or_create_collection (name="portfolio")

if not collection.count():
    for _, row in df.iterrows():
        collection.add(documents=row["Techstack"],
                        metadatas={"links": row["Links"]},
                        ids=[str(uuid.uuid4())])
```

```
In [54]: links = collection.query(query_texts=["Experience in Python", "Experience in React Native"])
print(links)

[[{'links': 'https://example.com/ml-python-portfolio'}, {'links': 'https://example.com/python-portfolio'}], [{"links": "https://example.com/react-native-portfolio"}, {"links": "https://example.com/react-portfolio"}]]
```

```
In [59]: links = collection.query(query_texts=job['skills'], n_results=2).get('metadatas')
print(links)

[[{'links': 'https://example.com/full-stack-js-portfolio'}, {'links': 'https://example.com/react-portfolio'}], [{"links": "https://example.com/devops-portfolio"}, {"links": "https://example.com/kotlin-backend-portfolio"}], [{"links": "https://example.com/wordpress-portfolio"}, {"links": "https://example.com/magento-portfolio"}], [{"links": "https://example.com/devops-portfolio"}, {"links": "https://example.com/ml-python-portfolio"}], [{"links": "https://example.com/xamarin-portfolio"}, {"links": "https://example.com/ios-ar-portfolio"}], [{"links": "https://example.com/ios-ar-portfolio"}, {"links": "https://example.com/kotlin-backend-portfolio"}], [{"links": "https://example.com/flutter-portfolio"}, {"links": "https://example.com/vue-portfolio"}], [{"links": "https://example.com/devops-portfolio"}, {"links": "https://example.com/kotlin-backend-portfolio"}], [{"links": "https://example.com/ios-ar-portfolio"}, {"links": "https://example.com/xamarin-portfolio"}], [{"links": "https://example.com/devops-portfolio"}, {"links": "https://example.com/kotlin-backend-portfolio"}]]
```

```
In [57]: job = json_res
if 'skills' in job:
    skills = job['skills']
    print(skills)
else:
    print("Key 'skills' not found in the dictionary")

['JavaScript (Node.js, React.js, Vue.js, etc.)', 'Agile processes', 'Continuous integration', 'Test automation', 'AWS CloudFront', 'AWS S3', 'AWS Route 53', 'AWS Certificate Manager', 'AWS Lambda', 'GitHub Co-pilot']
```

```
In [60]: prompt_email = PromptTemplate.from_template(
    """
    ### JOB DESCRIPTION:
    {job_description}
    ### INSTRUCTION:
    You are Vikas, a master's student at Sacramento State in your last semester, pursuing a Master's degree in Data Science.

    In your recent work, you built a Storm Water Analytics platform, enhanced a heart disease prediction model, and developed a machine learning model for predicting stock prices.

    Your job is to write a cold email to the employer regarding the job mentioned above. Also add the most relevant ones from the following links to showcase Vikas's portfolio. Remember you are Vikas, master student at SAC State.
    Do not provide a preamble.
```

```
##### EMAIL (NO PREAMBLE) :  
#####  
  
)  
  
chain_email = prompt_email | llm  
res = chain_email.invoke(input = {"job_description": str(job), "link_list": links})  
print(res.content)
```

Subject: Application for Software Engineer I Position – Enhancing Digital Employee Experience

Dear Hiring Manager,

I am excited to apply for the Software Engineer I position at your esteemed organization, where I can leverage my skills in full-stack development, machine learning, and generative AI to drive impactful projects. With a strong academic background in Computer Science (Master's student at Sacramento State, GPA: 3.85) and three years of industry experience as a backend developer at Tata Consultancy Services, I am confident in my ability to make a significant contribution to your team.

As a seasoned developer with expertise in JavaScript (Node.js, React.js, Vue.js), Agile processes, Continuous Integration, Test Automation, and AWS services (CloudFront, S3, Route 53, Certificate Manager, Lambda), I am well-equipped to design, support, develop, and test internal employee-facing websites and web applications. My experience in leading projects from inception to deployment has resulted in an 80% increase in user adoption and a 50% improvement in data processing efficiency.

I would like to highlight a few projects from my portfolio that demonstrate my skills and expertise:

- \* Full-stack development: <https://example.com/full-stack-js-portfolio>
- \* React-based projects: <https://example.com/react-portfolio>
- \* DevOps expertise: <https://example.com/devops-portfolio>
- \* Machine Learning (Python): <https://example.com/ml-python-portfolio>

In my recent projects, I built a Storm Water Analytics platform, enhanced a heart disease prediction model using K-Nearest Neighbors (KNN), and developed a social media application leveraging the MERN stack. These experiences have not only honed my technical skills but also instilled in me a passion for driving innovation and excellence in software development.

I am excited about the opportunity to join your team and contribute to the development of internal employee-facing websites and web applications. Thank you for considering my application. I would welcome the opportunity to discuss my qualifications further and explore how I can make a meaningful impact at your organization.

Best regards,

Vikas

In [ ]: