ACCESSIBILITY AUDIT REPORT

RiskLens Technologies - Project 1A

Figma-source audit of the current responsive product system against the WCAG 2.1 AA target.

Audit control	
Version	1.1
Audit scope	48 responsive Figma frames: 16 desktop, 16 tablet, 16 mobile
Design source	RiskLens Figma file
Method	Figma inspection + manual token contrast calculation + design review
Reference	WCAG 2.1 AA
External checker	Not executed in this environment; checker-dependent claims are marked pending

AUDIT STATUS: PARTIALLY VERIFIED. The design source has strong baseline contrast and explicit accessibility states. Browser keyboard behavior, assistive-technology announcements and automated checker output still require runtime evidence.

This report separates what can be verified in Figma from what must be verified in the implemented product.

1. Scope and audit method

The Zetheta brief requires checker output for every screen, manual contrast verification, keyboard navigation, screen-reader scripts, a WCAG 2.1 AA pass/fail matrix and a remediation plan.

What was inspected

The working file contains 16 desktop frames, 16 tablet frames and 16 mobile frames. The review checked the responsive frame set, component states, interactive reactions, focus/error examples, touch-target intent and semantic risk-state labeling.

Evidence available from the design source

Area	Current design evidence	Status
Responsive frame set	16 desktop + 16 tablet + 16 mobile	Verified
Component states	Default / Hover / Focus / Active / Disabled / Error examples	Verified
Mobile CTA sizing	Primary CTA examples use the 44 px touch token	Verified in design
Interactive flows	Core flow reactions exist in the prototype source	Verified in design
Automated checker export	No Stark/equivalent result attached	Pending
Keyboard traversal	Cannot be proved from Figma alone	Pending
Screen-reader announcements	Scripts can be specified; runtime output cannot be proved	Pending

2. Manual color contrast verification

The following ratios are calculated from the current RiskLens semantic token values. The main text combinations clear the normal-text threshold.

Pair	Tokens	Ratio	Result	Reference
Primary text / background	#F2F5F7 / #0B0F14	17.55:1	Pass	4.5:1 text / 3:1 non-text
Primary text / surface	#F2F5F7 / #111820	16.32:1	Pass	4.5:1 text / 3:1 non-text
Primary text / elevated	#F2F5F7 / #17212C	14.86:1	Pass	4.5:1 text / 3:1 non-text
Secondary text / background	#9BA8B5 / #0B0F14	7.93:1	Pass	4.5:1 text / 3:1 non-text
Secondary text / surface	#9BA8B5 / #111820	7.37:1	Pass	4.5:1 text / 3:1 non-text
Accent / background	#3DD6E8 / #0B0F14	10.97:1	Pass	4.5:1 text / 3:1 non-text
Accent / surface	#3DD6E8 / #111820	10.19:1	Pass	4.5:1 text / 3:1 non-text
Critical / background	#FF5C6C / #0B0F14	6.41:1	Pass	4.5:1 text / 3:1 non-text
Warning / background	#F2B84B / #0B0F14	10.74:1	Pass	4.5:1 text / 3:1 non-text
Success / background	#43D17A / #0B0F14	9.74:1	Pass	4.5:1 text / 3:1 non-text
Button text / accent	#0A0F14 / #3DD6E8	10.98:1	Pass	4.5:1 text / 3:1 non-text
Border / background	#2A3644 / #0B0F14	1.56:1	Conditional	3:1 if boundary conveys state

Finding

The main content and semantic status colors have strong contrast. The #2A3644 border on #0B0F14 is about 1.56:1, so it should not be the only cue for an actionable or stateful boundary. Strengthen the boundary or pair it with another perceivable state cue where required.

3. Keyboard accessibility

Focus states are present in the component system, but runtime keyboard behavior requires an implemented build to verify.

Context	Expected focus order
Login	SSO email password show password remember option forgot password sign in help
Portfolio Overview	Navigation portfolio/filter controls KPIs drill-down actions supporting tables
Risk Alert	Alert row open/investigate acknowledge comment evidence confirm
Settings	Settings navigation role dashboard preferences risk defaults alerts save
Onboarding	Progress portfolio default view horizon/confidence continue

Acceptance checks

Every actionable element should receive focus in reading order; focus must remain visible and unobscured; overlays must not trap focus; Escape should close dismissible overlays; Enter/Space should activate the control according to its role.

Status: Pending runtime verification.

4. Screen-reader announcement scripts

These scripts define the minimum meaningful information an assistive-technology user should receive during the three critical prototype flows.

Flow 01 - Portfolio Overview VaR Drill-down

Step	Expected announcement
1	Portfolio Overview. Portfolio: Global Macro. Horizon: 1 day. Confidence: 99%.
2	Portfolio VaR: 2.84 million dollars. Status: Watch. Change: plus 4.8 percent versus prior day.
3	Drill-down available. Activate to view VaR Analysis.
4	VaR Analysis. Methodology: Historical. Limit status and attribution controls available.

Flow 02 - Risk Alert Acknowledge Comment Confirmation

Step	Expected announcement
1	Alert ID, severity, owner and timestamp.
2	Acknowledge alert. Activate to record acknowledgement.
3	Comment required. Evidence/rationale text area.
4	Confirmation: review acknowledgement, comment and timestamp.
5	Alert updated. Status: acknowledged. Audit event recorded.

Flow 03 - Junior Analyst Senior PM

Step	Expected announcement
1	Current role: Junior Risk Analyst. Dashboard density: moderate.
2	Switch role. Available roles: Junior Analyst, Senior Portfolio Manager, CRO, Compliance Officer.
3	Current role: Senior Portfolio Manager. Dashboard density: high. Additional drill-down controls available.
4	Previous portfolio and filter context preserved.

5. WCAG 2.1 AA compliance matrix

Pass means the design source currently provides the relevant visual/interaction intent. Pending means the criterion needs runtime or markup evidence.

5.1 WCAG matrix rows 1-13

SC	Criterion	Level	Status	Evidence / next check
1.1.1	Non-text Content	A	Partially	Icons need accessible names in implementation.
1.3.1	Info and Relationships	A	Pending	Semantic HTML / ARIA needs runtime validation.
1.3.2	Meaningful Sequence	A	Pending	Verify DOM/focus order.
1.3.3	Sensory Characteristics	A	Pass	Instructions can be expressed without position or color alone.
1.4.1	Use of Color	A	Pass	Risk states use text labels such as Critical / Watch.
1.4.3	Contrast (Minimum)	AA	Pass	Main text token pairs exceed 4.5:1.
1.4.4	Resize Text	AA	Pending	Requires browser zoom/text resize test.
1.4.5	Images of Text	AA	Pass	Core interface uses live text.
1.4.10	Reflow	AA	Pending	Verify implementation beyond supplied frames.
1.4.11	Non-text Contrast	AA	Conditional	Border token alone is below 3:1.
1.4.12	Text Spacing	AA	Pending	Needs browser override test.
1.4.13	Hover / Focus Content	AA	Pending	Tooltips/popovers require runtime test.
2.1.1	Keyboard	A	Pending	Focus states exist; traversal is unverified.

5.2 WCAG matrix rows 14-26

SC	Criterion	Level	Status	Evidence / next check
2.1.2	No Keyboard Trap	A	Pending	Runtime dialog/menu test required.
2.2.1	Timing Adjustable	A	Pending	15-minute timeout needs accessible warning/extension.
2.2.2	Pause, Stop, Hide	A	Pending	Live/animated states need implementation review.
2.3.1	Three Flashes	A	Pending	Animation implementation requires review.
2.4.1	Bypass Blocks	A	Pending	Verify skip link/landmarks.
2.4.2	Page Titled	A	Pending	Verify browser document titles.
2.4.3	Focus Order	A	Pending	Verify DOM order.
2.4.4	Link Purpose	A	Pass in design	Visible action labels are generally descriptive.
2.4.5	Multiple Ways	AA	Pending	Verify actual navigation/search behavior.
2.4.6	Headings and Labels	AA	Pass in design	Hierarchy and labels are explicit.
2.4.7	Focus Visible	AA	Pass in design	Dedicated focus examples exist.
2.5.1	Pointer Gestures	A	Pass in design	No complex gesture required by core flows.
2.5.2	Pointer Cancellation	A	Pending	Runtime pointer behavior needs test.

5.3 WCAG matrix rows 27-37

SC	Criterion	Level	Status	Evidence / next check
2.5.3	Label in Name	A	Pending	Verify accessible names match visible labels.
2.5.4	Motion Actuation	A	Pass in design	Core tasks do not require motion input.
3.1.1	Language of Page	A	Pending	Set HTML lang.
3.2.1	On Focus	A	Pass in design	Focus is not intended to change context.
3.2.2	On Input	A	Pass in design	Input is not intended to trigger unexpected navigation.
3.3.1	Error Identification	A	Pass in design	Error state includes explanatory text.
3.3.2	Labels or Instructions	A	Pass in design	Fields have labels in the design.
3.3.3	Error Suggestion	AA	Pending	Runtime validation message needs review.
3.3.4	Error Prevention	AA	Pending	Alert/comment submission needs confirmation review.
4.1.1	Parsing	A	Pending	Markup validation required.
4.1.2	Name, Role, Value	A	Pending	DOM/ARIA inspection required.

6. Screen-by-screen audit register

The register lists every responsive frame. The design review column records source inspection; automated checker and runtime behavior remain pending until evidence is produced.

Desktop - 16 responsive frames

#	Figma screen	Frame	Design review	Checker	Runtime
1	Executive Risk Overview	1440 × 900	Reviewed	Pending	Runtime QA
2	Portfolio Overview	1440 × 900	Reviewed	Pending	Runtime QA
3	Portfolio Detail	1440 × 900	Reviewed	Pending	Runtime QA
4	VaR Analysis	1440 × 900	Reviewed	Pending	Runtime QA
5	CVaR / Expected Shortfall	1440 × 900	Reviewed	Pending	Runtime QA
6	Greeks	1440 × 900	Reviewed	Pending	Runtime QA
7	Drawdown Analysis	1440 × 900	Reviewed	Pending	Runtime QA
8	Stress Testing	1440 × 900	Reviewed	Pending	Runtime QA
9	Risk Alerts	1440 × 900	Reviewed	Pending	Runtime QA
10	Alert Investigation	1440 × 900	Reviewed	Pending	Runtime QA
11	Compliance	1440 × 900	Reviewed	Pending	Runtime QA
12	Reports	1440 × 900	Reviewed	Pending	Runtime QA
13	Login / Authentication	1440 × 900	Reviewed	Pending	Runtime QA
14	Settings / User Preferences / Role Configuration	1440 × 900	Reviewed	Pending	Runtime QA
15	Historical Risk Analytics	1440 × 900	Reviewed	Pending	Runtime QA
16	Onboarding / First-Time User Flow	1440 × 900	Reviewed	Pending	Runtime QA

Tablet - 16 responsive frames

#	Figma screen	Frame	Design review	Checker	Runtime
1	Executive Risk Overview	768 × 1024	Reviewed	Pending	Runtime QA
2	Portfolio Overview	768 × 1024	Reviewed	Pending	Runtime QA
3	Portfolio Detail	768 × 1024	Reviewed	Pending	Runtime QA
4	VaR Analysis	768 × 1024	Reviewed	Pending	Runtime QA
5	CVaR / Expected Shortfall	768 × 1024	Reviewed	Pending	Runtime QA
6	Greeks	768 × 1024	Reviewed	Pending	Runtime QA
7	Drawdown Analysis	768 × 1024	Reviewed	Pending	Runtime QA
8	Stress Testing	768 × 1024	Reviewed	Pending	Runtime QA
9	Risk Alerts	768 × 1024	Reviewed	Pending	Runtime QA
10	Alert Investigation	768 × 1024	Reviewed	Pending	Runtime QA
11	Compliance	768 × 1024	Reviewed	Pending	Runtime QA
12	Reports	768 × 1024	Reviewed	Pending	Runtime QA
13	Login / Authentication	768 × 1024	Reviewed	Pending	Runtime QA
14	Settings / User Preferences / Role Configuration	768 × 1024	Reviewed	Pending	Runtime QA
15	Historical Risk Analytics	768 × 1024	Reviewed	Pending	Runtime QA
16	Onboarding / First-Time User Flow	768 × 1024	Reviewed	Pending	Runtime QA

Mobile - 16 responsive frames

#	Figma screen	Frame	Design review	Checker	Runtime
1	Executive Risk Overview	375 × 812	Reviewed	Pending	Runtime QA
2	Portfolio Overview	375 × 812	Reviewed	Pending	Runtime QA
3	Portfolio Detail	375 × 812	Reviewed	Pending	Runtime QA
4	VaR Analysis	375 × 812	Reviewed	Pending	Runtime QA
5	CVaR / Expected Shortfall	375 × 812	Reviewed	Pending	Runtime QA
6	Greeks	375 × 812	Reviewed	Pending	Runtime QA
7	Drawdown Analysis	375 × 812	Reviewed	Pending	Runtime QA
8	Stress Testing	375 × 812	Reviewed	Pending	Runtime QA
9	Risk Alerts	375 × 812	Reviewed	Pending	Runtime QA
10	Alert Investigation	375 × 812	Reviewed	Pending	Runtime QA
11	Compliance	375 × 812	Reviewed	Pending	Runtime QA
12	Reports	375 × 812	Reviewed	Pending	Runtime QA
13	Login / Authentication	375 × 812	Reviewed	Pending	Runtime QA
14	Settings / User Preferences / Role Configuration	375 × 812	Reviewed	Pending	Runtime QA
15	Historical Risk Analytics	375 × 812	Reviewed	Pending	Runtime QA
16	Onboarding / First-Time User Flow	375 × 812	Reviewed	Pending	Runtime QA

7. Mobile touch targets and responsive accessibility

The mobile design uses a 44 px touch token for primary actions. Authenticated screens use bottom navigation; Login and Onboarding intentionally do not.

Area	Design evidence	Status
Primary CTA	Primary mobile CTAs use 44 px+ height	Pass in design
Bottom navigation	Navigation occupies a 60 px bar; final hit area must be implemented at 44 px+	Pending hit-area implementation
Login	No bottom navigation; focused pre-auth flow	Pass in design
Onboarding	No authenticated navigation; clear Continue action	Pass in design
Settings	Authenticated bottom navigation retained	Pass in design
Historical	Focused chart + explicit metric action	Pass in design
Dense tables	Responsive simplification instead of desktop scaling	Pending implementation

Implementation note

The Figma frame confirms the intended geometry, but it does not prove the final browser hit area. The implementation should preserve the 44 px token as the actual interactive box, not merely the visual label height.

8. Dynamic content, charts and live risk data

RiskLens includes charts, alerts, live-status patterns and animated state changes. These require explicit semantics in the implemented product.

Component	Accessibility requirement	Implementation note
VaR / CVaR chart	Text summary of current value, threshold, trend and selected point	Chart cannot be the only source of the number
Greeks	Expose each Greek and value/sensitivity as text	Color is supplementary
Stress matrix	State scenario, loss and breach textually	Do not use color alone
Risk alert	Announce severity, owner, timestamp and state change	Use suitable live-region behavior
Drawdown	Provide current/max and recovery context as text	Selected point needs an accessible name
Loading	Expose loading state and completion	Do not rely on animation
Error	Provide clear recovery action	Keep error message discoverable

Live-update rule

Avoid layout shifts during refresh. Assistive-technology users should not receive a continuous stream of non-material updates; announce changes that affect decisions, such as a limit breach or acknowledgement state.

9. Remediation plan

Priorities are ordered by user impact and by the likelihood that the issue blocks an assistive-technology user.

Priority	Issue	Action	Acceptance evidence
P0	No automated checker evidence	Run Stark or equivalent across all 48 frames and retain evidence	One scan record per frame
P0	Runtime keyboard behavior unverified	Test Login, VaR and Alert flows keyboard-only	Focus-order checklist / recording
P0	Screen-reader behavior unverified	Run the three scripts with VoiceOver/NVDA/JAWS-equivalent	Announcement transcript
P1	Border token at 1.56:1	Strengthen stateful boundaries where needed	Contrast 3:1
P1	Mobile hit area not proven	Implement actual 44 px+ interaction boxes	Browser/device measurement
P1	Chart semantics	Add accessible text summaries and labels	DOM/ARIA review
P1	Dynamic updates	Add live-region behavior for material changes	AT test
P2	Tooltip/popover behavior	Verify focus/hover content behavior	Keyboard + pointer test
P2	Zoom/reflow	Test at 200% text and narrow reflow widths	Browser screenshots
P2	Error prevention	Verify alert/comment confirmation and recovery	End-to-end QA

10. Audit conclusion

The current design has a solid accessibility foundation, but the accurate sign-off status is partially verified rather than WCAG 2.1 AA passed.

Verified from Figma

High-contrast primary text, semantic status labels, explicit focus/error/disabled/active examples, responsive compositions and a 44 px primary-touch token are represented in the source design.

Still open

Automated checker evidence, browser keyboard traversal, assistive-technology output, semantic markup, timing behavior, tooltip behavior, zoom/reflow and final non-text contrast treatment require implementation testing.

Sign-off rule

Do not mark the product 'WCAG 2.1 AA compliant' until the pending P0/P1 evidence has been collected and the matrix updated to observed results.