

AYUSHMAN BHARAT DIGITAL MISSION

Healthcare Professionals Registry (HPR)

Update Professional Document API

Table of Contents

1. Terminology
2. HPRID Session API
3. Retrieve Professional Detail API
4. Update Document API

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token - To obtain, the HPR can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID - Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret - Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID – Healthcare professional ID

Create HPRID Session API (Sand Box)

Authentication Token need be generated using client ID and client Secret, To obtain clientId and clientSecret, please register on [Sandbox Application](#).

Method	POST
URL	https://dev.abdm.gov.in/gateway/v0.5/sessions
Request Body	<pre>{ "clientId": "*****", "clientSecret": "3***bf3b-d**d-47a2-be2f-10d*****1d9" }</pre>

Sample Response –

```
{
  "accessToken": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXZW50IiwiaWF0IjoiMTY1NzgzNCwianRpljoiNWl5MmMzNTgtOWYzYy00YzdkLTkwODYtZjhmZTI1ZGE3Njc4IiwiaXNzIjoiaHR0cHM6Ly9kZXludmRobS5nb3YuaW4vYXV0aC9yZWZfYXNzIiwiaXNzIjoiaHR0cCBye4MUjykeu3hhQzKLKbxBRpPq6QRq1ej9ECvDLGjauaoSncif3zxuDGzkzEaBJORkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_BYe4MUjykeu3hhQzKLKbxBRpPq6QRq1ej9ECvDLGjauaoSncif3zxuDGzkzEaBJORkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_BYe4MUjykeu3hhQzKLKbxBRpPq6QRq1ej9ECvDLGjauaoSncif3zxuDGzkzEaBJORkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_n6Q",
  "expiresIn": 21600,
  "refreshExpiresIn": 1800,
  "refreshToken": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXZW50IiwiaWF0IjoiMTY1NzgzNCwianRpljoiNWl5MmMzNTgtOWYzYy00YzdkLTkwODYtZjhmZTI1ZGE3Njc4IiwiaXNzIjoiaHR0cCBye4MUjykeu3hhQzKLKbxBRpPq6QRq1ej9ECvDLGjauaoSncif3zxuDGzkzEaBJORkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_n6Q",
  "tokenType": "bearer"
}
```

Retrieve Professional Document List API

Users will get all the document list with their identifier which can be used in upload document API mentioned below

Add the accessToken received from the **HPRID Gateway Token API** for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/fetch-documents-list
Request Body	<pre>{ "hprid": "71-****-****-1358" }</pre>

Sample Response –

```
{
  "documentList": {
    "profileDetails": {
      "profilePhoto": {
        "id": 1***1
      },
      "proofOfWorkCertificate": {
        "id": 1***1
      }
    },
    "registrationDetails": [
      {
        "registrationCertificate": {
          "id": 1***4,
          "systemOfMedicine": "m****ne"
        },
        "proofOfNameChangeRegCertificate": {
          "id": 1***4,
          "systemOfMedicine": "mo*****ine"
        }
      }
    ],
    "qualificationDetails": [
      {
        "degreeCertificate": {
          "id": 6**2,
          "courseName": "MBBS - Bachelor **** of Surgery ",
          "qualificationYear": "2022"
        },
        "proofOfNameChangeQualCertificate": {
          "id": 6***2,
```

```
        "courseName": "MBBS - Bachelor **** of Surgery ",
        "qualificationYear": "2022"
    }
}
],
},
"Message": "Data fetched successfully"
}
```

Request Parameters will be like given below.

Field Name	Mandatory	Datatype	Size	Comments
hprid	Yes	Varchar		Health professional ID

Upload Document API –

Users need to upload document to their HPR profiles via upload documents APIs.

Add the accessToken received from the **HPRID Gateway Token API** for authorization and add the token as hpr_token from **HPRID Login API**.

Users can get HPR Token in three ways.

- i. Login Via Password API or
- ii. Login Via Mobile OTP API or
- iii. Login Via Aadhar OTP API

Users can get HPR token by choosing any given option

i. Login Via Password

Users need to input HPR id and password to get HPR token.

Add the accessToken received from the **HPRID Gateway Token API** for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/authPassword
Request Body	{ "idType": "hpr_id", "domainName": "@hpr.abdm", "hprId": "username@hpr.abdm", "password": "*****" }

Sample Response
{ "token": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI3MS00MzgzLTEzMDUtMjY4NiIsImNsaWVudElkljoiZGlnaWRvY3RvcilInN5c3RlbSI6IkhQSUQiLCJocHJJZE51bWJlcil6IjcxLTQzO CJocHJJZE51bWJlcil6IjcxLTQzODMtMTMwNS0yNjg2IiwibW9iaWxlljoiOTU4MjEyNjk5MlslmhwccklkljoibmFyZXNoMjBAaH aHDMtMTMwNS0yNjg2IiwibW9iaWxlljoiOTU4MjEyNjk5MlslmhwccklkljoibmFyZXNoMjBAaH", "expiresIn": 1800, "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI3MS00MzgzLTEzMDUtMjY4NiIsImNsaWVudElkljoiZGlnaWRvY3RvcilInN5c3RlbSI6IkhQSUQiLCJocHJJZE51bWJlcil6IjcxLTQzODMtMTMwNS0yNjg2IiwibW9iaWxlljoiOTU4MjEyNjk5MlslmhwccklkljoibmFyZXNoMjBAaH", "refreshExpiresIn": 10800 }

ii. Login Via Mobile OTP

Users need to follow the following steps to get HPR token

1	Send OTP
2	Get Public Certificate
3	HPRID Verify OTP
4	Login with HPRIID

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v2/auth/loginViaMobileSendOTP
Request Body	{ "mobile": "*****6992" }

Sample Response
{ "txnId": "061c660d-8752-4639-945d-e77a7ea6f564", "mobileNumber": null }

2. Get Public Certificate

Users need to get public certificate to encrypt the OTP.

Method	Get
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/cert
Request Body	{ "mobile": "*****6992" }

Sample Response
-----BEGIN PUBLIC KEY----- MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA6avEoNMbZDtjs7RHc1Si


```

hYeLvGPYV76mh2ncU2FAyCkK3ubE/7UE2HkimL4ftAqFN3fcKv8430oV3gAuvrk/
5sIOoG8NOMrVflnakdFZyDae66MHVuc1Rzrv8fKDRFRz8UTa1S2xZ9uXRCieQCeB
xeHmDtgcyGdfQzqcTOLGCpU6tLWda/QhW7zeUpowglBknhlf2nf916lsM1fWnO7
qVUBh6E3PXoLrW4NtvOwEMh3V62BNGzNmW3u8hxdp+uSe3Us/t4WFJRUQRnAhO5
IDAzojqkWYHkYZTDvidLBvfoX7ZbBPz03u42AOm/uDu4gG/oYqeB5zXe7qJ1ecLu
5QIDAQAB
-----END PUBLIC KEY-----

```

3. HPRID verify OTP

After receiving public certificate user needs to encrypt OTP with the public key using RSA Encryption Algo RS512. RSA Encryption to encrypt the data. Cipher Type - RSA/ECB/PKCS1Padding. online tool to encrypt data [click here](#)

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v2/auth/loginViaMobileSendOTP
Request Body	<pre> { "otp": "1W/rIffFrl/wOeGml7BhfAGu20To1EQ7HowREwXVIKAnXCyeY31KMDUfl/VIQoHs9ocbw vG4rBCCXof5jcshsCs4Zntql6PY1e3Ps5IsGH+7sPO8u9SLMYy5x9xBoI3VqnruaRxBb7oQR+l8RAipiD eNgEvTSMTTLSN3pqQ7BG+ ", "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" } </pre>

Sample Response
<pre> { "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1", "mobileLinkedHpIdDTO": [{ "hprIdNumber": "***-****-0326-3829", "name": "Test", "hprId": "*****@hpr.abdm" }] } </pre>

4. Login with HPRID

Users need to pass hprIdNumber and txnId received in the **HPRID verify OTP** Api.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Key: Authorization
Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridbeta.abdm.gov.in/api/v2/auth/login/userAuthorizedToken
Request Body	<pre>{ "hpld": "***-****-0326-3829", "txnld": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" }</pre>

```
{
  "token": "eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiI3MS0xMzc0LTAzMjYtMzgyOSIsImNsaWVudElkIjoiZGlnaWRvY3RvcilInN5c3RlbSI6IkhQSUQlLjCjOCJHJZE51bWJlciI6IjcxLTEzNzQtMDMyNi0zODI5IiwibW9iaWxlljoiOTg3MzgxMDE0NiIsImhwcklkIjoiYWtzaGF5LnBhbEBocHluYWJkbSIsImV4cCI6MTY4OTU4MTMyOSwiaWF0IjoxNjg5NTc5NTI5fQ.TvPFgrmX7QE3aug1AHcO-nxr8HaKPT036-W77aROC4F2gltvUjhtFqEZNPtBxapMRY-vRkNcZFCX_TG8tj-tFFdyzL-gMv1JfL ",
  "expiresIn": 1800,
  "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiI3MS0xMzc0LTAzMjYtMzgyOSIsImNsaWVudElkIjoiZGlnaWRvY3RvcilInN5c3RlbSI6IkhQSUQlLjCjOCJHJZE51bWJlciI6IjcxLTEzNzQtMDMyNi0zODI5IiwibW9iaWxlljoiOTg3MzgxMDE0NiIsImhwcklkIjoiYWtzaGF5LnBhbEBocHluYWJkbSIsImV4cCI6MTY4OTU4MTMyOSwiaWF0IjoxNjg5NTc5NTI5fQ.TvPFgrmX7QE3aug1AHcO-nxr8HaKPT036-W77aROC4F2gltvUjhtFqEZNPtBxapMRY-vRkNcZFCX_TG8tj-tFFdyzL-gMv1JfL ",
  "refreshExpiresIn": 10800
}
```

For login via Aadhar OTP you need to follow the following steps.

1	Send OTP
2	Verify OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Key: Authorization
Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/init

Note:

1. Append tokenType Bearer before the access token, give a space and then add your access token as shown below
2. Append token in Request body as hpr_token.
3. degreeCertificate, registrationCertificate are mandatory document types.
4. If Health professional is of government type or both then proofOfWorkCertificate is required.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Key: hpr_token

Value: <Your HPRID Login Via Password API Auth Token goes here>

Method	Post
URL	https://doctorsbx.abdm.gov.in/apis/v1/uploads/upload-document
Request Body	<pre>{ "hpr_token": "<access token>", "document": [{ "document_id": ****, "document_type": "profilePhoto", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "degreeCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "registrationCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "proofOfWorkCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }] }</pre>

Sample Response

```
{
  "profilePhoto": {
```

```

    "status": "pass",
    "msg": "Profile pic has been uploaded."
  },
  "degreeCertificate": {
    "status": "pass",
    "msg": "Degree certificate updated"
  },
  "registrationCertificate": {
    "status": "pass",
    "msg": "Registration certificate updated"
  },
  "proofOfWorkCertificate": {
    "status": "pass",
    "msg": "Work proof certificate updated"
  }
}

```

Field Name	Mandatory	Datatype	Size	Comments
hpr_token	Yes			Access token from HPRID login API
document_id	yes	int		Identifier from Retrieve Professional detail api for the respective detail
document_type	yes	varchar		
data	yes	varchar		Base64 encode string of file

File size should not exceed 1 mb for profile photo and 5 mb for other documents and supported document types are png, jpeg, jpg, pdf.

Supported document types are as profilePhoto, degreeCertificate, registrationCertificate, proofOfWorkCertificate, proofOfNameChangeRegCertificate, proofOfNameChangeQualCertificate.

Document Type	Identifier (Get Professional Details)
profilePhoto	Parent Identifier
degreeCertificate	Qualification block identifier
registrationCertificate	Registration block identifier
proofOfWorkCertificate	Parent Identifier
proofOfNameChangeRegCertificate	Registration block identifier
proofOfNameChangeQualCertificate	Qualification block identifier