

AYUSHMAN BHARAT DIGITAL MISSION

[Update Email Address in Healthcare Professional Registry \(HPR\) via APIs](#)

Table of Contents

A. Terminology	3
B. Get HPR Token	6
1. Login Via Password	6
2. Login Via Mobile	7
3. Login Via Aadhaar	10
C. Generate Verification Email OTP	12
D. Re-Generate Verification Email OTP	13
E. Verify Email OTP	14

A. Terminology:

- **ABDM** - Ayushman Bharat Digital Mission
- **Authorization token** - To obtain, the HRP can call 'sessions API' along with the receivedClientID and Client Secret. Same must be used in header for other APIs.
- **Client ID** - Post internal approval, Integrator will receive Client ID to access ABDM APIs
- **Client Secret** - Post internal approval, Integrator will receive Client Secret to accessABDM APIs
- **HPRID** – Healthcare Professional ID
- **Sandbox - Sandbox** is a framework that will allow technologies or products to be tested inthe contained environment in compliance with ABDM standards.

Verify Email Address Via API for registered health professionals-

Below document explains how to update professional's details in HPR systems using APIs.

List of APIs for Upload document in HPR

1	HPRID Gateway Token
2	Get HPR Token
3	Generate Verification Email - OTP
4	Re-Generate Verification Email - OTP
5	Verify Email - OTP

Step 1. HPRID Gateway Token

Authentication Token need be generated using client ID and client Secret.
To obtain clientId and clientSecret, please register on [Sandbox Application](#).

Method	POST
URL	https://dev.abdm.gov.in/gateway/v0.5/sessions
Request Body	<pre>{ "clientId": "*****", "clientSecret": "*****-d2fd-47a2-be2f-****" }</pre>

Response - Previously generated Transaction ID will be returned in this response.

Sample Response:

```
{
  "accessToken":
  "eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUiIiwia2kiOiA6IChBbFJiNVdDbThUbTIFSI9JZk85ejA2ajlvQ3Y1MXBLS0
  ZrbkdX1RCdkswIn0.eyJleHAiOiJlODkwNzU1MDIsImhhdCI6MTY4OTA1MzkwMiwianRpljoiZjhIMWJmYTMTM
  GE5MC00MDY2LWI0MjEtNDc4NDA3M2EzM2VmliaXNzIjoiaHR0cHM6Ly9kZXYubmRobS5nb3YuaW4vYX
  V0aC9yZWZfbmV9Y2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6ImFjY291bnQiLCJzdWIiOiIyY2MwNDdiOC0wZ
  mUzLTRmMWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIiLCJhenAiOiJkaWdpZG9jdG9yIiw
  c2Vzci2Vlbn9zdGF0ZSI6ImUzM2ZjMzBjLWM5NGQtNDM4ZC1iNjlyLTc0MWRmZDg0OTliZCIsImFjcil6IjEiLCJy
  ZWZfbmV9Y2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6ImFjY291bnQiLCJzdWIiOiIyY2MwNDdiOC0wZmUzLTRm
  MWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIiLCJhenAiOiJkaWdpZG9jdG9yIiwia2kiOiA6
  IChBbFJiNVdDbThUbTIFSI9JZk85ejA2ajlvQ3Y1MXBLS0ZrbkdX1RCdkswIn0.eyJleHAiOiJlODkwNzU1MDIs
  ImhhdCI6MTY4OTA1MzkwMiwianRpljoiZjhIMWJmYTMTMGE5MC00MDY2LWI0MjEtNDc4NDA3M2EzM2VmliaXNz
  IjoiaHR0cHM6Ly9kZXYubmRobS5nb3YuaW4vYXV0aC9yZWZfbmV9Y2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6ImFj
  Y291bnQiLCJzdWIiOiIyY2MwNDdiOC0wZmUzLTRmMWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIi
  LCJhenAiOiJkaWdpZG9jdG9yIiwia2kiOiA6IChBbFJiNVdDbThUbTIFSI9JZk85ejA2ajlvQ3Y1MXBLS0ZrbkdX1
  RCdkswIn0.eyJleHAiOiJlODkwNzU1MDIsImhhdCI6MTY4OTA1MzkwMiwianRpljoiZjhIMWJmYTMTMGE5MC00MDY2
  LWI0MjEtNDc4NDA3M2EzM2VmliaXNzIjoiaHR0cHM6Ly9kZXYubmRobS5nb3YuaW4vYXV0aC9yZWZfbmV9Y2Vud
  HJhbC1yZWdpc3RyeSIsImF1ZCI6ImFjY291bnQiLCJzdWIiOiIyY2MwNDdiOC0wZmUzLTRmMWYtODAyOS03MmRi
  M2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIiLCJhenAiOiJkaWdpZG9jdG9yIiwia2kiOiA6IChBbFJiNVdDbThUbTIFSI
  9JZk85ejA2ajlvQ3Y1MXBLS0ZrbkdX1RCdkswIn0.eyJleHAiOiJlODkwNzU1MDIsImhhdCI6MTY4OTA1MzkwMiwian
  RpljoiZjhIMWJmYTMTMGE5MC00MDY2LWI0MjEtNDc4NDA3M2EzM2VmliaXNzIjoiaHR0cHM6Ly9kZXYubmRobS5nb3
  YuaW4vYXV0aC9yZWZfbmV9Y2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6ImFjY291bnQiLCJzdWIiOiIyY2MwNDdiOC0w
  ZmUzLTRmMWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIiLCJhenAiOiJkaWdpZG9jdG9yIiwia2kiOi
  A6IChBbFJiNVdDbThUbTIFSI9JZk85ejA2ajlvQ3Y1MXBLS0ZrbkdX1RCdkswIn0.eyJleHAiOiJlODkwNzU1MDIsIm
  hhdCI6MTY4OTA1MzkwMiwianRpljoiZjhIMWJmYTMTMGE5MC00MDY2LWI0MjEtNDc4NDA3M2EzM2VmliaXNzIjoiaH
  R0cHM6Ly9kZXYubmRobS5nb3YuaW4vYXV0aC9yZWZfbmV9Y2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6ImFjY291bnQ
  iLCJzdWIiOiIyY2MwNDdiOC0wZmUzLTRmMWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJCZWZyZXIiLCJhenAiO
  iJkaWdpZG9jdG9yIiwia2kiOiA6IChBbFJiNVdDbThUbTIFSI9JZk85ejA2ajlvQ3Y1MXBLS0ZrbkdX1RCdkswIn0.
  DoZjUr_DSJ7yy60BvbJB3h__MLYoCd4BHO9HCpzqOo4jcB0akclCe7-
  i4JkFd7fxDmREFc6TS8G6Uq8I47bOwAb2rO49sDMA7gAWteFwT6-
  QDB2QFF2scM8z3zPJKCdSeHG4IWvH9PMbEiiHp6_hSfek0jh00tlfHxo9n6Rk7xL-
  5byemmAZjMOS_PbhG66nOfJk827rDVBkPr9Qz0YSfirrrAxqV5w_UPvTHFe5BhrXTdiKj4BwnQ",
}
```

```
"expiresIn": 21600,  
"refreshExpiresIn": 1800,  
"refreshToken":  
"eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUiIiwia2kiOiA6IiYMWU5NzA4OS00ZTcxLTQyNGEtOTAzYS1jOTAyMWM1NmFINWYifQ.eyJleHAiOiJlE2ODkwNTU3MDIsImhhdCI6MTY4OTA1MzkwMiwianRpljoiN2ZhNWY5NmItMTZkMi00MWYwLTk5ZDYtYzQ5ZGU2YzdkODBkliwiaXNzIjoiaHR0cHM6Ly9kZXYubmRobS5nb3YuaW4vYXV0aC9yZWFSbXMvY2VudHJhbC1yZWdpc3RyeSIsImF1ZCI6Imh0dHBzOi8vZGV2Lm5kaG0uZ292LmluL2F1dGgvcmVhbG1zL2NlbnRyYWwtcmVnaXN0cnkiLCJzdWIiOiIyY2MwNDdiOC0wZmUzLTRmMWYtODAyOS03MmRiM2ViYWE0YTEiLCJ0eXAiOiJSZWZyZXNoliwiYXpwIjoiZGlnaWRvY3RvcilslNlc3Npb25fc3RhdGUiOiJIMzMmYzMwYy1jOTRkLTQzOGQtYjYyMi03NDZkZmQ4NDk5YmQiLCJzY29wZSI6Im9wZW5pZCBlbWVpYCBwcm9maWxln0.guN2zUwmlvPLEBQoAWwr7YQzH4VS0BGVYJf948uvyfM",  
"tokenType": "bearer"  
}
```

B. Get HPR Token

Users can get HPR Token in three ways.

- i. [Login Via Password API](#)
- ii. [Login Via Mobile OTP API](#)
- iii. [Login Via Aadhaar OTP API](#)

Users can get HPR token by choosing any given option

I. Login Via Password

Users need to input HPR id and password to get HPR token.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/authPassword
Request Body	{ "idType": "hpr_id", "domainName": "@hpr.abdm", "hprId": "username@hpr.abdm", "password": "*****" }

Sample Response
{ "token": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI3MS00MzgZLTZMDUtmjY4NiIsImNsaWVudElkIjoizGlnaWRvY3Rvcil sInN5c3RlbSI6IkhQSUQiLCJocHJJZE51bWJlcil6IjcxLTQzODMtMTMwNS0yNjg2IiwibW9iaWxlijoiotU4MjEy Njk5MlslmhwcikljoibmFyZXNoMjBAaH ", "expiresIn": 1800, "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI3MS00MzgZLTZMDUtmjY4NiIsImNsaWVudElkIjoizGlnaWRvY3Rvcil sInN5c3RlbSI6IkhQSUQiLCJ0eXAIoiJSZWZyZXNoIiwiaXNjaW5MDgzMzcwLCJpYXQiOiE2ODkwNzI1N zF9.VMhRvuEkTcujrSJOAwccZFeixPRFcllgfwlCWMD9WKR8mtQEkJvwfTXYe0T8UAzfV7kEsNXoL7", "refreshExpiresIn": 10800 }

II. Login Via Mobile OTP

Users need to follow the following steps to get HPR token

1	Send OTP
2	Get Public Certificate
3	HPRID Verify OTP
4	Login with HPRID

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v2/auth/loginViaMobileSendOTP
Request Body	{ "mobile": "*****6992" }

Sample Response
{ "txnId": "061c660d-8752-4639-945d-e77a7ea6f564", "mobileNumber": null }

2. 2.Get Public Certificate

Users need to get public certificate to encrypt the OTP.

Method	Get
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/cert
Request Body	{ "mobile": "*****6992" }

Sample Response
-----BEGIN PUBLIC KEY----- MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA6avEoNMbZDtjs7RHc1Si hYeLvGPYV76mh2ncU2FAyCkK3ubE/7UE2HkimL4ftAqFN3fcKv8430oV3gAuvrk/ 5sIOoG8NOMrVflnakdFZyDae66MHVuc1Rzrv8fKDRFRz8UTa1S2xZ9uXRCieQCeB xeHmDtgcyGDfQzqcTOLGCpU6tLWda/QhW7zeUpowgllBknhlf2nf916lsM1fWnO7 qVUBh6E3PXoLrW4NtvOwEMh3V62BNGzNmW3u8hxdp+uSe3Us/t4WFJRUQRnAhO5 IDAzojqkWYHkYZTDvidLBvfoX7ZbBPz03u42AOm/uDu4gG/oYqeB5zXe7qJ1ecLu 5QIDAQAB -----END PUBLIC KEY-----

3. HPRID verify OTP

After receiving public certificate user needs to encrypt OTP with the public key using RSA Encryption Algo RS512.

RSA Encryption to encrypt the data. Cipher Type - RSA/ECB/PKCS1Padding. online tool to encrypt data [click here](#)

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v2/auth/loginViaMobileSendOTP
Request Body	{ "otp": "1W/rIffFrI/wOeGmI7BhfAGu20To1EQ7HowREwXVikAnXCyeY31KMDUfI/VIQoHs9ocb wvG4rBCCXof5jcsHsCs4Zntql6PY1e3Ps5IsGH+7sPO8u9SLMYy5x9xBol3VqnrUaRxBb 7oQR+l8RAipiDeNgEvTSMTTLSN3pqQ7BG+ ", "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" }

Sample Response

```
{
  "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1",
  "mobileLinkedHpIdDTO": [
    {
      "hprIdNumber": "***-****-0326-3829",
      "name": "Test",
      "hprId": "*****@hpr.abdm"
    }
  ]
}
```

4. Login with HPRID

Users need to pass hprIdNumber and txnId received in the **HPRID verify OTP** Api.
Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridbeta.abdm.gov.in/api/v2/auth/login/userAuthorizedToken
Request Body	{ "hpId": "***-****-0326-3829", "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" }

Sample Response

```
{
  "token":
"eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiIzMS0xMzc0LTAzMjYtMzgyOSIsImNsaWVudElkIjoizGlnaWRvY3Rvcilsl
nN5c3RlbSI6IkhQSUQiLCJocHJJE51bWJlcil6IjcxLTEzNzQtMDMyNi0zODI5IiwibW9iaWxlIjoiotG3MzgxMD
E0NiIsImhwcklkIjoiyWtzaGF5LnBhbEBocHluYWJkbSIsImV4cCI6MTY4OTU4MTMyOSwiaWF0IjojNjg5NTc5
NTI5fQ.TvPFgrmX7QE3aug1AHcO-nxr8HaKPT036-W77aROC4F2gltvUjhtFqEZNPTBxapMRY-
vRkNcZFCX_TG8tJ-tFFdyzL-gMv1JfL ",
  "expiresIn": 1800,
  "refreshToken":
"eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiIzMS0xMzc0LTAzMjYtMzgyOSIsImNsaWVudElkIjoizGlnaWRvY3Rvcilsl
nN5c3RlbSI6IkhQSUQiLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjojNjg5NTkwMzI5LCJpYXQiOiJlE2ODk1Nzk1MjI5.
SVxOjWXYk2LVcD5t3wRYgBIAMxyjVMLjJ0MGtv9ZPpVOBWJUPpwZk8q6KikP8ZPas ",
  "refreshExpiresIn": 10800
}
```

III. Login Via Aadhaar

For login via Aadhaar OTP you need to follow the following steps.

1	Send OTP
2	Verify OTP

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/init
Request Body	<pre>{ "idType": "hpr_id", "domainName": "@hpr.abdm", "authMethod": "AADHAAR_OTP", "hprId": "*****@hpr.abdm" }</pre>

Sample Response
<pre>{ "txnId": "061c660d-8752-4639-945d-e77a7ea6f564", "mobileNumber": null }</pre>

2. Verify OTP

Users need to input otp and txnId from above API Send Aadhaar OTP.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/auth/confirmWithAadhaarOtp
Request Body	{ "otp": "*****", "txnId": "effbf557-9f2b-40f7-a8c1-9658a08bf410" }

Sample Response
{ "token": "eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiI3MS0xNjg3LTI3NTUtNzg1MSIsImNsaWVudElkljoiZGlnaWRvY3Rvcilsl nN5c3RlbSI6IkhQSUQiLCJocHJJZE51bWJlcil6IjcxLTE2ODctMjc1NS03ODUxliwibW9iaWxlljoiOTU4MjEyNjk 5MiIsImhwcklkIjoibmFyZXNoQGhwci5hYmRtliwiZXhwIjoxNjg5NTk1OTc1LCJpYXQiOiJlE2ODk1OTQxNzV9.Aw SCEGijjxkwaWfY40nCojLZZR_rOmGnqLspwNOXFFvWkarhF6oJISMyeML", "expiresIn": 1800, "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWUiOiI3MS0xNjg3LTI3NTUtNzg1MSIsImNsaWVudElkljoiZGlnaWRvY3Rvcilsl nN5c3RlbSI6IkhQSUQiLCJ0eXAiOiJSZWZyZXNoliwiZXhwIjoxNjg5NjA0OTc1LCJpYXQiOiJlE2ODk1OTQxNzV 9.", "refreshExpiresIn": 10800 }

C. Generate Email-OTP

In this API's system will send an OTP to user inputted email address to verify user identity.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/generate-verification-email
Request Body	{ "emailAddress":"test@****.com", "otp_type":"official" }

Sample Response
{ "msg": "Mail sent successfully", "status": "success", "otpLimtExp": 0, "expTime": 187 }

Request body parameters

Field Name	Mandatory	Datatype	Size	Comments
emailAddress	Yes	Varchar		
otp_type	Yes	Varchar		

D. Re-Generate Email OTP

In this API's if user didn't receive an OTP after this user will use this api to regenerate OTP again for email verification.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	POST
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/resent-verify-email
Request	{ "emailAddress":"lomlinimle@gufum.com", "otp_type":"official" }

Sample Response
{ "emailAddress":"*****@gmail.com", "otp_type":"official" }

Request body parameters

Field Name	Mandatory	Data types	Size	Comments
emailAddress	Yes	String		
type	Yes	String		

E. Verify Email Address

In this API's user will update email address by input OTP along with other requested parameters mentioned in the table explaining API which user receive in Generate Email OTP and Re-Generate Email OTP.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	POST
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/verify-email-otp
Request Body	{ "hpr_token":"eyJhbGciOiJSUzUxMiJ9.eyJzdWliOiI3MS00MzgLTE ", "hpr_id": "71-4383-1305-****", "officialEmail":"lom****@gmail.com", "emailOtp":565410 }

Sample Response
{ "status": "pass", "msg": "Email verified" }

Request body parameters.

Field Name	Mandatory	Data types	Size	Comments
hpr_token	Yes	String		Token you received in GET hpr token
type	Yes	String		
officialEmail	Yes	String		
emailOtp	Yes	Number	6	