



AYUSHMAN BHARAT DIGITAL MISSION

Health Facility Registry APIs

Health Facility Registry APIs

Welcome to Health Facility Registry's API Documentation. We've designed this document to help integrators and HFR users fully understand and integrate our API for a seamless and easy deployment. These APIs enable you to search and create a Facility with complete set of data attributes.

We've listed the APIs, their required parameters, and their example requests and responses in this document for easy understanding. The easiest way to start using the HFR APIs is by trying them out in Postman (a free tool that helps developers run and debug API requests) or our Swagger UI (<https://apinhpr.abdm.gov.in/v4/int/swagger-ui-ext/index.html#/>)

Our APIs are based around REST architecture and use the basic HTTPS request methods. Our APIs accept JSON encoded body requests and return data in the same form.

The APIs should be integrated and tested out in sandbox, prior to requesting access for production details.

Getting Started

First, you will need to whitelist the public domain of HFR PROD to integrate and access the APIs. Please make note of the details

- Domain: apinhpr.abdm.gov.in

Document and API Usage Guidelines

- Our APIs use the basic HTTP request codes: POST and GET.
- Each API has been described in detail with the attribute description, format followed if any and mandatory or not.
- There are certain APIs which have Authorization as a Header which will need an access- token.
- The APIs and related details are also present on our swagger interface (<https://apinhpr.abdm.gov.in/v4/int/swagger-ui-ext/index.html#/>).
- We have also created master APIs where you can check what all master data sets are available in the HFR system and see corresponding values as well. These are present under the "Utilities" tab on swagger link.

1. Search Facility

1.1 Search API

This API will provide you with a list of facilities present in the HFR system based on the search criteria. It returns the basic details of the facilities like Facility Id, Name, demographic details, etc.

Please note:

- You can search for a particular facility in two ways:
 1. By passing the facility Id
 2. By passing the ownershipCode, stateLGDCCode and facilityName.
- The API performs fuzzy match on facility name and exact match on all the other attributes.
- It returns the result in pagination format. Based on the page (Minimum value is 1) and ResultsPerPage (Minimum value is 10) values, the result will be populated.
- Please note this API is to be used to find the facilities registered, so that no duplicate facilities are created by using the Create API

Parameters:

Params	Required	Description	Data type	Format if any
ownershipCode	Yes (if facilityId not present)	Ownership of the facility to be searched	String	Accepted codes are "G", "P" or "PP".
stateLGDCode	Yes (if facilityId not present)	State of the facility.	String	State LGD code (Refer Section 3.3)
districtLGDCode	No	District of the facility.	String	District LGD Code (Refer Section 3.4)
subdistrictLGDCode	No	Sub district of the facility.	String	Sub District LGD Code (Refer Section 3.5)
pincode	No	Pin code of the facility.	String	6-digit number
facilityName	Yes (if facilityId not present)	Name of the facility being searched. This value can be either full or partial name	String	Accepted characters: Alphanumeric, -_()./. The first character must be an alphabet or digit, and only one space is allowed between words.
facilityId	Yes (if ownershipCode, stateLGDCode and facilityName not present)	12-character Facility Id allotted to each facility at the time of submission.	String	Should start with 'IN' and have the length of 12 characters.
page	Yes	The page number of which results need to be seen.	integer	Numeric value. Minimum value to be passed is 1.
resultsPerPage	Yes	Number of facilities what will come in one page.	integer	Numeric value. Minimum value to be passed is 10.

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/FacilityManagement/v1.5/facility/search>

Request Method: POST

Headers:

Content-Type application/json
Accept application/json
Authorization Bearer <access-token>

Sample 1:

```
{
  "ownershipCode": "",
  "subDistrictLGDCode": "",
  "pincode": "",
  "facilityName": "",
  "facilityId": "IN33*****45",
  "page": 1,
  "resultsPerPage": 10,
  "stateLGDCode": "",
  "districtLGDCode": ""
}
```

Response:

```
{
  "facilities": [
    {
      "ownership": "PRIVATE",
      "systemOfMedicineCode": "M,D",
      "systemOfMedicine": "Modern Medicine (Allopathy), Dentistry",
      "facilityType": "Dental College",
      "stateName": "Tamil Nadu",
      "stateLGDCCode": "33",
      "districtName": "Chennai",
      "districtLGDCCode": "568",
      "subDistrictName": "Ambattur",
      "subDistrictLGDCCode": "5700",
      "villageCityTownName": "NA",
      "villageCityTownLGDCCode": "",
      "address": "No 510 south street koyambedu, ",
      "pincode": "600107",
      "latitude": "27.907283445090215",
      "longitude": "78.32989878869023",
      "facilityId": "IN33*****45",
      "facilityName": "ABC Hospital",
      "facilityStatus": "Submitted",
      "ownershipCode": "P",
      "facilityTypeCode": "OTH"
    }
  ],
  "message": "Request processed successfully",
  "totalFacilities": 1,
  "numberOfPages": 1
}
```

Sample 2:

```
{
  "ownershipCode": "G",
  "subDistrictLGDCCode": "",
  "pincode": "",
  "facilityName": "h",
  "facilityId": "",
  "page": 1,
  "resultsPerPage": 10,
  "stateLGDCCode": "33",
  "districtLGDCCode": ""
}
```

Response:

```
{
  "facilities": [
    {
      "ownership": "GOVERNMENT",
      "systemOfMedicineCode": "UN,H",
      "systemOfMedicine": "Unani, Homeopathy",
      "facilityType": "Unani Hospital/ Nursing Home",
      "stateName": "Tamil Nadu",
      "stateLGDCCode": "33",
      "districtName": "Madurai",
      "districtLGDCCode": "578",
      "subDistrictName": "Madurai South",
    }
  ]
}
```

```

        "subDistrictLGDCCode": "5841",
        "villageCityTownName": null,
        "villageCityTownLGDCCode": null,
        "address": "Melur Main Road, Madurai, Tamil Nadu, India, ",
        "pincode": "630606",
        "latitude": "9.9479215",
        "longitude": " 78.1625445",
        "facilityId": "IN33*****45",
        "facilityName": "Meenakshi Mission Hospital",
        "facilityStatus": "Submitted",
        "ownershipCode": "G",
        "facilityTypeCode": "H"
    }
],
"message": "Request processed successfully",
"totalFacilities": 1,
"numberOfPages": 1
}

```

Sample 3

```

{
    "ownershipCode": "G",
    "subDistrictLGDCCode": "",
    "pincode": "",
    "facilityName": "",
    "facilityId": "",
    "page": 1,
    "resultsPerPage": 10,
    "stateLGDCCode": "33",
    "districtLGDCCode": ""
}

```

Response:

```

{
    "code": "HIS-422",
    "message": "Unable to process the current request due to some wrong data entered.",
    "details": [
        {
            "message": "Required FacilityName Field is empty.",
            "code": "HIS-1070",
            "attribute": null
        }
    ]
}

```

2. On-Board Facility

The following set of APIs are used to create and update facility information in HFR.

- i. Basic Facility Information API
- ii. Additional information API
- iii. Detailed information API
- iv. Submit Facility API

Please note:

- To on board a facility, the above API's must be executed in the below order.
 - Basic Facility Information API, Additional information API, Detailed information API and finally Submit Facility API

- If you are on-boarding your facility with these APIs for the first time, the facility will be submitted, and Facility Id/Tracking Id will be generated
- To update the details of an existing facility the Facility Id/Tracking Id should be passed in the API's

2.1 Basic Facility Information API

This is the first API that needs to be called for on-boarding your facility in HFR. With this, you can initiate the registration process in HFR. On successful execution of this API, a tracking Id is generated for your facility. This tracking Id becomes the unique identification number for your facility until you submit the request. Use this tracking Id as facilityId for all further updates in the API.

Before you can start creating a facility using this API, you need to do the following two steps.

1. Create HPR Id—You need generate a Healthcare Professional Id (HPID) using your Aadhar or Driving Licence on <https://nhpr.abdm.gov.in/>. Please create your HPID with role as Facility Manager. Once the Id is generated, please set a password as well.

Refer “**Create HPRID**” section in the below document.

https://sandboxcms.abdm.gov.in/uploads/1_Register_Healthcare_Professional_Doctor_and_Nurse_API_556f53fd9f.pdf

2. Once you have the HPR Id and the password is set, generate the HPR token using the HPR ID. Use the token in header of HFR's create API.

Refer “**GET HPR Token**” section in the below document

https://sandboxcms.abdm.gov.in/uploads/3_Update_healthcare_professional_API_71aba7fbc3.pdf

After this, you can start the process of facility creation in HFR using the APIs.

Please note:

- You must pass in all the required parameters for the API.
- The facility name, address, state, district, sub-district and pincode combination must be unique to avoid duplication.
- Depending on the value you provide in Facility Operational Status, the next API will be decided. If Operational Status is marked as Functional, then proceed with “Additional API”, “Detailed Information API” and finally” Submit API”. If Operational Status is anything apart from Functional, then proceed with Submit API directly

Parameters:

Params	Required	Description	Data type	Format if any
facilityName	Yes	Name of the facility that is to be created in HFR	String	Accepted characters: Alphanumeric, - _(),/. The first character must be an alphabet or digit, and only one space is allowed between words.
ownershipCode	Yes	Ownership of the facility	String	Accepted codes are “G”, “P” or “PP”.
ownershipSubTypeCode	Yes	Ownership subtype of the facility	String	ownershipCode = “G” Accepted codes are “C” or “S” ownershipCode = “P” or “PP” Accepted codes are “P” or “NP”
systemOfMedicineCode	Yes	System of medicine followed by your facility.	String	Accepted codes as specified in get-master-data API with type=

				“MEDICINE” . In case you have multiple systems of medicine, send a comma separated string of codes. (Refer Section 3.2)
facilityTypeCode	Yes	Type of your facility as defined by HFR	String	Accepted codes as specified in fetch-facility-type API . (Refer Section 3.6)
facilitySubType	Yes	Subtype corresponding to facility type as define by HFR	String	Accepted codes as specified in fetch-facility-sub-type API . (Refer Section 3.9)
specialityTypeCode	Yes	Whether facility offers Single or Multiple Specialities	String	Accepted codes as specified in get-master-data API with type='SPECIALITY-TYPE' (Refer Section 3.2)
facilityOperationalStatus	Yes	Whether your facility is currently operational or not	String	Accepted codes as specified in get-master-data API with type='FAC-STATUS' . (Refer Section 3.2)
typeOfServiceCode	Yes, based on the facility type provided.	Type of services offered by facility	String	Accepted codes as specified in get-master-data API with type='TYPE-SERVICE' (Refer Section 3.2) typeOfServiceCode is not required if facility type is any of the following ('Diagnostic Laboratory (10,45)', 'Imaging Center (74,75)', 'Cath Laboratory (12,47)', 'Dialysis Center (13,48)', 'Blood Bank (9,44)', 'Pharmacy (11,46)') If facility type is any of the following, ('Ayurveda Dispensary/ Clinic/ Polyclinic (OPD only) (17,52)', 'Unani Dispensary/ Clinic/ Polyclinic (OPD only) (20,55)', 'Siddha Dispensary/ Clinic/ Polyclinic (OPD only) (23,58)', 'Homeopathy Dispensary/ Clinic/ Polyclinic (OPD only) (26,61)', 'Sowa-Rigpa Dispensary/ Clinic/ Polyclinic (OPD only) (29,64)',) then typeOfServiceCode – IPD is not applicable
facilityAddressDetails	Yes			
country	Yes	Country of origin	String	By Default, its India
stateLGDCode	Yes	State of the facility.	String	State LGD code (Refer Section 3.3)
districtLGDCode	Yes	District of the facility.	String	District LGD Code (Refer Section 3.4)
subdistrictLGDCode	Yes	Sub district of the facility.	String	Sub District LGD Code (Refer Section 3.5)
facilityRegion	No	Region of the facility	String	Contain Single Char Value R/U (R – Rural, U – Urban)

villageCityTownLGDCode	No	Village/Town of the facility.	String	Village LGD Code. Please visit https://lgdirectory.gov.in/ for more information
addressLine1	Yes	Line 1 of the address of the facility.	String	Accepted Alphanumeric string with few special characters(-,/()_) and no space repetition and minimum length required for first word is 2.
addressLine2	No	Line 2 of the address of the facility.	String	Accepted Alphanumeric string with few special characters(-,/()_) and no space repetition
pincode	Yes	Pin code of the facility.	String	6-digit number
latitude	Yes	Latitude of the facility	String	Real Number ranging from -90.000000 to +90.000000 , with 1-6 decimal places.
longitude	Yes	Longitude of the facility	String	Real Number ranging from -180.000000 to +180.000000 with 1-6 decimal places.
facilityContactInformation	Yes			
facilityContactNumber	No	Mobile number of the facility	String	Should be a valid 10-digit mobile number
facilityEmailId	No	Email of the facility	String	Alphanumeric with _ % + - followed by @ symbol and alphanumeric with . and -
facilityLandlineNumber	No	Landline number of the facility	String	Should be a valid landline number ranging between 6-8 digits
facilityStdCode	No	Std Code of the facility	String	Should be a valid std code with not more than 5 digits
websiteLink	No	Valid Website link of facility	String	Accepted format: Should start with either http:// or https://, or www. then a domain name made of letters/digits/hyphens
facilityUploads	No			
facilityBoardPhoto	No			
name	No	Name of the board photograph	String	Accepted format is filename.ext(sample - photo1.jpg) where file extension must be jpg/jpeg/png/pdf and filename is alphanumeric allowing few special characters (-,/()_)
value	No	Board photograph base64 value	String	Base 64 encoded value of the file. Maximum file size - 5MB Extension in name field should match with file extension
facilityBuildingPhoto	No			
name	No	Name of the Building photograph	String	Accepted format is filename.ext(sample - photo1.jpg) where file extension must be

				jpg/jpeg/png/pdf and filename is alphanumeric allowing few special characters (-,/()_)
value	No	Building photograph base64 value	String	Base 64 encoded value of the file. Maximum file size - 5MB Extension in name field should match with file extension
timingsOfFacility	Yes, if facility operational status is Functional			
workingDays	Yes	The day on which the facility is open/working.	String	Accepted codes as (MON, TUE, WED, THU, FRI) specified in get-master-data API with type="DAYS-OF-OPERATION" (Refer Section 3.2)
openingHours	Yes	For the day as specified in working days, please mention the working Hours	String	Accepted format is 10:00 Am–2:00 PM or 24*7
facilityAddressProof	No			
addressProofType	No	Address Proof type that is being added.	String	Accepted codes as specified in get-master-data API with type='ADDRESS-PROOF' (Refer Section 3.2)
addressProofAttachment	No			
name	No	Name of Document to be uploaded	String	Accepted format is filename.ext(sample - photo1.jpg) where file extension must be jpg/jpeg/png/pdf and filename is alphanumeric allowing few special characters (-,/()_)
value	No	Valid Doc picture converted into base 64 value	String	Base 64 encoded value of the file. Maximum file size - 5MB Extension in name field should match with file extension
abdmCompliantSoftware	No			
existingSoftwares	No	Existing software code to be linked	String	Accepted codes as specified in get Software-details API
anyOther	No	Valid Software code to be linked	String	Accepted Alphanumeric with few special characters (-,/()_)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/basicinformation>

Request Method: POST

Headers:

Content-Type	application/json
Accept	application/json
Authorization	Bearer <access-token>

Sample 1

```
{
  "trackingId": "80487",
  "facilityInformation": {
    "facilityName": "abc hospital",
    "facilityAddressDetails": {
      "country": "India",
      "stateLGDCode": "33",
      "districtLGDCode": "568",
      "subDistrictLGDCode": "5704",
      "facilityRegion": "U",
      "villageCityTownLGDCode": "",
      "addressLine1": "Temple street",
      "addressLine2": "Pune",
      "pincode": "600107",
      "latitude": "24.068570",
      "longitude": "24.068570"
    },
    "facilityContactInformation": {
      "facilityEmailId": "abc@gmail.in",
      "facilityContactNumber": "9042703499",
      "websiteLink": "http://google.com.in",
      "facilityLandlineNumber": "123345",
      "facilityStdCode": "027421"
    },
    "ownershipCode": "G",
    "ownershipSubTypeCode": "S",
    "ownershipSubTypeCode2": "PP01",
    "typeOfServiceCode": "IPD",
    "specialityTypeCode": "SINGLE",
    "systemOfMedicineCode": "M,D",
    "facilityTypeCode": "5",
    "facilityUploads": {
      "facilityBuildingPhoto": {
        "name": "",
        "value": ""
      }
    },
    "facilityAddressProof": [
      {
        "addressProofType": "",
        "addressProofAttachment": {
          "name": "",
          "value": ""
        }
      }
    ],
    "facilitySubType": "30",
    "facilityOperationalStatus": "F",
    "timingsOfFacility": [
      {
        "workingDays": "MON",
        "openingHours": "9:00 AM - 6:00 PM"
      },
      {
        "workingDays": "MON",
```

```

        "openingHours": "7:00 PM - 11:00 PM"
    },
    {
        "workingDays": "TUE",
        "openingHours": "9:00 AM - 4:00 PM"
    },
    {
        "workingDays": "WED",
        "openingHours": "9:00 AM - 6:00 PM"
    },
    {
        "workingDays": "THU",
        "openingHours": "9:00 AM - 5:00 PM"
    },
    {
        "workingDays": "FRI",
        "openingHours": "9:00 AM - 6:00 PM"
    }
],
"abdmCompliantSoftware": [
    {
        "existingSoftwares": [""],
        "anyOther": ""
    }
]
}
}

```

Response: Status Code: 200 Ok

```

{
    "trackingId": "7993",
    "status": "Created",
    "message": "Facility created successfully. Please save the Facility Id returned",
    "errorStatus": null
}

```

Sample Request 2

```

{
    "trackingId": "80487",
    "facilityInformation": {
        "facilityName": "abc$%^&&hospital",
        "facilityAddressDetails": {
            "country": "US",
            "stateLGDCCode": "33",
            "districtLGDCCode": "568",
            "subDistrictLGDCCode": "5704",
            "facilityRegion": "U",
            "villageCityTownLGDCCode": "",
            "addressLine1": "Temple street",
            "addressLine2": "Pune",
            "pincode": "600107",
            "latitude": "24.068570",
            "longitude": "24.068570"
        },
        "facilityContactInformation": {
            "facilityEmailId": "abc@gmail.in",
            "facilityContactNumber": "90427034",
            "websiteLink": "http://google.com.in",
            "facilityLandlineNumber": "123345",
            "facilityStdCode": "027421"
        }
    },
}

```

```

"ownershipCode": "A",
"ownershipSubTypeCode": "S",
"ownershipSubTypeCode2": "PP01",
"typeOfServiceCode": "IPD",
"specialityTypeCode": "SINGLE",
"systemOfMedicineCode": "M,D",
"facilityTypeCode": "5",
"facilityUploads": {
  "facilityBuildingPhoto": {
    "name": "",
    "value": ""
  }
},
"facilityAddressProof": [
  {
    "addressProofType": "",
    "addressProofAttachment": {
      "name": "",
      "value": ""
    }
  }
],
"facilitySubType": "30",
"facilityOperationalStatus": "F",
"timingsOfFacility": [
  {
    "workingDays": "MON",
    "openingHours": "9:00 AM - 6:00 PM"
  },
  {
    "workingDays": "MON",
    "openingHours": "7:00 PM - 11:00 PM"
  },
  {
    "workingDays": "TUE",
    "openingHours": "9:00 AM - 4:00 PM"
  },
  {
    "workingDays": "WED",
    "openingHours": "9:00 AM - 6:00 PM"
  },
  {
    "workingDays": "THU",
    "openingHours": "9:00 AM - 5:00 PM"
  },
  {
    "workingDays": "FRI",
    "openingHours": "9:00 AM - 6:00 PM"
  }
],
"abdmCompliantSoftware": [
  {
    "existingSoftwares": [""],
    "anyOther": ""
  }
]
}
}

```

Response:

```

{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {

```

```

        "message": "Invalid Facility Name.",
        "code": "HIS-4029",
        "attribute": null
    },
    {
        "message": "Country should be india.",
        "code": "HIS-4017",
        "attribute": null
    },
    {
        "message": "Please enter valid Phone Number.",
        "code": "HIS-1011",
        "attribute": null
    },
    {
        "message": "Please enter the correct ownership code(Ex.G,P,PP)",
        "code": "HIS-1115",
        "attribute": null
    }
]
}

```

Sample 3

```

{
    "trackingId": "80487",
    "facilityInformation": {
        "facilityName": "abc hospital",
        "facilityAddressDetails": {
            "country": "India",
            "stateLGDCode": "33",
            "districtLGDCode": "568",
            "subDistrictLGDCode": "5704",
            "facilityRegion": "U",
            "villageCityTownLGDCode": "",
            "addressLine1": "Temple street",
            "addressLine2": "Pune",
            "pincode": "600107",
            "latitude": "24.068570",
            "longitude": "24.068570"
        },
        "facilityContactInformation": {
            "facilityEmailId": "abc@gmail.com",
            "facilityContactNumber": "9586412133",
            "websiteLink": "http://google.com.in",
            "facilityLandlineNumber": "123345",
            "facilityStdCode": "027421"
        },
        "ownershipCode": "G",
        "ownershipSubTypeCode": "S",
        "ownershipSubTypeCode2": "PP01",
        "typeOfServiceCode": "IPD",
        "specialityTypeCode": "SINGLE",
        "systemOfMedicineCode": "M,D",
        "facilityTypeCode": "5",
        "facilityUploads": {
            "facilityBuildingPhoto": {

```

```

        "name": "",
        "value": ""
    }
},
"facilityAddressProof": [
    {
        "addressProofType": "",
        "addressProofAttachment": {
            "name": "",
            "value": ""
        }
    }
],
"facilitySubType": "30",
"facilityOperationalStatus": "F",
"timingsOfFacility": [
    {
        "workingDays": "MON",
        "openingHours": "7: 00 PM - 11: 00 PM"
    },
    {
        "workingDays": "TUE",
        "openingHours": "9: 00 AM - 4: 00 PM"
    },
    {
        "workingDays": "WED",
        "openingHours": "9:00 AM - 6: 00 PM"
    },
    {
        "workingDays": "THU",
        "openingHours": "9: 00 AM - 5: 00 PM"
    },
    {
        "workingDays": "FRI",
        "openingHours": "9: 00 AM - 6: 00 PM"
    }
],
"abdmCompliantSoftware": [
    {
        "existingSoftwares": [""],
        "anyOther": ""
    }
]
}
}

```

Response:

```

{
    "trackingId": "80487",
    "status": "success",
    "message": "Facility created successfully. Please save the Facility Id returned.",
    "errorStatus": null
}

```

2.2. Additional information API

This is the second API that needs to be called for on-boarding your facility in HFR. Please provide the tracking Id to add/update the facility details.

Parameters:

Params	Required	Description	Data type	Format if any
trackingId	Yes	Unique identification number for your facility	String	Tracking id generated from basic information API
hasDialysisCenter	Yes (If facility have dialysis center)	Value to identify if a facility has dialysis center	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
hasPharmacy	Yes (If facility have pharmacy)	Value to identify if a facility has pharmacy	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
hasBloodBank	Yes (If facility have bloodbank)	Value to identify if a facility has bloodbank	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
hasCathLab	Yes (If facility have cath lab)	Value to identify if a facility has cath lab	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
hasDiagnosticLab	Yes (If facility have diagnostic center)	Value to identify if a facility has diagnostic center	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
hasImagingCenter	Yes (If facility have imaging centre)	Value to identify if a facility has imaging center	String	Accepted codes as specified in get-master-data API with type='GENERAL-INFO-OPTIONS' . (Refer Section 3.2)
servicesByImagingCenter	Yes, if imaging center is present			
service	Yes, if Imaging Service center Present	Code of the service offered	String	Accepted codes as specified in get-master-data API with type='IMAGING' . (Refer Section 3.2)
count	Yes, if a service is available	Count of equipment	String	A valid number greater than 0
nhrrId	No	National Health Resource Repository Unique ID	String	Should be a valid NHRR ID
Nin	No	National Identification Number	String	Should be a valid NIN id
abpmjayId	No	Hospital Id as allotted by ABPMJAY Hospital Empanelment Module.	String	Should be a valid AB-PMJAY Hospital Id
rohinId	No	Rohini Id	String	Should be a valid Rohini Id

echsId	No	Unique id in Ex-Servicemen Contributory Health Scheme	String	Should be a valid ECHS Id.
cghsId	No	Unique Id in Central Government Health Scheme	String	Should be a valid CGHS Id.
ceaRegistration	No	CEA Registration Number	String	Should be a valid CEA registration number
stateInsuranceSchemeId	No	State Insurance Scheme ID	String	Alphanumeric value

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/additional-information>

Request Method: POST

Headers:

Content-Type application/json
Accept application/json
Authorization Bearer <access-token>

Sample 1

```
{
  "trackingId": "820",
  "generalInformation": {
    "hasDialysisCenter": "string",
    "hasPharmacy": "string",
    "hasBloodBank": "string",
    "hasCathLab": "string",
    "hasDiagnosticLab": "string",
    "hasImagingCenter": "string",
    "servicesByImagingCenter": [
      {
        "service": "",
        "count": 0
      }
    ]
  },
  "linkedProgramIds": {
    "nhrrId": "",
    "nin": "",
    "abpmjayId": "",
    "rohiniId": "",
    "echsId": "",
    "cghsId": "",
    "ceaRegistration": "",
    "stateInsuranceSchemeId": ""
  }
}
```

Response:

```
{
  "trackingId": "820",
  "status": "Not Created",
  "message": "Facility not created. Please check the errors",
  "errorStatus": [
    {
      "field": "facility Is EMR",
      "message": "facility uses emr system value is invalid. only Y or N is accepted."
    },
    {
      "field": "facility Pharamcy Standalone",
    }
  ]
}
```



```

        "message": "facility does not belong to standalone system so it should be null or N"
    },
    {
        "field": "facility LMIS/RIS",
        "message": "facility does not belong to LMIS/RIS system so it should be null or N"
    },
    {
        "field": "facility Bloodbank",
        "message": "has blood bank value is invalid"
    },
    {
        "field": "facility CathLab",
        "message": "has cath lab value is invalid"
    },
    {
        "field": "facility Diagnostic",
        "message": "has diagnostic lab value is invalid"
    },
    {
        "field": "facility Dialysis Center",
        "message": "has dialysis center value is invalid"
    },
    {
        "field": "facility Pharmacy",
        "message": "has pharmacy value is invalid"
    },
    {
        "field": "facility Imaging",
        "message": "has imaging center value is invalid"
    }
}
]
}

```

Sample 2

```

{
    "trackingId": "820",
    "generalInformation": {
        "hasDialysisCenter": "YALL",
        "hasPharmacy": "N",
        "hasBloodBank": "N",
        "hasCathLab": "N",
        "hasDiagnosticLab": "N",
        "hasImagingCenter": "N",
        "servicesByImagingCenter": [
            {
                "service": "",
                "count": 0
            }
        ]
    },
    "linkedProgramIds": {
        "nhrrId": "",
        "nin": "",
        "abpmjayId": "",
        "rohiniId": "",
        "echsId": "",
        "cghsId": "",
        "ceaRegistration": "",
        "stateInsuranceSchemeId": ""
    }
}

```

Response:

```
{
  "trackingId": "820",
  "status": "Created",
  "message": "Facility details have been saved successfully. Please provide the next set of data
in v1.5/facility/detailed-information API.",
  "errorStatus": null
}
```

2.3. Detailed information API

Use this API to provide detailed information about your facility. There are certain fields in this API, which are dependent on the facility type value and Additional Services available at your facility.

Please note:

- For each System of Medicine available at your facility, you need to provide information on whether any specialization/services are offered for that system of medicine.
- Attributes on Medical Infrastructure are dependent on Type of Service, Facility Type and System of Medicine values. Please refer below for further information.
 1. For IPD and Day Care services, submission of Medical Infrastructure details is mandatory.
 2. For IPD one of the fields (countIPDBedsWithoutOxygen, countIPDBedsWithOxygen, countCUBedsWithVentilators, countCUBedsWithoutVentilators, countHDUBedsWithVentilators, countHDUBedsWithoutVentilators) should have a value greater than zero.
 3. For Day Care one of the fields (countDayCareBedsWithoutOxygen, countDayCareBedsWithOxygen) should have a value greater than zero.
 4. For OPD, when the system of medicine is Dentistry submission of Medical Infrastructure details (only countDentalChairs) is mandatory.
 5. For facilities type categorized as Imaging Centre, Diagnostic Lab, Blood Bank, or Pharmacy, Medical Infrastructure details are not required.
- If the facility type is Pharmacy or if pharmacy services are available at the facility, then section on pharmacy details need to be updated.
- If facility type is blood bank or if blood bank services are available at the facility, then section on Blood bank details need to be updated.
- If facility type is Diagnostic Lab or if diagnostic lab services are available at the facility, then section on Diagnostic Services need to be updated.
- If facility type is Imaging Center or if imaging services are available at the facility, then section on Imaging Services details need to be updated.

Parameters:

Params	Required	Description	Data type	Format if any
trackingId	Yes	Unique identification number for your facility	String	Tracking id generated from basic information API
specialities	Yes, based on the facility type and if specializations/services are offered for this system of medicine.	Section to capture specializations/services Details		Note: Specialities are not required for the facility types: Blood Bank, Cath Laboratory, Diagnostic Laboratory, Dialysis Centre, Imaging Centre, and Pharmacy

systemOfMedicineCode	Yes	System of medicine codes as saved in Basic-Information API	String	Accepted codes as specified in get-master-data API with type='MEDICINE' . (Refer Section 3.2)
isSpecializationAvailable	Yes	If the facility offers any specializations or services for this system of medicine	String	Y / N as accepted value
specialities	Yes	List of specialities for each system of medicine offered by the facility	List	Accepted codes as specified in the get-specialities API with respect to a system of medicine. (Refer Section 3.8)
medicalInfrastructure	Yes, based on the Type of Service, Facility Type and System of Medicine values.	Section to capture medicalInfrastructure Details		
countIPDBedsWithoutOxygen	No	Number of IPD Beds (except ICU beds) without oxygen facility	Integer	Numeric Value
countIPDBedsWithOxygen	No	Number of IPD Beds (except ICU beds) with oxygen facility	Integer	Numeric Value
countICUBedsWithVentilators	No	Number of ICU beds with Ventilators	Integer	Numeric Value
countICUBedsWithoutVentilators	No	Number of ICU beds without Ventilators	Integer	Numeric Value
countHDUBedsWithVentilators	No	Number of HDU beds with Ventilators	Integer	Numeric Value
countHDUBedsWithoutVentilators	No	Number of HDU beds without Ventilators	Integer	Numeric Value
totalNumberOfVentilators	No	Total Number of Ventilators	Integer	Numeric Value
countDayCareBedsWithoutOxygen	No	Number of Daycare beds without oxygen facility	Integer	Numeric Value
countDayCareBedsWithOxygen	No	Number of Daycare beds with oxygen facility	Integer	Numeric Value
totalNumberOfBeds	Yes	Total count which should be equal to or greater than sum of all the above components with beds	Integer	Numeric value
countDentalChairs	Yes, if the system of medicine is Dentistry	Number of Dental Chairs	Integer	Numeric Value
pharmacyDetails	Yes, if facility type is Pharmacy	Section to capture Pharmacy Details		
isJanAushadhiKendra	No	Is your facility a Jan Aushadhi Kendra?	String	Y / N as accepted value

janAushadhiKendraId	Yes, if facility is Jan Aushadhi Kendra	Provide jan Aushadhi Kendra Id	String	Accepted Alphanumeric value and special characters (- and _)
DrugLicenseNumber	Yes, if facility type is Pharmacy	Mention your Drug License Number	String	Accepted Alphanumeric value and special characters (- and _)
pharmacyGstinNumber	No	Mention GSTIN Number	String	Accepted Alphanumeric value and special characters (- and _)
pharmacistRegistrationNumber	No	Mention Pharmacist registration number	String	Accepted Alphanumeric value and special characters (- and _)
bloodBankDetails	Yes, if facility type is blood bank	Section to capture blood bank details		
isFacilityRegisteredInERaktkosh	Yes	Is your facility registered in e- Raktkosh	String	Y / N as accepted value
eRaktoshId	Yes, if facility is registered in e- Raktkosh	Provide e-Raktkosh Id	String	Accepted Alphanumeric value with special characters (- and _)
bloodBankLicenseNumber	Yes	Mention your Blood Bank Registration Number	String	Alphanumeric value
bloodStorageCenters	No	Is there any Blood Storage Centres associated with your Blood Bank	String	Y or N as accepted value
storageCentersCount	Yes, if storage centers are associated with your blood bank	Count of Blood Storage Centres	String	Numeric Value greater than 0
bloodCollectedPerAnnum	No	Please indicate the number of blood units collected per annum	String	Numeric value
bloodRequiredPerAnnum	No	Please mention existing requirement of Blood per annum	String	Numeric value
imagingServices	Yes, if facility type is Imaging center	Section to capture Imaging Services details	List	
service	Yes	Code of imaging service that is offered by the facility	String	Accepted codes as specified in get-master-data API with type='IMAGING' (Refer Section 3.2)
count	Yes, if a service is offered	Count of equipment available	String	Number greater than 0.
diagnosticServices	Yes, if facility type is Diagnostic Lab	Codes of diagnostic services available at your facility	List	Comma separated list of Strings. Accepted codes as specified in get-master-data API with type='DIAGNOSTIC' (Refer Section 3.2)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/detailed-information>

Request Method: POST

Headers:

Content-Type	application/json
Accept	application/json
Authorization	Bearer <access-token>

Sample 1 Request Body:

```
{
  "trackingId": "80454",
  "specialities": [
    {
      "systemOfMedicineCode": "M",
      "isSpecializationAvalaible": "Yes",
      "specialities": [
        "s6",
        "s13"
      ]
    }
  ],
  "medicalInfrastructure": {
    "countIPDBedsWithoutOxygen": 0,
    "countIPDBedsWithOxygen": 0,
    "countICUBedsWithVentilators": 0,
    "countICUBedsWithoutVentilators": 0,
    "countHDUBedsWithVentilators": 0,
    "countHDUBedsWithoutVentilators": 0,
    "totalNumberOfVentilators": 0,
    "countDayCareBedsWithoutOxygen": 0,
    "countDayCareBedsWithOxygen": 0,
    "countDentalChairs": 0,
    "totalNumberOfBeds": 0
  },
  "pharmacyDetails": {
    "isJanAushadhiKendra": "N",
    "janAushadhiKendraId": "",
    "drugLicenseNumber": "",
    "pharmacyGstinNumber": "",
    "pharmacistRegistrationNumber": ""
  },
  "bloodBankDetails": {
    "isFacilityRegisteredInERaktosh": "N",
    "eRaktoshId": "",
    "bloodBankLicenseNumber": "",
    "bloodStorageCenters": "",
    "storageCentersCount": 0,
    "bloodCollectedPerAnnum": "",
    "bloodRequiredPerAnnum": ""
  },
  "imagingServices": [
    {
      "service": "",
      "count": 0
    }
  ],
  "diagnosticServices": []
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Specialities are not required for this facility type",
      "code": "HIS-1070",
      "attribute": null
    },
    {
      "message": "Medical Infrastructure are not required for this facility type",
      "code": "HIS-1070",
      "attribute": null
    },
    {
      "message": "BloodBankDetails are not Required for this facility type",
      "code": "HIS-1070",
      "attribute": null
    },
    {
      "message": "ImagingServices are not Required for this facility type",
      "code": "HIS-1070",
      "attribute": null
    },
    {
      "message": "DiagnosticServices are not Required for this facility type",
      "code": "HIS-1070",
      "attribute": null
    }
  ]
}
```

Sample 2 Request Body:

```
{
  "trackingId": "80454",
  "pharmacyDetails": {
    "isJanAushadhiKendra": "N",
    "janAushadhiKendraId": "",
    "drugLicenseNumber": "",
    "pharmacyGstinNumber": "",
    "pharmacistRegistrationNumber": ""
  }
}
```

Response:

```
{
  "trackingId": "80454",
  "status": "Saved",
  "message": "Facility details have been saved successfully. Please login at https://nhpr.abdm.gov.in/ and submit your facility details for approval.",
  "errorStatus": null
}
```

2.4 Submit Facility Details API

This is the final step towards on boarding your facility in HFR. This API needs to be called if you wish to submit your facility details and let the application proceed for verification. If this API is not consumed, your facility remains in Draft stage only.

Please note:

- You must pass in all the required parameters for the API.
- You will need to pass in x-hprid-auth token in header for this API. [Refer Section 2.1](#) (Description – Point 2).

Parameters:

Params	Required	Description	Data type	Format if any
trackingId	Yes	Unique identification number for your facility	String	Tracking id generated from basic information API
sourceOfInformation	No	Source of information of this facility	String	Should be valid data source provide by HFR team. If you leave this field empty, then your facility will be considered as Submitted entity.
sourceUniqueID	No	Facility Unique Id as exists in HRP or data source	String	

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/submitfacility>

Method: POST

Headers:

Content-Type	application/json
Accept	application/json
Authorization	Bearer <access-token>
x-hprid-auth	<token>

Sample 1 Request Body:

```
{
  "trackingId": "",
  "sourceOfInformation": "",
  "sourceUniqueID": ""
}
```

Response:

```
{
  "facilityId": null,
  "status": "Not Created",
  "message": "Facility not created. Please check the errors",
  "errorStatus": [
    {
      "field": "facility Id",
      "message": "facilityId is invalid"
    }
  ]
}
```

Sample 2 Request Body:

```
{
  "trackingId": "820",
  "sourceOfInformation": "",
  "sourceUniqueID": ""
}
```

Response:

```
{
  "facilityId": " INAN000167",
  "status": "Created",
  "message": "Facility created successfully. Please save the Facility Id returned.",
  "errorStatus": null
}
```

3. Utility APIs

3.1 Master Types

Using this API, you can get the list of types of master data sets that are used in HFR.

Please note:

- This is a basic GET API and no parameter is required.
- The response gives a type and description with respect to each type of master data set.
- The “type” of master thus provided shall be used to fetch the details in Master Data API.

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/get-master-types>

Request Method: GET

Headers:

Content-Type	application/json
Authorization	Bearer <access-token>

Response:

```
{
  "masterTypes": [
    {
      "type": "MEDICINE",
      "desc": "System Of Medicine"
    },
    {
      "type": "OWNER",
      "desc": "Ownership Of Facility"
    },
    {
      "type": "CENTRAL-GOVERNMENT",
      "desc": "Ministries under Central Government"
    },
    {
      "type": "PROFIT-TYPE",
      "desc": "Types of Profit Facilities"
    },
    {
      "type": "NON-PROFIT-TYPE",
      "desc": "Types of Non Profit Facilities"
    }
  ]
}
```



```

        "type": "FACILITY-TYPE",
        "desc": "Facility Type"
    },
    {
        "type": "TYPE-SERVICE",
        "desc": "Type of Service"
    },
    {
        "type": "SALUTATION",
        "desc": "Salutation of Nodal Contacts"
    },
    {
        "type": "FACILITY-REGION",
        "desc": "Facility Region for Demographic details"
    },
    {
        "type": "SPECIALITY-TYPE",
        "desc": "Hospital Speciality Type"
    },
    {
        "type": "ADDRESS-PROOF",
        "desc": "Address Proof Types"
    },
    {
        "type": "FAC-STATUS",
        "desc": "Facility Operational Status"
    },
    {
        "type": "IT-EQUIPMENT",
        "desc": "IT Equipments available in the facility."
    },
    {
        "type": "GENERAL-INFO-OPTIONS",
        "desc": "Options available for questions related to Facility General Information."
    },
    {
        "type": "IMAGING",
        "desc": "Imaging Services offered by the facility"
    },
    {
        "type": "DIAGNOSTIC",
        "desc": "Diagnostic Lab services offered by the facility"
    },
    {
        "type": "DAYS-OF-OPERATION",
        "desc": "DAYS OF OPERATION offered by the facility"
    },
    {
        "type": "SOURCE",
        "desc": "Source available for facility"
    }
}
]
}

```

3.2. Master Data

Using this API, you can get the list of master data set for a particular master type.

Please note:

- The response gives a list of all the values and their corresponding codes as the Master data
- All the HFR APIs will only accept the “code” with respect to any value for a field where master data is defined.

Parameters:

Params	Required	Description	Data type	Format if any
type	Yes	Type of master data set	String	Accepted codes are types as specified in get-master-type API . (Refer Section 3.1)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/get-master-data>

Request Method: GET

Headers:

Content-Type application/json
Authorization Bearer <access-token>

Request

```
https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/get-master-data?type=OWNER' \ -  
--header 'Content-Type: application/json' \  
--header 'Authorization: Bearer <access-token>
```

Response

```
{  
  "type": "OWNER",  
  "data": [  
    {  
      "code": "G",  
      "value": "Government"  
    },  
    {  
      "code": "P",  
      "value": "Private"  
    },  
    {  
      "code": "PP",  
      "value": "Public-Private-Partnership"  
    }  
  ]  
}
```

3.3. LGD States

Using this API you can get the list of LGD codes for all states along with their districts as per <https://lgdirectory.gov.in/> that are used in HFR.

Please note:

- This is a basic GET API and no parameter is required
- The response gives a list of all the states and their LGD code.
- Each state has a sub list consisting of districts and their LGD codes
- All the HFR APIs will only accept the “code” with respect to any value for a demographic field where master data is defined.

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/lgd/states>

Request Method: GET

Headers:

Content-Type: application/json

Authorization: Bearer <access-token>

Response:

```
{
  "code": "4",
  "name": "Chandigarh",
  "districts": [
    {
      "code": "44",
      "name": "Chandigarh"
    }
  ]
}
```

3.4. LGD Districts

Using this API you can get the list of LGD codes for all districts by passing the state code as per <https://lgdirectory.gov.in/> that are used in HFR.

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/lgd/districts>

Request Method: GET

Headers:

Content-Type: application/json

Authorization: Bearer <access-token>

Parameters:

Params	Required	Description	Data type	Format if any
stateCode	Yes	LGD code of the state	Integer	Accepted codes are as specified in states API . (Refer Section 3.3)

Request

```
curl --location 'https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/lgd/districts?stateCode=34' \-
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer <access-token>
```

Response:

```
[
  {
    "code": "598",
    "name": "Karaikal"
  },
  {
    "code": "599",
    "name": "Mahe"
  },
  {
    "code": "600",
    "name": "Puducherry"
  },
  {
    "code": "601",
    "name": "Yanam"
  }
]
```

3.5. LGD Sub Districts

Using this API you can get the list of LGD codes for all sub districts by passing the district code as per <https://lgdirectory.gov.in/> that are used in HFR.

Parameters:

Params	Required	Description	Data type	Format if any
districtCode	Yes	LGD code of the district	Integer	Accepted codes are as specified in districts API . (Refer Section 3.4)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/lgd/subdistricts>

Request Method: GET

Headers:

Content-Type: application/json

Authorization: Bearer <access-token>

Request

```
curl --location 'https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/lgd/subdistricts?districtCode=4' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer <access-token>
```

Response:

```
[
  {
    "code": "6752",
    "name": "Assar"
  },
  {
    "code": "65",
    "name": "Bhaderwah"
  },
]
```

```
{
  "code": "6747",
  "name": "Bhagwah"
},
{
  "code": "6753",
  "name": "Bhalessa"
},
{
  "code": "6755",
  "name": "Bhalla"
},
{
  "code": "6746",
  "name": "Bharath Bagla"
},
{
  "code": "7203",
  "name": "Bhella"
},
{
  "code": "6754",
  "name": "Chilly Pingal"
},
{
  "code": "6758",
  "name": "Chiralla"
},
{
  "code": "62",
  "name": "Doda"
},
{
  "code": "6749",
  "name": "Gundna"
},
{
  "code": "6756",
  "name": "Kahara"
},
{
  "code": "6748",
  "name": "Kashtigarh"
},
{
  "code": "6751",
  "name": "Marmat"
},
{
  "code": "6750",
  "name": "Mohalla"
},
{
  "code": "6757",
  "name": "Phigsoo"
},
{
```

```

        "code": "63",
        "name": "Thathri"
    }
]

```

3.6. Facility Type

Using this API, you can get the list of master data set for Facility Types which is dependent on Ownership and can be further filtered based on System of Medicine.

Parameters:

Params	Required	Description	Data type	Format if any
ownershipCode	Yes	Ownership of the facility	String	Accepted codes are “G”, “P” or “PP”.
systemOfMedicineCode	Yes	System of medicine followed by the facility	String	Accepted codes as specified in get-master-data API with type=“MEDICINE” . In case you have multiple systems of medicine, send a comma separated string of codes. (Refer Section 3.2)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/fetch-facility-type>

Request Method: POST

Headers:

Content-Type: application/json

Accept: application/json

Authorization: Bearer <access-token>

Request Body:

```

{
  "ownershipCode": "p",
  "systemOfMedicineCode": "M"
}

```

Response:

```

{
  "type": "FACILITY-TYPE",
  "data": [
    {
      "code": "10",
      "value": "Diagnostic Laboratory"
    },
    {
      "code": "9",
      "value": "Blood Bank"
    },
    {
      "code": "5",
      "value": "Hospital"
    },
    {
      "code": "1",
      "value": "Sub Centre"
    },
    {

```

```

        "code": "6",
        "value": "Medical College"
    },
    {
        "code": "37",
        "value": "Sanatorium"
    },
    {
        "code": "102",
        "value": "Health and Wellness Centre"
    },
    {
        "code": "12",
        "value": "Cath Laboratory"
    },
    {
        "code": "11",
        "value": "Pharmacy"
    },
    {
        "code": "4",
        "value": "Clinic/ Dispensary"
    },
    {
        "code": "74",
        "value": "Imaging Center"
    },
    {
        "code": "2",
        "value": "Primary Health Centre"
    },
    {
        "code": "3",
        "value": "Community Health Centre"
    },
    {
        "code": "13",
        "value": "Dialysis Center"
    },
    {
        "code": "38",
        "value": "Other Facility"
    }
]
}

```

3.7. Get Owner Subtypes

Using this API, you can get the list of master data set for Ownership Subtypes, and corresponding subtype of next level.

Please note:

- You must pass in all the required parameters for the API.

Parameters:

Params	Required	Description	Data type	Format if any
ownershipCode	Yes	Ownership Code as available in HFR	String	Accepted codes are "G", "P" or "PP".
ownerSubtypeCode	Yes	Ownership subtype code, as available in HFR, under any Ownership	String	ownershipCode = "G" Accepted codes are "C". ownershipCode = "P" or "PP" Accepted codes are "P" or "NP"

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/get-owner-subtype>

Request Method: POST

Headers:

Content-Type: application/json

Accept: application/json

Authorization: Bearer <access-token>

Sample 1: Request Body

```
{
  "ownershipCode": "G",
  "ownerSubtypeCode": "P"
}
```

Response:

```
{
  "code": "HIS-1108",
  "message": "Invalid Owner Subtype Code. Only 'C' is accepted for Ownership Code 'G'."
}
```

Sample 2: Request body

```
{
  "ownershipCode": "G",
  "ownerSubtypeCode": "C"
}
```

Response:

```
{
  "type": "CENTRAL-GOVERNMENT",
  "data": [
    {
      "code": "MOSteel",
      "value": "Mo Steel"
    },
    {
      "code": "MOS",
      "value": "Mo Shipping"
    },
    {
      "code": "MOD",
      "value": "Mo Defense"
    },
    {

```



```

        "code": "MOM",
        "value": "Mo Mines"
    },
    {
        "code": "MOPN",
        "value": "Mo Petroleum and Natural Gas"
    },
    {
        "code": "MOA",
        "value": "Mo AYUSH"
    },
    {
        "code": "MOST",
        "value": "Mo Science and Technology"
    },
    {
        "code": "MOJ",
        "value": "Mo JalShakti"
    },
    {
        "code": "MOAE",
        "value": "Department of Atomic Energy"
    },
    {
        "code": "MOHA",
        "value": "Ministry of Home Affairs"
    },
    {
        "code": "MOHF",
        "value": "Mo Health and Family Welfare"
    },
    {
        "code": "MOLE",
        "value": "Mo Labour & Employment (includes ESIC)"
    },
    {
        "code": "MOC",
        "value": "Mo Coal"
    },
    {
        "code": "MOHI",
        "value": "Mo Heavy Industries and Public Enterprises"
    },
    {
        "code": "DOPT",
        "value": "Department of Personnel & Training"
    },
    {
        "code": "MOR",
        "value": "Mo Railways"
    },
    {
        "code": "MOP",
        "value": "Mo Power"
    },
    {
        "code": "Other",

```

```

        "value": "Any Other (Please specify)"
    },
    {
        "code": "MOND",
        "value": "New Delhi Municipal Council (NDMC)"
    }
]
}

```

Sample 3: Request body

```

{
    "ownershipCode": "P",
    "ownerSubtypeCode": "P"
}

```

Response:

```

{
    "type": "PROFIT-TYPE",
    "data": [
        {
            "code": "PP03",
            "value": "Limited Liability Partnership"
        },
        {
            "code": "PP01",
            "value": "Sole Proprietorship"
        },
        {
            "code": "PP04",
            "value": "Partnership"
        },
        {
            "code": "PP02",
            "value": "Registered companies (registered under relevant central/state Act)"
        }
    ]
}

```

Sample 4: Request body

```

{
    "ownershipCode": "P",
    "ownerSubtypeCode": "C"
}

```

Response:

```

{
    "type": "PROFIT-TYPE",
    "data": [
        {
            "code": "PP03",
            "value": "Limited Liability Partnership"
        },
        {
            "code": "PP01",
            "value": "Sole Proprietorship"
        },
        {
            "code": "PP04",
            "value": "Partnership"
        }
    ]
}

```

```

    },
    {
        "code": "PP02",
        "value": "Registered companies (registered under relevant central/state Act)"
    }
]
}

```

3.8. Get Specialities

Using this API, you can get the list of master data set for Specialities / Specializations / Services offered under HFR, with respect to any System of Medicine available.

Please note:

- You must pass in all the required parameters for the API.
- You can pass only a single System of Medicine code in the request.

Parameters:

Params	Required	Description	Data type	Format if any
systemOfMedicineCode	Yes	System of MedicineCode, as available in HFR, for which you want to know the specializations offered.	String	Accepted codes as specified in get-master-data API with type="MEDICINE" . (Refer Section 3.2)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/getspecialities>

Request Method: POST

Headers:

Content-Type	application/json
Accept	application/json
Authorization	Bearer <access-token>

Sample 1 Request Body:

```

{
    "systemOfMedicineCode": "M"
}

```

Response:

```

{
    "type": "SPECIALITIES",
    "data": [
        {
            "code": "M-S1",
            "value": "GeneralMedicine"
        },
        {
            "code": "M-S35",
            "value": "FamilyMedicine"
        },
        {
            "code": "M-S36",
            "value": "Emergency Medicine"
        },
        {
            "code": "M-S20",

```

```

    "value": "Obstetricsand Gynecology"
  },
  {
    "code": "M-S2",
    "value": "Pediatrics"
  },
  {
    "code": "M-S19",
    "value": "GeneralSurgery"
  },
  {
    "code": "M-S21",
    "value": "Orthopaedics"
  },
  {
    "code": "M-S23",
    "value": "ENT"
  },
  {
    "code": "M-S16",
    "value": "Anaesthesia"
  },
  {
    "code": "M-S24",
    "value": "Ophthalmology"
  },
  {
    "code": "M-S25",
    "value": "Urology"
  },
  {
    "code": "M-S18",
    "value": "CriticalCare"
  },
  {
    "code": "M-S37",
    "value": "Radiology"
  },
  {
    "code": "M-S4",
    "value": "Pulmonology(Chestdiseases and respiratory medicine)"
  },
  {
    "code": "M-S8",
    "value": "Gastroenterology"
  },
  {
    "code": "M-S5",
    "value": "Dermatologyand Venerology (Skin & VD) RTI/STI"
  },
  {
    "code": "M-S3",
    "value": "Neonatology"
  },
  {
    "code": "M-S10",
    "value": "Dialysis"
  },
  {
    "code": "M-S6",
    "value": "Cardiology"
  },
  {
    "code": "M-S11",
    "value": "Psychiatry"
  }

```

```

},
{
  "code": "M-S12",
  "value": "Geriatrics"
},
{
  "code": "M-S15",
  "value": "Neurology"
},
{
  "code": "M-S41",
  "value": "Polytrauma"
},
{
  "code": "M-S9",
  "value": "Nephrology"
},
{
  "code": "M-S26",
  "value": "Neurosurgery"
},
{
  "code": "M-S27",
  "value": "Burns,Plastic & reconstructive Surgery"
},
{
  "code": "M-S22",
  "value": "Paediatricsurgery"
},
{
  "code": "M-S33",
  "value": "Oncology"
},
{
  "code": "M-S40",
  "value": "GenitourinarySurgery"
},
{
  "code": "M-S14",
  "value": "Endocrinology"
},
{
  "code": "M-S13",
  "value": "Rheumatology"
},
{
  "code": "M-S7",
  "value": "CathLab"
},
{
  "code": "M-S28",
  "value": "Medicolegal/Forensic Medicine"
},
{
  "code": "M-S38",
  "value": "Hepatology"
},
{
  "code": "M-S29",
  "value": "Interventionalcardiology"
},
{
  "code": "M-S17",
  "value": "Cardiothoracicand vascular surgery"
},

```

```

{
  "code": "M-S39",
  "value": "Immunology"
},
{
  "code": "M-S34",
  "value": "Neuroradiology"
},
{
  "code": "M-S42",
  "value": "PaediatricCancer"
},
{
  "code": "M-S32",
  "value": "Genetics"
},
{
  "code": "M-S31",
  "value": "NuclearMedicine"
},
{
  "code": "M-S30",
  "value": "Aviationmedicine"
}
]
}

```

3.9. Facility Subtype

Using this API, you can get the list of master data set for Facility Sub Types which is dependent on Facility Type Code.

Please note:

- You must pass in all the required parameters for the API.

Parameters:

Params	Required	Description	Data type	Format if any
facilityTypeCode	Yes	Facility code	String	Accepted codes as specified in fetch-facility-type API (Refer Section 3.6)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/fetch-facility-Sub-type>

Request Method: POST

Headers:

Content-Type: application/json

Accept: application/json

Authorization: Bearer <access-token>

Request Body:

```

{
  "facilityTypeCode": "5"
}

```

Response:

```

{
  "type": "FACILITY-SUB-TYPE",
  "data": [
    {
      "code": "29",
      "value": "Any Other"
    }
  ]
}

```

```
,
{
  "code": "44",
  "value": "Area Hospital"
},
{
  "code": "2",
  "value": "Central Hospital"
},
{
  "code": "47",
  "value": "Civil Hospital"
},
{
  "code": "32",
  "value": "Daycare Center"
},
{
  "code": "6",
  "value": "District Hospital"
},
{
  "code": "7",
  "value": "Divisional Hospital"
},
{
  "code": "28",
  "value": "General Hospital"
},
{
  "code": "33",
  "value": "Infertility Center"
},
{
  "code": "48",
  "value": "Leprosy Hospital"
},
{
  "code": "36",
  "value": "Maternity Home"
},
{
  "code": "12",
  "value": "Municipal Corporation Hospital"
},
{
  "code": "30",
  "value": "No Applicable Subtype"
},
{
  "code": "13",
  "value": "Nursing Home"
},
{
  "code": "34",
  "value": "Palliative Care"
},
,
```

```

{
  "code": "14",
  "value": "Police Hospital"
},
{
  "code": "16",
  "value": "Referral Hospital"
},
{
  "code": "17",
  "value": "Regional Hospital"
},
{
  "code": "35",
  "value": "Rehabilitation Center"
},
{
  "code": "18",
  "value": "Sanatorium"
},
{
  "code": "19",
  "value": "Sub-District Hospital"
},
{
  "code": "20",
  "value": "Sub-Divisional Hospital"
},
{
  "code": "22",
  "value": "Taluka Hospital"
},
{
  "code": "21",
  "value": "Taluk Head Quarters Hospital"
},
{
  "code": "31",
  "value": "T.B. Hospital"
},
{
  "code": "24",
  "value": "Woman's Hospital"
},
{
  "code": "25",
  "value": "Workshop Hospital"
},
{
  "code": "43",
  "value": "Zonal Hospital"
}

```

1

}

4. Multiple HRP API

This API will be used to link multiple bridges against a facility. It will accept the facility id, facility name and list of HRP i.e. bridges.

Please note:

- You must pass in all the required parameters for the API.

Parameters:

Params	Required	Description	Data type	Format if any
facilityId	Yes	Id of the facility	String	Should start with 'IN' and have the length of 12 characters.
facilityName	Yes	Name of the facility	String	Accepted characters: Alphanumeric, - _ . () , / . The first character must be an alphabet or digit, and only one space is allowed between words.
bridgeId	Yes	Valid Bridge Id to be linked.	String	Alphanumeric
hipName	Yes	Name of the hospital which will reflect on ABHA/PHR app when the patent will search for the respective hospital.	String	HIP name can be the Hospital name added with suffix of bridge name. Example: Hospital name=XYZ and bridge name=BRIDGE TEST, so the HIP name = XYZ BRIDGE. HIP name can not be mor than 15 characters. No Special character is allowed (%\$*#@(~&!) Should be unique for every bridge for a facility
Type	Yes	Type of the bridge to be linked	String	Accepted values: HIP or HIU
Active	Yes	Active Status of the bridge to be linked	boolean	Accepted values: true or false

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1/bridges/MutipleHRPAddUpdateServices>

Request Method: POST

Headers:

Content-Type application/json

Authorization Bearer <access-token>

Sample 1: When bridge id is linked with facility.

```
{
  "facilityId": "IN28*****08",
  "facilityName": "Test Hospital 104",
  "HRP": [
    {
      "bridgeId": "SBX_000135",
      "hipName": "Test Hospital 104",
      "type": "HIP",
      "active": true
    }
  ]
}
```

Response:

```
[
  {
    "servicesLinked": {
      "id": "SBX_000135",
      "name": "Testing",
      "types": [
        "HIP"
      ],
      "active": true
    }
  }
]
```

Sample 2: When all bridge id is already linked

```
{
  "facilityId": "IN28*****08",
  "facilityName": "Test Hospital 104",
  "HRP": [
    {
      "bridgeId": "SBX_000135",
      "hipName": "Test Hospital 104",
      "type": "HIP",
      "active": true
    }
  ]
}
```

Response:

```
[
  {
    "error": {
      "code": "2500",
      "message": "Bridge Id SBX_000135 is already associated with service id:IN28*****08"
    }
  }
]
```

Sample 3: When some bridge ids is already linked in request body

```
{
  "facilityId": "IN27*****80",
  "facilityName": "DR Agarwal Pathology lab",
  "HRP": [
    {
      "hipName": "DR Agarwal Pathology lab DEEPAK_LTI",
      "active": "true",
      "bridgeId": "MANISH_TEST",
      "type": "HIP"
    },
    {
      "hipName": "DR Agarwal Pathology lab WEBEMR011000005",
      "active": "true",
      "bridgeId": "WEBEMR011000005",
      "type": "HIP"
    },
    {
      "hipName": "DR Agarwal Pathology lab CDAC",
      "active": "true",
      "bridgeId": "CDAC",
      "type": "HIP"
    }
  ]
}
```

Response:

```
[
  {
    "servicesLinked": {
      "id": "IN24*****02_3",
      "name": "SC Nana Kandhasar",
      "types": [
        "HIP"
      ],
      "active": true
    }
  },
  {
    "error": {
      "code": "2506",
      "message": "Bridge id: CDAC is already associated with service id: IN24*****02"
    }
  },
  {
    "error": {
      "code": "2506",
      "message": "Bridge id: MANISH_TEST is already associated with service id: IN24*****02"
    }
  }
]
```

Sample 4: When HIP Name is already linked or Empty or contains Special Characters

```
{
  "facilityId": "IN24*****02",
  "facilityName": "SC Nana Kandhasar",
  "HRP": [
    {
      "hipName": "",
      "active": "true",
      "bridgeId": "WEBEMR011000005",
      "type": "HIP"
    },
    {
      "hipName": "SC Nana Kandhasar Web2",
      "active": "true",
      "bridgeId": "CDAC",
      "type": "HIP"
    },
    {
      "hipName": "@$!#@ #!!",
      "active": "true",
      "bridgeId": "MANISH_TEST",
      "type": "HIP"
    }
  ]
}
```

Response:

```
[
  {
    "error": {
      "code": "2500",
      "message": "HIP Name is mandatory"
    }
  },
  {
    "error": {
```

```

        "code": "2500",
        "message": "HIP Name is already associated with service id:IN24*****02"
    },
    {
        "error": {
            "code": "2500",
            "message": "HIP Name should not have special characters"
        }
    }
]

```

Sample 5: When API is accessed with an invalid role

```

{
  "facilityId": "IN28*****08",
  "facilityName": "Test Hospital 104",
  "HRP": [
    {
      "bridgeId": "SBX_000135",
      "hipName": "Test Hospital 104",
      "type": "HIP",
      "active": true
    }
  ]
}

```

Response:

```

{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "You are not allowed to access this API",
      "code": "HIS-403",
      "attribute": null
    }
  ]
}

```

5. Send OTP To Contact

This API is designed to send a One-Time Password (OTP) to the registered mobile number associated with a facility. It requires the facility ID as input and generates an OTP and transaction id to validate.

Please note:

- The data needs to be passed in the required format as mentioned for each field.

Parameters:

Params	Required	Description	Data type	Format if any
facilityId	Yes	Id of the facility to be linked	String	Should start with 'IN' and have the length of 12 characters.

Specifications :

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/sendOtpToContact>

Request Method: POST

Headers:

Content-Type application/json

Authorization Bearer <access-token>

Sample 1: When facility id is linked with mobile number

```
{
  "facilityId": "IN28*****14"
}
```

Response:

```
[
  {
    "facilityId": "IN28*****14",
    "status": "Success",
    "message": "Otp sent successfully! Please keep transaction id for future reference",
    "transactionId": "efcd063c-7c4a-421f-8c2d-62de95ca82d6",
    "errorStatus": null
  }
]
```

Sample 2: When facility id starts with other character instead of IN:

```
{
  "facilityId": "IP2810002714"
}
```

Response:

```
{
  "facilityId": null,
  "status": "Bad Request",
  "message": "Errors occurred",
  "transactionId": null,
  "errorStatus": [
    {
      "field": "facilityId",
      "message": "The Facility ID provided is invalid. It must begin with the prefix IN to meet the required format."
    }
  ]
}
```

Sample 3: When facility id has less than 12 characters:

```
{
  "facilityId": "IN28100027"
}
```

Response:

```
{
  "facilityId": null,
  "status": "Bad Request",
  "message": "Errors occurred",
  "transactionId": null,
  "errorStatus": [
    {
      "field": "facilityId",
      "message": "Facility id is invalid. It must have 12 characters IN28100027"
    }
  ]
}
```

```
}
]
}
```

Sample 4: When no facility details found:

```
{
  "facilityId": "IN9999999999"
}
```

Response:

```
{
  "facilityId": "IN9999999999",
  "status": "Not Found",
  "message": "No active facility found! Please check your facility Id",
  "transactionId": null,
  "errorStatus": null
}
```

6. Validate OTP

This API is designed to validate a One-Time Password (OTP) sent to the registered mobile number associated with a facility.

Please note:

- You must pass in all the required parameters for the API.

Parameters:

Params	Required	Description	Data type	Format if any
facilityId	Yes	Id of the facility	String	Should start with 'IN' and have the length of 12 characters.
sourceId	Yes	Unique hospital identifier	String	Alphanumeric value
otp	Yes	Unique number to verify the mobile number	String	6-digit number received from the SendOTPToContact API response. (Refer Section 5)
source	Yes	Facility Source value	String	Accepted values: UWIN, PMNDP, AB-PMJAY, NHRR, HMIS-CDAC, NIN, eHospital, STHMISID, STINSID, COWIN
transactionId	Yes	Unique Id for a transaction	String	Use the transaction Id received in response from the SendOTPToContact API. (Refer Section 5)

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/validateOtp>

Request Method: POST

Headers:

Content-Type application/json

Authorization Bearer <access-token>

Sample 1: When all fields are present:

```
{
  "facilityId": "IN28*****14",
  "sourceId": "COWIN",
  "otp": "091729",
  "source": "COWIN",
  "transactionId": "c22f9549-6d0f-436a-bc62-de05d57e7083"
}
```

Response:

```
[
  {
    "facilityId": "IN28*****14",
    "status": "success",
    "message": "OTP validated successfully!!! Hospital id linked to HFR",
    "errorStatus": null
  }
]
```

Sample 2: When we pass empty source.

```
{
  "facilityId": "IN28*****14",
  "sourceId": "COWIN",
  "otp": "091729",
  "source": "",
  "transactionId": "c22f9549-6d0f-436a-bc62-de05d57e7083"
}
```

Response:

```
[
  {
    "code": "HIS-422",
    "message": "Unable to process the current request due to some wrong data entered.",
    "details": [
      {
        "message": "Invalid/Blank facility source, please enter a valid facility source.",
        "code": "HIS-4057",
        "attribute": null
      }
    ]
  }
]
```

Sample 3: When we pass invalid facility Id.

```
{
  "facilityId": "IN2810002&^%",
  "sourceId": "COWIN",
  "otp": "091729",
  "source": "COWIN",
  "transactionId": "c22f9549-6d0f-436a-bc62-de05d57e7083"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Please enter the correct facility, Which start with IN and length is 12.",

```

```

        "code": "HIS-1113",
        "attribute": null
    }
]
}

```

Sample 4: When we pass invalid OTP value.

```

{
  "facilityId": " IN28*****14",
  "sourceId": "COWIN",
  "otp": " 0917^%",
  "source": "COWIN",
  "transactionId": "c22f9549-6d0f-436a-bc62-de05d57e7083"
}

```

Response:

```

{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Invalid OTP value.",
      "code": "HIS-2022",
      "attribute": null
    }
  ]
}

```

Sample 5: When we pass empty transactionId.

```

{
  "facilityId": " IN28*****14",
  "sourceId": "COWIN",
  "otp": " 091729",
  "source": "COWIN",
  "transactionId": ""
}

```

Response:

```

{
  "facilityId": null,
  "status": "Not Linked",
  "message": "Hospital id not linked. Please check the errors",
  "errorStatus": [
    {
      "field": "txnId",
      "message": "txnId is mandatory"
    }
  ]
}

```


7. Fetch Facility Contact Details

This API is developed to search for a facility based on the facility id. It provides all the contacts details and information regarding the requested facility for the user.

Please note:

- You must pass on all the required parameters to create the API.

Parameters :

Params	Required	Description	Data type	Format if any
facilityId	Yes	Id of the facility	String	Should start with 'IN' and have the length of 12 characters.

Specifications:

URL: <https://apinhpr.abdm.gov.in/v4/int/v1.5/facility/fetchFacilityContactDetails>

Request Method: POST

Headers:

Content-Type application/json

Authorization Bearer <access-token>

Sample 1: When we pass the correct facility ID.

```
{
  "facilityId": "IN27*****21"
}
```

Response:

```
{
  "facility": {
    "facilityId": "IN27*****21",
    "facilityName": "Ashram",
    "contactName": "Akshay Goraksh Shelke",
    "contactMobile": "*****8538",
    "contactEmail": "she*****@gmail.com",
    "hprid": "71-2325-3152-8712"
  },
  "status": "Success",
  "message": "Details found successfully",
  "errorStatus": null
}
```

Sample 2: When we pass the incorrect facility ID.

```
{
  "facilityId": "IN27100029"
}
```

Response:

```
{
  "facility": null,
  "status": "No Content",
  "message": "No active facility found! Please check your facility Id",
  "errorStatus": [
    {
      "field": "facilityId",
    }
  ]
}
```

```

    "message": "Facility id is invalid: IN27100029"
  }
}

```

8. Deduplicate Api for Search Facility

This API is developed to search for duplicate facility based on the name, address, district code, sub district code, village, geolocation and facility ID (fac unique id). It provides the facilities details as present.

Please note:

- You must pass on all the required parameters to create the API.

Parameters :

Params	Required	Description	Data type	Format if any
facilityId	No	Unique Id of the facility	String	6-digit numeric value (fac unique id)
name	Yes	Name of the facility	String	Accepted characters: Alphanumeric, with only one space is allowed between words.
address	No	Address of the facility	String	Accepted characters: Alphanumeric with -_(),/ and only one space is allowed between words.
district	Yes	District of the facility	String	District LGD Code (Refer Section 3.4)
Sub district	Yes	Sub District of the facility	String	Sub District LGD Code (Refer Section 3.5)
village	No	Village of the facility	String	Village LGD Code. Please visit https://lgdirectory.gov.in/ for more information.
geolocation	No	Geolocation coordinates of the facility	String	Latitude - Real Number ranging from - 90.000000 to +90.000000 with 1-6 decimal places Longitude - Real Number ranging from -180.000000 to +180.000000 with 1-6 decimal places

Specifications :

URL: <https://apinhpr.abdm.gov.in/v4/int/search/address/filter/deduplicate>

Request Method: POST

Headers:

Content-Type application/json

Authorization Bearer <access-token>

Sample 1: When we pass the correct details.

```

{
  "name": "tshjh123",
  "address": "alampur",
  "district": "499",
  "subDistrict": "3997",
  "village": "530905",
  "geolocation": "20.615650141340424,77.5024892539671",
  "facilityId": ""
}

```

Response:

```
[
  {
    "facility_name": "tsst1",
    "alternate_id": "IN*****93",
    "sub_district": "Karanja",
    "district": "Washim",
    "state": "Maharashtra",
    "distances": "0"
  },
  {
    "facility_name": "tst",
    "alternate_id": "IN*****92",
    "sub_district": "Karanja",
    "district": "Washim",
    "state": "Maharashtra",
    "distances": "111"
  }
]
```

Sample 2: When we pass the incorrect Facility Id.

```
{
  "name": "tshjh123",
  "address": "alampur",
  "district": "499",
  "subDistrict": "3997",
  "village": "530905",
  "geolocation": "20.615650141340424,77.5024892539671",
  "facilityId": "abc1234"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Please enter valid facility Id.",
      "code": "HIS-1113",
      "attribute": null
    }
  ]
}
```

Sample 3: When we pass the incorrect Name.

```
{
  "name": " tshjh123^%&*&^&",
  "address": " alampur",
  "district": "499",
  "subDistrict": "3997",
  "village": "530905",
  "geolocation": "20.615650141340424,77.5024892539671",
  "facilityId": ""
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Please enter a valid name.",
      "code": "HIS-1030",
      "attribute": null
    }
  ]
}
```

Sample 4: When we pass the incorrect District and subDistrict.

```
{
  "name": "tshjh123",
  "address": "alampur",
  "district": "abc",
  "subDistrict": "def",
  "village": "530905",
  "geolocation": "20.615650141340424,77.5024892539671",
  "facilityId": ""
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Please enter valid District.",
      "code": "HIS-2089",
      "attribute": null
    },
    {
      "message": "Please enter valid sub District code.",
      "code": "HIS-4018",
      "attribute": null
    }
  ]
}
```

9. Nearby Search API

Fetches facilities within a specified radius from a given location, applying various filters such as speciality, facility ownership, ABDM software, speciality type, facility name, facility status, system of medicine. It returns basic details of the facilities such as Facility Id, Name, demographic details, etc., that falls within the specified radius.

Please note:

- The API requires `centerLat`, `centerLon`, `radiusInKm`, `from` and `size` as mandatory parameters.
- Additional filters (facilityOwnership, hospitalSpecialityType, speciality, etc.) can be provided to narrow down the search.
- Pagination is controlled by `from` (offset) and `size` (number of results per page).

Parameters:

Param	Required	Description	Data type	Format/Notes
abdmSoftware	No	Software identifier	String	Accepted value: 0 - non-ABDM enabled 1 - ABDM enabled)
centerLat	Yes	Latitude of the center point	String	Real Number ranging from -90.000000 to +90.000000, with 1-6 decimal places.
centerLon	Yes	Longitude of the center point	String	Real Number ranging from -180.000000 to +180.000000 with 1- 6 decimal places
facilityOwnership	No	Ownership of the facility	String	Accepted codes are "G", "P" or "PP".
from	Yes	Offset for pagination	String	Numeric value. Minimum value to be passed is 0.
hospitalSpecialityType	No	Codes for hospital specialities	String	Comma separated facility type codes. Accepted codes specified in v1.5/facility/fetchfacilitytype API as per the respective Ownership and system of medicine. (Refer Section 3.6)
radiusInKm	Yes	Search radius	String	Numeric value (in kilometres)
size	Yes	Results per page	String	Numeric value. Minimum value to be passed is 1.
speciality	No	List of specialities for each system of medicine offered by the facility	String	Comma separated list of speciality names Accepted values of the specialities as specified in /v1.5/facility/getspecialities API as per the respective system of medicine. (Refer Section 3.8)
facilityName	No	Name of the facility	String	Accepted characters: Alphanumeric, -_()./. The first character must be an alphabet or digit, and only one space is allowed between words.

Specifications:**URL:**

<https://apinhpr.abdm.gov.in/v4/int/FacilityManagement/v1.5/facility/bygeoLocation/searchWithinRadiusWithFilter>

Request Method: POST

Headers:

Content-Type: application/json

Authorization: Bearer <access-token>

Sample 1: When we pass the correct details.

```
{
  "abdmSoftware": "1",
  "centerLat": "12.911411",
  "centerLon": "77.676313",
  "facilityOwnership": "G",
  "from": "0",
  "hospitalSpecialityType": "22,57",
  "radiusInKm": "50",
  "size": "2000",
  "speciality": "Leeching,Dalak,Exercise"
}
```

Response:

```
{
  "searchCountTotal": 1,
  "recordList": [
    {
      "mobile_no": "",
      "abdm_software": "1",
      "pincode": "560035",
      "facility_type": "22",
      "sub_district": "5544",
      "book_app_url": "",
      "facility_website": "",
      "geolocation": "12.911411,77.676313",
      "district": "525",
      "address2": "",
      "state": "29",
      "fac_unique_id": "71600",
      "address1": "Bengaluru Urban, karnataka ",
      "facility_subtype_other": null,
      "facility_name": "<Facility Name>",
      "facility_ownership": "G",
      "facility_email": "",
      "system_of_medicine": "UN",
      "systemOfMedicine": [
        {
          "id": "UN",
          "value": "Unani"
        }
      ],
      "owner_subtype": "S",
      "landline_no": "",
      "alternate_id": "<Facility ID>",
      "distances": "0",
      "speciality": [
        "dalak",
        "exercise",
        "ilajbittadbeer(regimentaltherapy)",
        "leeching"
      ]
    }
  ]
}
```

Sample 2 (Error): When we pass incorrect location

```
{
  "centerLat": "",
  "centerLon": "",
  "radiusInKm": "",
  "from": "0",
  "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, provided location is incorrect",
  "details": null
}
```

Sample 3 (Error): When we pass incorrect centerLat

```
{
  "centerLat": "19.143486*",
  "centerLon": "72.995217",
  "radiusInKm": "",
  "from": "0",
}
```

```
    "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid centerLat value. It should be between -90.000000 and
            +90.000000 with 1-6 decimal places.",
  "details": null
}
```

Sample 4 (Error): When we pass incorrect centerLon

```
{
  "centerLat": "19.143486",
  "centerLon": "72.995^*&",
  "radiusInKm": "",
  "from": "0",
  "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid centerLon value. It should be between -180.000000 to
            +180.000000 with 1-6 decimal places.",
  "details": null
}
```

Sample 5 (Error): When we pass incorrect radius

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": ".123",
  "from": "0",
  "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid radius value",
  "details": null
}
```

Sample 6 (Error): When we pass incorrect abdmSoftware value

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "abdmSoftware": "**&",
  "from": "0",
  "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid abdmSoftware value",
  "details": null
}
```

```
}
```

Sample 7 (Error): When we pass incorrect from

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "from": "&^%",
  "size": "10"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Error in processing, invalid/empty from value. Minimum value is 0",
      "code": "HIS-422",
      "attribute": null
    }
  ]
}
```

Sample 8 (Error): When we pass incorrect size

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "from": "0",
  "size": "&*"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Unable to process the current request due to some wrong data entered.",
  "details": [
    {
      "message": "Error in processing, invalid/empty size value. Minimum value is 1",
      "code": "HIS-422",
      "attribute": null
    }
  ]
}
```

Sample 9 (Error): When we pass incorrect facility name

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "facilityName": "*****",
  "from": "0",
  "size": "1"
}
```


Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid facility name",
  "details": null
}
```

Sample 10 (Error): When we pass incorrect facility ownership

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "facilityOwnership": "ABCD",
  "from": "0",
  "size": "1"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid facilityOwnership",
  "details": null
}
```

Sample 11 (Error): When we pass incorrect specialty

```
{
  "centerLat": "19.143486",
  "centerLon": "72. 995217",
  "radiusInKm": "10",
  "speciality": "ABC",
  "from": "0",
  "size": "1"
}
```

Response:

```
{
  "code": "HIS-422",
  "message": "Error in processing, invalid specialty",
  "details": null
}
```