

AYUSHMAN BHARAT DIGITAL MISSION

Registration in Healthcare Professional Registry (HPR) via APIs

Document Version No: 3

Date: 04th Jan 2024

Table of Contents

Terminology:	3
Registration in Healthcare Professional Registry:	4

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token - To obtain, the HRP can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID - Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret - Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID – Healthcare Professional ID

Sandbox - Sandbox is a framework that will allow technologies or products to be tested in the contained environment in compliance with ABDM standards.

Register Health Professional (Doctor, Nurse & Pharmacist)

Below document explains how to register with pre verified details to HPRID and HPR systems.

List of Apis for Health Professional Registration

1	HPRID Gateway Token
2	HPRID Generate Aadhaar OTP
3	HPRID Verify Aadhaar OTP
4	API to Check HPID Exist by Aadhaar
5	HPRID API For Verifying Mobile Number Same as Aadhar Mobile (VIA Demo AUTH)
5.1	HPRID Generate Mobile OTP (Via OTP. If Demo Auth Failed)
5.2	HPRID Verify Mobile OTP
5	Get suggested username from HPRID
7	Create HPRID
8	API for Search Facility
9	Register Professional
10	Fetch Documents List
11	Upload Document API

1. HPRID Gateway Token

Authentication Token need to be generated using client ID and client Secret. To obtain clientId and clientSecret, please register on Sandbox Application

Request type	POST
URL	https://dev.abdm.gov.in/gateway/v0.5/sessions
Request Body/Payload	<pre>{ "clientId": "xxxxxxx", "clientSecret": "5bbbaxxx-3xxx-4xx-a6xx-5bc552319xxx", "grantType": "client_credentials" }</pre>

Response: Access Token will be sent in api response.

Sample Response

```
"accessToken": "eyJ0eXZlbnRlcjEwYmVudCk6IjEwLjEzMy4yMnY4OCIsInByZWZlcnJlZD91c2VybmFtZSI6ImNlcnZpY2UtYWNjb3VudC1ocF9pZCI6ImNsaWVudEFkZHJlc3MiOiIxMC4yMzMunjcunNjgifQ.fidPCWjk6Taspuz pC5fiRG4rUfLok6YAd8_89HcJSXBPInjbR4hPPm3KO6pN-v7nN1kixhbolkjQgZLiRxvmpn_3GkIn2Vi5_M8gdOGVpsv1BG3gau1ONXsgiT_zeIRwkmvOqsVg2AoZyUIadVCUWkZcDvittDsC70kEkIjaebKy87IE7xM- ml6MdvwRtPZ2S5HOY35MGVzjlXJRcr-j-9Ir76ZhZwmuniUYODZ0sIRFEyleftsUiMFH8P_FLpzd5rfLey-Iaw5ZA3bpUsNguxVSABKdcZqO6VOffS4En9BJlrYM3O4Kp7xxxxSZPzPlYyX0Zos5Nv85qqj5Qj9aw",
"expiresIn": 3600,
"refreshExpiresIn": 1800,
"refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpzZW50L3RhdwUiLCJ0eXBlIjoiYXZldCI6ImNlcnZpY2UtYWNjb3VudC1ocF9pZCI6ImNsaWVudEFkZHJlc3MiOiIxMC4yMzMunjcunNjgifQ.fidPCWjk6Taspuz pC5fiRG4rUfLok6YAd8_89HcJSXBPInjbR4hPPm3KO6pN-v7nN1kixhbolkjQgZLiRxvmpn_3GkIn2Vi5_M8gdOGVpsv1BG3gau1ONXsgiT_zeIRwkmvOqsVg2AoZyUIadVCUWkZcDvittDsC70kEkIjaebKy87IE7xM- ml6MdvwRtPZ2S5HOY35MGVzjlXJRcr-j-9Ir76ZhZwmuniUYODZ0sIRFEyleftsUiMFH8P_FLpzd5rfLey-Iaw5ZA3bpUsNguxVSABKdcZqO6VOffS4En9BJlrYM3O4Kp7xxxxSZPzPlYyX0Zos5Nv85qqj5Qj9aw",
"tokenType": "bearer"
```

2. HPRID Generate Aadhaar OTP

OTP needs to be generated to verify Aadhaar Number.

Add the accessToken received from the HPRID Gateway Token API for authorization on.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization on

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://hpridsbx.abdm.gov.in/api/v1/registration/aadhaar/generateOtp
Request Body/Payload	<pre>{ "aadhaar": "xxxxxxxxxxxx" }</pre>

Response: Transaction ID will be generated.

Sample Response

```
{
  "txnId": "38022xxx-7xxx-43ba-91ff-4471a25e9xxx",
  "mobileNumber": "xxxxxxxx79"
}
```

3. HPRID Verify Aadhar OTP

To Verify the Aadhaar OTP generated from the previous API.

Please enter the OTP received on Aadhaar Registered Mobile Number and the transaction ID (txnId) received from the HPRID Generate OTP API Response in payload.

Add the accessToken received from the HPRID Gateway Token API for authorization on.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://hpridsbx.abdm.gov.in/api/v1/registra on/aadhaar/verifyOTP
Request Body/Payload	<pre>{ "domainName": "@hpr.abdm", "idType": "hpr_id", "otp": "xxxxx3", "restrictions": "", "txnId": "380221xx-74xx-43xx-91xx-4471a25exxxxx" }</pre>

Response: Previously generated Transaction ID will be returned in this response. Sample Response

```
{
  "txnId": "3802219b-745c-4xxx-91ff-4471a25exxxx",
  "mobileNumber": null
}
```

4. API to Check HPID Exist by Aadhaar

This API will provide you with HPID registered in Portal after the verification on of Aadhaar OTP. Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization on

Value: Bearer<Leave Space><Your Access Token goes here>

1. Check HPID Exist or Not

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v2/registra on/aadhaar/checkHpIdAccountExist
Request Body	{ "txnId": "38022xxxx-745c-43xx-91ff-4471a25e9xxx", "preverifiedCheck": true }

Sample Response

```
{  
  "token": "",  
  "hprIdNumber": "71-****-*****-***8",  
  "categoryId": 0,  
  "subCategoryId": 0,  
  "new": false  
}
```

5. HPRID API FOR VERIFYING MOBILE NUMBER SAME AS AADHAAR MOBILE

This API will provide you with HPID registered in Portal after the verification of Aadhaar OTP. Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

1. Match Mobile number with Aadhaar registered mobile number.

Method	Post
URL	https://hpridsbx.abdm.gov.in/api/v1/registration/aadhaar/demographicAuthViaMobile
Request Body	{ "txnId": "38022xxx-745c-43xx-91ff-4471a25e9xxx", "mobileNumber": "*****5860" }

Sample Response
{ "verified": true }

5.1 HPRID Generate Mobile OTP

Note : If demo auth failed or response is false . Then Mobile OTP Flow to verify mobile number.

To generate OTP via mobile number.

Please enter Mobile Number and the transaction ID (txnId) received from the HPRID Generate OTP API Response in payload.

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://hpridsbx.abdm.gov.in/api/v1/registration/aadhaar/generateMobile OTP
Request Body/Payload	<pre>{ "mobile": "xxxxxxxx79", "txnId": "38022xxx-745c-43xx-91ff-4471a25e9xxx" }</pre>

Response: Previously generated Transaction ID will be returned in this response. Sample Response

<pre>{ "txnId": "38022xxx-745c-43xx-91ff-4471a25e9xxx", "mobileNumber": null }</pre>
--

5.2 HPRID Verify Mobile OTP

To Verify the OTP generated from the previous API.

Please enter the OTP received on Mobile Number and the transaction ID (txnId) received from the HPRID Generate OTP API Response in payload.

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://hpridsbx.abdm.gov.in/api/v1/registration/aadhaar/verifyMobile OTP
Request Body/Payload	<pre>{ "otp": "xxxxx2", "txnId": "38022xxx-745c-43xx-91ff-4471a25e9xxx" }</pre>

Response: Previously generated Transaction ID will be returned in this response.

Sample Response

```
{
  "txnId": "38022xxxx-745c-43xx-91ff-4471a25e9xxx",
  "mobileNumber": null
}
```

6. Get Suggestion of username from HPRID

Please enter the transaction ID (txnId) received from the HPRID Generate OTP API Response in payload.

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://hpridsbx.abdm.gov.in/api/v1/registration/aadhaar/hpid/suggestion
Request Body/Payload	{ "txnId": "38022xxxx-745c-43xx-91ff-4471a25e9xxx" }

Sample Response

```
[
  "test1993",
  "test1",
  "kumar1993",
  "test.kumar",
  "testk1993"
]
```

7. Create HPRID

To generate HRPID.

Please enter the user details in payload.

```
{
  "token": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI3MS0xODUwLTA1NzgtMzYwMyIsImhwciklTnVtYmVyljoiNzEtMTg1MC0wNTc4LTMT2MDMiLCJtb2JpxxxxiOiI5NzMsODc1NTc5IiwiaHBySWQiOiJiaGF2eWEubEBocHlubmRobSIsImV4cCI6MTY2MzU2ODA1NywiaWF0IjoxNjYzNTY2MjU3fQ.VSWQ2_CB1tslp_a2gnJZLAYN_HhuLbkn4yuHc0Xc7edHs79VCUkcZ1_UjIvxrWx3kzntS6tj35NyoXkVV32oA_fhl9J_IVP_jXmM_iXb0wGTJpzvrYBsOZZGlfRur9F7nMrdrxxxqb2nMfX4vmep3els2U3TPMQSFrCWqni8Mow6RqxxYIR3rqUFKvYj2Pma7Y_aUORvhXWfPuzLnTtsE5k14A69iE8lrWSPCFBpejl04JPhyLNFWKf26eCf3D2zLxSJEf8xsnj1xdCKhircAQJtO6qAIVu3Kgjd3Uk3p_mB0Hcol2YzmS8_BymSEbZ_lmZFrvKoqdoCFWTOZCWSQN6g",
  "hprIdNumber": "7x-18xx-05xx-36xx",
  "name": "User Name",
  "gender": "F",
}
```

```
"yearOfBirth": "19xx",  
"monthOfBirth": "1x",  
"dayOfBirth": "1x",  
"firstName": "User FirstName",
```

[illegible]

```
"authMethods": [  
  "AADHAAR_BIO",  
  "MOBILE_OTP",  
  "DEMOGRAPHICS",  
  "AADHAAR_OTP",  
  "PASSWORD"  
],  
"new": true,  
"categories": {}  
}
```

8. Search For Facility API

This API will provide you with a list of facilities present in the HFR system based on the search criteria. It returns the basic details of the facilities like Facility Id, Name, demographic details, etc.

Please note:

- You can either search for a particular facility, by sending in the facility Id, or with search criteria.
- If you search with facility Id, then other search parameters will not be considered.
- If a search is performed without a facility id, then you must pass in all the required parameters for a successful search.
- The data needs to be passed in the required format as mentioned for each field.
- Certain demographic details need to be filled in as LGD Codes (Local Government Directory). Please visit.

<https://lgdirectory.gov.in/> for more information.

- The API performs fuzzy match on facility name and exact match on all the other attributes.

- It returns the result in pagination format. By default, it will return the first page consisting of 10 records
- unless specified otherwise.
- Please note this API is to be used to find the facilities registered, so that no duplicate facilities are created by the other APIs.

Parameters:	Required	Description	Data type	Format if any
ownershipCode	Yes (if facility Id not present)	Ownership of the facility to be searched	String	Accepted codes as specified in getmaster- data API with type='OWNER'
stateLGDCode	Yes (if facility Id not present)	State of the facility. The value should be from LGD	String	LGD Code
districtLGDCode	No	District of the facility. The value should be from LGD	String	LGD Code
subdistrictLGDCode	No	Sub district of the facility. The value should be from LGD	String	LGD Code
pincode	No	Pin code of the facility. This needs to be a valid 6 digit value.	String	6-digit number
facilityName	Yes (if facility Id not present)	Name of the facility being searched. This value can be either full or partial name	String	Alphanumeric string
facilityId	No	12-character Facility Id allotted to each facility at the time of submission. If this value is present in search call, then only the respective facility details will be returned.	String	Id generated by HFR system.

page	No	The page number of which results need to be seen. Default value is 1	integer	Integer number
resultsPerPage	No	Number of facilities what will come in one page. Default value is 10.	integer	Integer number

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://facilitysbx.abdm.gov.in/FacilityManagement/v1.5/facility/search
Request Body	<pre>{ "ownershipCode": "P", "stateLGDCCode": "34", "districtLGDCCode": "", "subDistrictLGDCCode": "", "pincode": "", "facilityName": "eye hospital", "facilityId": "", "page": 1, "resultsPerPage": 2 }</pre>

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
--------	------

URL	https://facilitysbx.abdm.gov.in/FacilityManagement/v1.5/facility/search
Payload	{ "ownershipCode": "P", "stateLGDCCode": "34", "districtLGDCCode": "", "subDistrictLGDCCode": "", "pincode": "", "facilityName": "eye hospital", "facilityId": "", "page": 1, "resultsPerPage": 2 }

Sample Response

```
{
  "facilities": [
    {
      "facilityId": "IN3*****344",
      "facilityName": "Sri sai krupa hospital",
      "facilityStatus": "Submitted",
      "ownership": "Private",
      "ownershipCode": "P",
      "systemOfMedicineCode": "M",
      "systemOfMedicine": "Modern Medicine(Allopathy)",
      "facilityTypeCode": "41",
      "facilityType": "Medical College",
      "stateName": "PUDUCHERRY",
      "stateLGDCCode": "34",
      "districtName": "PONDICHERRY",
      "districtLGDCCode": "600",
      "subDistrictName": "Ozhukarai Taluk",
      "subDistrictLGDCCode": "5910",
      "villageCityTownName": "NA",
      "villageCityTownLGDCCode": "",
      "address": "Cuddalore main road, ambethkar nagar. Daily, ",
      "pincode": "605001",
      "latitude": "11.93",
      "longitude": "79.82"
    },
    {
      "facilityId": "IN3410000343",
      "facilityName": "demohospital",
      "facilityStatus": "Submitted",
      "ownership": "Private",
      "ownershipCode": "P",
      "systemOfMedicineCode": "M",
      "systemOfMedicine": "Modern Medicine(Allopathy)",
      "facilityTypeCode": "39",
      "facilityType": "Clinic/ Dispensary",
      "stateName": "PUDUCHERRY",
      "stateLGDCCode": "34",
      "districtName": "PONDICHERRY",
      "districtLGDCCode": "600",
      "subDistrictName": "Puducherry Taluk",
      "subDistrictLGDCCode": "5909",
      "villageCityTownName": "NA",
      "villageCityTownLGDCCode": "",
      "address": "No. 137 Shanthi Nagar Main Road Chrompet, ",
      "pincode": "605001",
      "latitude": "11.874232250993856",
      "longitude": "79.79874009309742"
    }
  ]
}
```

```
],  
  "message": "Request processed successfully",  
  "totalFacilities": 31,  
  "numberOfPages": 16  
}
```

9. Register Professional

To Register doctor/nurse/pharmacist.

Please enter the user details in payload.

Add the token received from `createHprIdWithPreVerified` response under `hprToken` field in the payload.

Add the accessToken received from HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Request type	POST
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/register-professional-new

Please note that you need to specify doctor or nurse in the **healthProfessionalType** field for the respective registration. If sent empty or wrong data, then the request will be considered as invalid.

Request Body/Payload

```
{
  "hprToken":
"eyJhbGciOiJSUzUxMiJ9eyJzdWUiOiI3MS01MzE3LTg4MzItMjI4NSIsImhwcklkTnVtYmVyIjoiNzEtNTMxNy04ODM_YlTIyODUiLCJtb2JpbGUiOiI5NzM5ODc1NTc5IiwiaHBySWQ"iOiJiaGF2eWwEubEBocHIuYWJkbSIsImV4cCI6MTY2ODY2NTg1MCwiaWF0IjoxNjY4NjY0MDUwfQ.hJGUIDNzVRgXtXfRY4I
OVQUcmgflKbVUv6t8G2JF7yi_RIMjn2cK2CYrAKYJZUItQSUII3a37iAQSeU5ZokcKiSwt8War_cRD7qeRcXI3TNfmNR_ZyZul_ZLP1ucCYhk9X-
UP3gl_7gu198oM9aBJx1QotGd_VXwhOT9fMpnuldWFpi8BSqiMcORNWAuGU5jM3VyDItm7dyNR9Y0M_emPcpSAJPPPBx5WMq7SZ_EDdKKILf_T
nA22CTk6m0RdrTxaFDS1RpG3klfT7hXUZjSb1eYYPR9Agw3VXeRvCL7H
bQZBVlyBSFWWhPopRmV2TVWtPxHiJkT2ioVIsQnoNww",
  "practitioner": {
    "profilePhoto": "",
    "healthProfessionalType": "doctor",
    "officialMobileCode": "",

```

"officialMobile": "9739*****",

"officialMobileStatus": "",

"officialEmail": "",

"officialEmailStatus": "",

"visibleProfilePicture": "",

"profileVisibleToPublic": "",

"personalInformation": {

 "salutation": "3",

 "firstName": "user first name",

 "middleName": "",

 "lastName": "user last name",

 "fatherName": "father name",

 "motherName": "mother name",

 "spouseName": "",

 "nationality": "356",

 "placeOfBirthState": "",

 "district": "",

 "subDistrict": "",

 "city": "",

 "languagesSpoken": "1,5"

},

"addressAsPerKYC": "",

"communicationAddress": {

 "isCommunicationAddressAsPerKYC": "0",

 "address": "#9/1",

 "name": "user name",

 "country": "356",

 "state": "29",

 "district": "36",

 "subDistrict": "",

"city": "",

"postalCode": "57**25"

},

"contactInformation": {

"publicMobileNumber": "",

"publicMobileNumberCode": "",

"publicMobileNumberStatus": "",

"landLineNumber": "",

"landLineNumberCode": "",

"publicEmail": "",

"publicEmailStatus": ""

},

"registrationAcademic": {

"category": "1",

"registrationData": [

{

"registeredWithCouncil": "7",

"registrationNumber": "123455",

"registrationCertificate": "",

"isNameDifferentInCertificate": "0",

"proofOfNameChangeCertificate": "",

"registrationDate": "2023-02-15",

"isPermanentOrRenewable": "Renewable",

"renewableDueDate": "2023-02-15",

"categoryId": "1",

"qualifications": [

{

"nameOfDegreeOrDiplomaObtained": "3841",

"country": "356",

"state": "28",

```
        "college": "76",
        "university": "35",
        "monthOfAwardingDegreeDiploma": "",
        "yearOfAwardingDegreeDiploma": "2020",
        "degreeCertificate": "",
        "isNameDifferentInCertificate": "0",
        "proofOfNameChangeCertificate": ""
    }
]
}
],
},
"currentWorkDetails": {
    "currentlyWorking": "1",
    "purposeOfWork": "Practice",
    "chooseWorkStatus": "1",
    "reasonForNotWorking": "",
    "certificateAttachment": "",
"facilityDeclarationData": {
    "facilityId": "",
    "facilityName": "",
    "facilityAddress": "",
"facilityPincode": "",
    "state": "",
    "district": "",
    "facilityType": "",
    "facilityDepartment": "",
    "facilityDesignation": ""
}
```

```
}  
  
}  
  
}
```

Sample Response

```
{  
  "referenceNumber": "e7651xxx-d1xx-42xx-8cxx-27b6d48e4xxx",  
  "status": true,  
  "hprId": "7x-18xx-05xx-36xx",  
  "message": "Congratulations! Your profile has been submitted successfully for verification." }
```

Note : In case of ["chooseWorkStatus": "1", "chooseWorkStatus": "2"] ["facilityDeclarationData": {...}] is mandatory;

In case of ["chooseWorkStatus": "0"] if facility data not available then remove ["facilityDeclarationData": {...}] from payload;

Example

```
"currentWorkDetails": {  
  "currentlyWorking": "1",  
  "purposeOfWork": "practice",  
  "chooseWorkStatus": "0",  
  "reasonForNotWorking": "",  
  "certificateAttachment": ""  
}
```

Note: In case registered healthcare professionals is doctor and ["isPermanentOrRenewable": "Renewable"] then ["renewableDueDate"] is mandatory, if health professional choose ["isPermanentOrRenewable": "Permanent"] then ["renewableDueDate"] is not mandatory.

If healthcare professionals is nurse then isPermanentOrRenewable and renewableDueDate is not required.

Example

```
"registrationData": [
{
  "registeredWithCouncil": "7",
  "registrationNumber": "123455",
  "registrationCertificate": "",
  "isNameDifferentInCertificate": "0",
  "proofOfNameChangeCertificate": "",
  "registrationDate": "2023-02-15",
  "isPermanentOrRenewable": "Renewable",
  "renewableDueDate": "2023-02-15",
  "categoryId": "1"
}
]
```

FieldName	Mandatory	Datatype	Size	Comments
hprToken	Yes			Accesstoken from Create HPRID Api
profilePhoto	No	varchar		
healthProfessionalType	Yes	string		doctor/nurse /pharmacist
officialMobileCode	No	varchar	5	
officialMobile	Yes	varchar	10	
officialMobileStatus	No	Int	1	(0,1)
officialEmail	No	varchar		
officialEmailStatus	No	Int	1	(0,1)
visibleProfilePicture	No	Int	1	
salutation	Yes	Int	1	
firstName	Yes	string		
middleName	No	string		
lastName	No	string		
fatherName	No	string		
motherName	No	string		
spouseName	No	string		
nationality	Yes	varchar		Id from masterdata – refer Countries sheet
placeOfBirthState	No	varchar		Iso_code from master data

District	No	varchar		Iso_code from master data
subDistrict	No	varchar		Iso_code from master data
City	No	varchar		Iso_code from master data
languagesSpoken	Yes	varchar		Ex: “1,5” – if two languages spoken. “1” – if one language spoken For Codes Refer Master Data
isCommunicationAddressAsPerKYC	No	int	1 0	(0,1) – No 1 – Yes If isCommunicationAddressAsPerKYC is 0 then address related fields under communication address are mandatory. If isCommunicationAddressAsPerKYC is 1 then fields under communication address are non - mandatory.
Address	Yes	text		
Name	Yes	varchar		
Country	Yes	int	10	Id from masterdata
State	Yes	int	10	Iso_code from master data
District	Yes	int	10	Iso_code from master data
subdistrict	No	int	10	Iso_code from master data
City	No	int	10	Iso_code from master data
postalCode	Yes	int	10	
publicMobileNumber	No	varchar	10	
publicMobileNumberCode	No	varchar	5	
publicMobileNumberStatus	NO	Int	1	(0,1)

landLineNumber	No	varchar	10	
landLineNumberCode	No	varchar	5	

publicEmail	No	varchar		
publicEmailStatus	No	int	1	(0,1)
Category	Yes	int	10	Doctor sub category code/ Nurse sub category/ Pharmacist sub category code from master data Ex: Modern Medicine- 1
registeredWithCouncil	Yes	varchar		Id from master data
registrationNumber	Yes	varchar		
registrationCertificate	No	varchar		Refer Attachments section for detailed description
isNameDifferentInCertificate	No	int		(0,1) 0 - No 1 - yes
proofOfNameChangeCertificate	No	varchar		If isNameDifferent I Certificate is 1 then this field is mandatory Refer Attachments section for detailed description
categoryId	Yes	int	10	Doctor sub category code/ Nurse sub category/ Pharmacist sub category code from master data Ex : Modern Medicine - 1
nameOfDegreeOrDiplomaObtained	Yes	int	10	Id from Master data
Country	Yes	int	10	Id from master data
State	Yes	int	10	Iso_code from Master data
College	Yes	int	10	Id from master Data For “Any Other” Send 0.

university	Yes	int	10	Id from master Data For “Any Other” Send 0.
monthOfAwardingDegreeDiploma	No	varchar		
yearOfAwardingDegreeDiploma	Yes	Date		
degreeCertificate	No	varchar		
isNameDifferentInCertificate	No	int		(0,1) – No - yes

proofOfNameChangeCertificate	No	varchar		If isNameDifferentInCertificate is 1 then this field is mandatory Refer Attachments section for detailed description
------------------------------	----	---------	--	--

currentlyWorking	Yes	int	1	(0,1) – No – yes
purposeOfWork	Yes	string		Refer nature of work from master data
chooseWorkStatus	Yes	int	1	(0,1,2) – private – government only - both
reasonForNotWorking	Yes	string		currentlyWorking is 0 then this field is mandatory
certificateAttachment	No	varchar		Refer Attachments section for detailed description
facilityId	No	varchar		Facility ID
facilityName	No	varchar		If facilityId not provided, then facilityName will be mandatory
facilityAddress	No	varchar		If facilityId not provided, then facilityAddress will be mandatory
facilityPincode	No	varchar		If facilityId not provided, then facilityPincode will be mandatory
state	No	int	10	Iso_code from masterdata,If facilityId not provided, then state will be mandatory
district	No	int	10	Iso_code from masterdata,If facilityId not provided, then district will be mandatory
facilityType	No	varchar		If facilityId not provided, then facilityType will be mandatory
facilityDepartment	No	varchar		If facilityId provided,then facilityDepartment and Facility Designation will be mandatory
facilityDesignation	No	varchar		If facilityId provided, then facilityDepartment and Facility Designation will be mandatory
isPermanentOrRenewable	No	Varchar		If healthProfessionalType is doctor then this is mandatory
renewableDueDate	No	Varchar		If isPermanentOrRenewable is Renewable then you need to input due date
profileVisibleToPublic	No	Int	1	If health professional wants to display in public, then set to 1

Attachments:

Kindly refer below for sending any attachments in the registerProfessional Payload.

Below is the json Format for sending attachments

```
{
  "fileType": <file type>,
  "data": <base64 encoded data>
}
```

Fields Description

“filetype” - Possible values for fileType field are mentioned below

- ‘image/jpeg’
- ‘image/png’

“data” – please send the respective attachment in base64 encoded format

NOTE:

- Please refer the below site where you can base64 encode your image online.

<https://www.base64-image.de/>

Examples:

```
"registrationCertificate" : {
  "fileType" : "image/jpeg",
  "data": "9j/4AAQSkZJRgABAQAAQABAAD/ ..... "
},
```

```
"degreeCertificate" : {
  "fileType" : " image/png ",
  "data": "9j/4AAQSkZJRgABAQAAQABAAD/ ..... "
},
```

```
"proofOfNameChangeCertificate" : {
  "fileType" : " image/png",
  "data": "9j/4AAQSkZJRgABAQAAQABAAD/ ..... "
},
```

10. Retrieve Professional Document List API

Users will get all the document list with their identifier which can be used in upload document API mentioned below.

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://doctorsbx.abdm.gov.in/apis/v1/doctors/fetch-documents-list
Request Body	{ hprid : "71-****-****-1358" }

Sample Response –

<pre>{ "documentList": { "profileDetails": { "profilePhoto": { "id": 1***1 }, "proofOfWorkCertificate": { "id": 1***1 } }, "registra onDetails": [{ "registra onCertificate": { "id": 1***4, "systemOfMedicide": "m****ne" }, "proofOfNameChangeRegCertificate": { "id": 1***4, "systemOfMedicide": "mo*****ine" } }], "qualificationDetails": [{</pre>
--

```

    "degreeCertificate": {
      "id": 6**2,
      "courseName": "MBBS - Bachelor **** of Surgery ",
      "qualificationYear": "2022"
    },
    "proofOfNameChangeQualCertificate": {
      "id": 6***2,
      "courseName": "MBBS - Bachelor **** of Surgery ",
      "qualificationYear": "2022"
    }
  ]
},
"Message": "Data fetched successfully"
}

```

Request Parameters will be as given below.

Field Name	Mandatory	Datatype	Size	Comments
hprid	Yes	Varchar		Health professional ID

11. Upload documents API

Note:

1. Append tokenType Bearer before the access token, give a space and then add your access token as shown below
2. Append token in Request body as hpr_token.
3. degreeCertificate, registrationCertificate are mandatory document types.
4. If Health professional is of government type or both then proofOfWorkCertificate is required.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Key: hpr_token

Value: <Your HPRID Login Via Password API Auth Token goes here>

Method	Post
URL	https://doctorsbx.abdm.gov.in/apis/v1/uploads/upload-document

Request Body	<pre> { "hpr_token": "<access token>", "document": [{ "document_id": ****, "document_type": "profilePhoto", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "degreeCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "registra onCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "proofOfWorkCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }] } </pre>
	<pre> "fileType": "<file type>", "data": "<base64 encode string>" }, { "document_id": ****, "document_type": "proofOfWorkCertificate", "fileType": "<file type>", "data": "<base64 encode string>" }] } </pre>

Sample Response	
<pre> { "profilePhoto": { "status": "pass", "msg": "Profile pic has been uploaded." }, "degreeCertificate": { "status": "pass", "msg": "Degree cer ficate updated" }, "registra onCertificate": { "status": "pass", "msg": "Registra on cer ficate updated" }, "proofOfWorkCertificate": { "status": "pass", "msg": "Work proof certificate updated" } } </pre>	

Field Name	Mandatory	Datatype	Size	Comments
hpr_token	Yes			Access token from HPRID login API
document_id	yes	int		Identifier from Retrieve Professional detail api for the respective detail
document_type	yes	varchar		
data	yes	varchar		Base64 encode string of file

File size should not exceed 1 mb for profile photo and 5 mb for other documents and supported document types are png, jpeg, jpg, pdf.

Supported document types are profilePhoto, degreeCertificate, registrationCertificate, proofOfWorkCertificate, proofOfNameChangeRegCertificate, proofOfNameChangeQualCertificate.

Document Type	Identifier (Get Professional Details)
profilePhoto	Parent Identifier
degreeCertificate	Qualification block identifier
registrationCertificate	Registration block identifier
proofOfWorkCertificate	Parent Identifier
proofOfNameChangeRegCertificate	Registration block identifier
proofOfNameChangeQualCertificate	Qualification block identifier