ArogyaMitra Healthcare System

Complete REST API Specification Document

Enterprise REST API Reference • Categories: Auth | Hospital | Admin | ArogyaSevak | Scheme

Comprehensive reference manual for all core REST API modules: Authentication & Login, Hospital Empanelment, System Administration, ArogyaSevak Field Staff, and Healthcare Schemes.

Base Server URL:	`http://localhost:5000/api` | `https://api.arogyamitra.gov.in/api`
Authentication:	Bearer JWT Token in Authorization header: Bearer <TOKEN>
Content-Type:	`application/json` | `multipart/form-data (for CSV upload)`

1. Login & Authentication APIs

Endpoints for portal login, OTP initiation, verification, password management, and session refresh.

POST /api/auth/login

[Auth: Public]

Description: Password-based login for registered Admin, Citizen, or ArogyaSevak.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210",
  "password": "Password@123"
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "User authenticated successfully",
  "data": {
    "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "user": {
      "id": "usr-123",
      "mobile": "9876543210",
      "role": "ADMIN",
      "full_name": "Admin User"
    }
```

POST /api/auth/initiate

[Auth: Public]

Description: Check mobile number registration status and determine if password or OTP is required.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210"
}
```

' **Response (200 OK):**

```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "isRegistered": true,
    "hasPassword": true,
    "userType": "ADMIN",
    "otpSent": false
  }
}
```

POST /api/auth/send-otp

[Auth: Public]

Description: Send or resend 4-digit verification OTP to user mobile number.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210"
}
```

' **Response (200 OK):**

```
{
  "statusCode": 200,
  "success": true,
  "message": "OTP sent successfully to mobile number",
  "data": {
    "mobile": "9876543210",
    "expiresIn": 300
  }
}
```

POST /api/auth/verify-otp

[Auth: Public]

Description: Verify 4-digit OTP for login or password reset flow.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210",
  "otp": "1234"
}
```

' **Response (200 OK):**

```
{
  "statusCode": 200,
  "success": true,
  "message": "OTP verified successfully",
  "data": {
    "tempToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
  }
}
```

POST /api/auth/refresh

[Auth: Public (Refresh Token)]

Description: Issue new JWT access token using valid refresh token.

%¶ Request (JSON / Query):

```
{
  "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
  }
}
```

POST /api/auth/logout

[Auth: Bearer Token (Optional)]

Description: Invalidate refresh token and end active user session.

%¶ Request (JSON / Query):

```
{
  "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "Logged out successfully"
}
```

2. Hospital Management APIs

Endpoints for hospital empanelment, bulk CSV upload, capacity stats, and Sevak assignment.

POST /api/hospitals

[Auth: Bearer Token (ADMIN)]

Description: Empanel a new hospital with bed capacity, clinical specialties, and address.

%¶ Request (JSON / Query):

```
{
  "hospital_code": "HOSP-001",
  "name": "Sassoon General Government Hospital",
  "type": "Government",
  "location": "Pune",
  "address": "Near Pune Railway Station, Sassoon Road",
  "areaTaluka": "Haveli Taluka",
  "pincode": "411001",
  "scheme": "PM-JAY, MJPJAY, CMRF",
  "nearestLandmark": "Opposite Pune Railway Station",
  "contact": "020-26128000",
  "bedsAvailable": 45,
```

' **Response (201 Created):**


```
{
  "statusCode": 201,
  "success": true,
  "message": "Hospital empanelled successfully",
  "data": {
    "id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d",
    "hospital_code": "HOSP-001",
    "name": "Sassoon General Government Hospital",
    "contact": "020-26128000",
    "beds_available": 45,
    "assigned_sevaks": [
      {
        "id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
```


POST **/api/hospitals/bulk** [Auth: Bearer Token (ADMIN)]

Description: Bulk insert multiple hospitals via JSON array or multipart CSV file.

%¶ Request (JSON / Query):


```
{
  "hospitals": [
    {
      "hospital_code": "HOSP-002",
      "name": "Pune District Civil Hospital, Aundh",
      "type": "Government",
      "location": "Pune",
      "contact": "020-25881000",
      "scheme": "PM-JAY, MJPJAY",
      "bedsAvailable": 30
    }
  ]
```


' **Response (201 Created):**


```
{
  "statusCode": 201,
  "success": true,
  "message": "Successfully imported 1 hospitals",
  "data": {
    "successCount": 1,
    "failedCount": 0,
    "hospitals": [
      {
        "id": "hosp-uuid-2",
        "name": "Pune District Civil Hospital",
        "status": "ACTIVE"
      }
```

GET /api/hospitals

[Auth: Bearer Token]

Description: List empanelled hospitals with search query, filters, and pagination.

%¶ Request (JSON / Query):

```
{
  "search": "Sassoon",
  "page": 1,
  "limit": 10
}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "total": 1,
    "page": 1,
    "limit": 10,
    "hospitals": [
      {
        "id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d",
        "hospital_code": "HOSP-001",
        "name": "Sassoon General Government Hospital",
        "beds_available": 45,
```


GET /api/hospitals/:id

[Auth: Bearer Token]

Description: Get full hospital profile and facility details by UUID or hospital code.

%¶ Request (JSON / Query):

```
{
  "path_param": {
    "id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d"
  }
}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d",
    "hospital_code": "HOSP-001",
    "name": "Sassoon General Government Hospital",
    "contact": "020-26128000",
    "scheme": "PM-JAY, MJPJAY, CMRF",
    "assigned_sevaks": [
      {
        "id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
        "name": "Ramesh Pawar",
```

POST /api/hospitals/:id/assign-sevaks

[Auth: Bearer Token (ADMIN)]

Description: Assign one or more ArogyaSevaks to this specific hospital.

%¶ Request (JSON / Query):

```
{
  "sevak_ids": [
    "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d"
  ],
  "selectedSevaks": [
    "Ramesh Balaji Pawar"
  ],
  "remarks": "Assigned via Admin Portal"
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "Assigned 1 ArogyaSevak(s) to hospital successfully",
  "data": {
    "hospital_id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d",
    "assigned_count": 1
  }
}
```

DELETE /api/hospitals/:id

[Auth: Bearer Token (ADMIN)]

Description: Delete hospital profile and remove active assignments.

%¶ Request (JSON / Query):

```
{
  "path_param": {
    "id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d"
  }
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "Hospital and active assignments removed successfully"
}
```

3. System Admin Management APIs

Endpoints for creating admins, listing administrators, and viewing current admin profile.

POST **/api/admins** [Auth: Bearer Token (ADMIN)]

Description: Register a new System Administrator account.

%¶ Request (JSON / Query):

```
{
  "full_name": "Dr. Sunita Deshmukh",
  "mobile": "9822012345",
  "email": "sunita.deshmukh@arogyamitra.gov.in",
  "designation": "District Health Officer",
  "department": "Health Administration"
}
```

' Response (201 Created):

```
{
  "statusCode": 201,
  "success": true,
  "message": "System Admin registered successfully",
  "data": {
    "id": "adm-uuid-1",
    "full_name": "Dr. Sunita Deshmukh",
    "mobile": "9822012345",
    "role": "ADMIN",
    "status": "ACTIVE"
  }
}
```

GET **/api/admins** [Auth: Bearer Token (ADMIN)]

Description: List all registered System Administrators.

%¶ Request (JSON / Query):

```
{
  "search": "Sunita"
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "total": 1,
    "admins": [
      {
        "id": "adm-uuid-1",
        "full_name": "Dr. Sunita Deshmukh",
        "mobile": "9822012345",
        "email": "sunita.deshmukh@arogyamitra.gov.in",
        "designation": "District Health Officer",
        "status": "ACTIVE"
```

GET **/api/admins/me** [Auth: Bearer Token (ADMIN)]

Description: Get authenticated admin profile details.

%¶ Request (JSON / Query):

```
{}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "id": "adm-uuid-1",
    "full_name": "Dr. Sunita Deshmukh",
    "mobile": "9822012345",
    "role": "ADMIN",
    "department": "Health Administration"
  }
}
```


4. ArogyaSevak Field Staff APIs

Endpoints for 6-digit OTP login, profile registration, multi-hospital mapping, and editing details.

POST **/api/arogya-sevaks/auth/send-otp** [Auth: Public]

Description: Send 6-digit OTP to ArogyaSevak mobile number for app login.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210"
}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "message": "6-digit OTP sent successfully to mobile",
  "data": {
    "mobile": "9876543210",
    "expires_in_seconds": 300
  }
}
```

POST /api/arogya-sevaks/auth/verify-otp

[Auth: Public]

Description: Verify 6-digit OTP and generate JWT authentication token for Sevak mobile dashboard.

%¶ Request (JSON / Query):

```
{
  "mobile": "9876543210",
  "otp": "123456"
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "ArogyaSevak authenticated successfully",
  "data": {
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "sevak": {
      "id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
      "employee_code": "AS-PUN-0042",
      "full_name": "Ramesh Balaji Pawar",
      "mobile": "9876543210",
      "assigned_hospitals": [
        {
```

POST /api/admins/arogya-sevaks

[Auth: Bearer Token (ADMIN)]

Description: Admin registers a new ArogyaSevak with geographic location and hospital assignment.

%¶ Request (JSON / Query):

```
{
  "full_name": "Ramesh Balaji Pawar",
  "mobile": "9876543210",
  "email": "ramesh.pawar@arogyamitra.gov.in",
  "address": "42 Raviwar Peth",
  "city": "Pune",
  "taluka": "Haveli",
  "district": "Pune",
  "assigned_hospitals": [
    "HOSP-001"
  ]
}
```

' Response (201 Created):

```
{
  "statusCode": 201,
  "success": true,
  "message": "ArogyaSevak registered successfully",
  "data": {
    "id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
    "employee_code": "AS-PUN-0042",
    "full_name": "Ramesh Balaji Pawar",
    "status": "ACTIVE"
  }
}
```

GET /api/admins/arogya-sevaks

[Auth: Bearer Token (ADMIN)]

Description: List all ArogyaSevaks with their assigned hospitals and active patient counts.

%¶ Request (JSON / Query):

```
{
  "search": "Ramesh"
}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "total": 1,
    "sevaks": [
      {
        "id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
        "employee_code": "AS-PUN-0042",
        "full_name": "Ramesh Balaji Pawar",
        "mobile": "9876543210",
        "status": "ACTIVE",
        "assigned_hospitals": [
```


PUT /api/admins/arogya-sevaks/:id

[Auth: Bearer Token (ADMIN)]

Description: Update personal, contact, address, and status details of an ArogyaSevak.

%¶ Request (JSON / Query):

```
{
  "full_name": "Ramesh B. Pawar",
  "mobile": "9876543210",
  "address": "New Shukrawar Peth",
  "city": "Pune",
  "status": "ACTIVE"
}
```

' Response (200 OK):


```
{
  "statusCode": 200,
  "success": true,
  "message": "ArogyaSevak details updated successfully"
}
```

POST **/api/admins/arogya-sevaks/assign-hospitals** [Auth: Bearer Token (ADMIN)]

Description: Assign a single ArogyaSevak to multiple hospitals simultaneously.

%¶ Request (JSON / Query):

```
{
  "sevak_id": "c2b4a5d6-7e8f-9a0b-1c2d-3e4f5a6b7c8d",
  "hospital_ids": [
    "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d",
    "hosp-uuid-2"
  ]
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "Assigned ArogyaSevak to 2 hospital(s) successfully"
}
```

POST **/api/admins/arogya-sevaks/:id/unassign** [Auth: Bearer Token (ADMIN)]

Description: Unassign ArogyaSevak from a specific hospital.

%¶ Request (JSON / Query):

```
{
  "hospital_id": "c1f7b8e2-9d3a-4a2e-b81c-8e4f1a2b3c4d"
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "ArogyaSevak unassigned from hospital successfully"
}
```

5. Healthcare Scheme APIs

Endpoints for registering state/central schemes, managing coverages, required documents, and toggling status.

POST **/api/schemes** [Auth: Bearer Token (ADMIN)]

Description: Register a new healthcare assistance scheme with coverage amount & required documents.

%¶ Request (JSON / Query):

```
{
  "code": "MJPJAY",
  "name": "Mahatma Jyotirao Phule Jan Arogya Yojana",
  "category": "State Flagship Scheme",
  "coverageAmount": " ¹1,50,000 / family / year",
  "maxCoverageVal": 150000,
  "description": "Cashless treatment for identified diseases and critical procedures.",
  "eligibility": "Orange/Yellow Ration card holders residing in Maharashtra",
  "hotline": "1800-120-8040",
  "requiredDocuments": [
    "Aadhaar Card",
    "Ration Card (Orange / Yellow / Antyodaya)",
```

' **Response (201 Created):**


```
{
  "statusCode": 201,
  "success": true,
  "message": "Scheme registered successfully",
  "data": {
    "id": "sch-uuid-1",
    "code": "MJPJAY",
    "name": "Mahatma Jyotirao Phule Jan Arogya Yojana",
    "coverage_amount": " ¹1,50,000 / family / year",
    "status": "Active"
  }
}
```


GET /api/schemes

[Auth: Public / Bearer Token]

Description: List all empanelled healthcare schemes with document prerequisites and coverage limits.

%¶ Request (JSON / Query):


```
{
  "search": "MJPJAY"
}
```


' **Response (200 OK):**


```
{
  "statusCode": 200,
  "success": true,
  "data": [
    {
      "id": "sch-uuid-1",
      "code": "MJPJAY",
      "name": "Mahatma Jyotirao Phule Jan Arogya Yojana",
      "category": "State Flagship Scheme",
      "coverage_amount": " ¹1,50,000 / family / year",
      "hotline": "1800-120-8040",
      "status": "Active"
    },
```


GET /api/schemes/:id

[Auth: Public / Bearer Token]

Description: Get single scheme details including eligibility criteria and document list.

%¶ Request (JSON / Query):


```
{
  "path_param": {
    "id": "sch-uuid-1"
  }
}
```

' **Response (200 OK):**


```
{
  "statusCode": 200,
  "success": true,
  "data": {
    "id": "sch-uuid-1",
    "code": "MJPJAY",
    "name": "Mahatma Jyotirao Phule Jan Arogya Yojana",
    "max_coverage_val": 150000,
    "required_documents": [
      "Aadhaar Card",
      "Ration Card",
      "Income Certificate"
    ],
```


PUT /api/schemes/:id

[Auth: Bearer Token (ADMIN)]

Description: Update scheme coverage, hotline, or required document list.

%¶ Request (JSON / Query):

```
{
  "name": "MJPJAY Updated Scheme",
  "coverageAmount": " ¹2,00,000 / family / year",
  "maxCoverageVal": 200000,
  "hotline": "1800-120-8040"
}
```

' **Response (200 OK):**


```
{
  "statusCode": 200,
  "success": true,
  "message": "Scheme details updated successfully"
}
```


PATCH /api/schemes/:id/status

[Auth: Bearer Token (ADMIN)]

Description: Toggle scheme between Active and Inactive states.

%¶ Request (JSON / Query):

```
{
  "path_param": {
    "id": "sch-uuid-1"
  }
}
```

' **Response (200 OK):**


```
{
  "statusCode": 200,
  "success": true,
  "message": "Scheme status changed to Inactive",
  "data": {
    "id": "sch-uuid-1",
    "status": "Inactive"
  }
}
```

DELETE /api/schemes/:id

[Auth: Bearer Token (ADMIN)]

Description: Delete healthcare scheme from the directory.

%¶ Request (JSON / Query):

```
{
  "path_param": {
    "id": "sch-uuid-1"
  }
}
```

' Response (200 OK):

```
{
  "statusCode": 200,
  "success": true,
  "message": "Scheme removed successfully"
}
```