# APPROVAL SHEET

Title of Thesis: MY-	THESIS-TIT	ΓLE
Name of Candidate:	DEGREE-	
Thesis and Abstract A	Approved:	MY-ADVISORS-NAME MY-ADVISORS-TITLE Department of Computer Science and Electrical Engineering
Date Approved:		

#### **Curriculum Vitae**

**Name:** MY-FULL-NAME.

**Permanent Address:** MY-FULL-ADDRESS.

Degree and date to be conferred: DEGREE-NAME, GRADUATION-MONTH

GRADUATION-YEAR.

**Date of Birth:** MY-BIRTHDATE.

Place of Birth: MY-PLACE-OF-BIRTH.

**Secondary Education:** MY-HIGH-SCHOOL, MY-HIGH-SCHOOLS-CITY,

MY-HIGH-SCHOOLS-STATE.

#### **Collegiate institutions attended:**

University of Maryland Baltimore County, DEGREE-NAME MY-MAJOR, GRADUATION-YEAR.

MY-OTHER-DEGREES.

Major: MY-MAJOR.

**Minor:** MY-MINOR.

#### **Professional publications:**

FULL-CITATION-INFORMATION.

FULL-CITATION-INFORMATION.

#### **Professional positions held:**

EMPLOYMENT-INFO. (START-DATE - END-DATE).

EMPLOYMENT-INFO. (START-DATE - END-DATE).

#### **ABSTRACT**

**Title of Thesis:** Recoloring Web Pages For Color Vision Deficiency Users.

Vikas Bansal, Masters in Science, 2014

**Thesis directed by:** Dr. Lina Zhou, Associate Professor

Department of Information Systems

Dr. Tim Finin, Professor

Department of Computer Science and

**Electrical Engineering** 

Colors are an important part of our life. They are commonly used to represent important information, specially, categories. Ability to differentiate between colors is important in performing routine tasks such as reading content, following traffic lights etc. This ability varies from person to person. Many people experience difficulty in reading content on web pages due to this variation. These difficulties result from the inability of individuals to sufficiently differentiate between colors. This condition of an individual is called Color Vision Deficiency (CVD). More than four percent of current population suffer from some kind of CVD, significantly affecting their web experience.

To improve the web experience of CVD users, we have presented an algorithm which can be used to recolor web pages such that the recolored web pages do not pose any difficulty to a CVD user. Replaced colors are chosen from a fixed set of color called Dichromacy Trichromacy Equivalency Plane (DTEP) set. While recoloring we also preserve the naturalness and contrast among foreground and background colors in different sections of the web page. A quantitative comparison with the existing tool SPRWeb[] shows that our algorithm performs better in preserving contrast among different sections of the web pages and doesnt differ much in preserving naturalness.

An additional step in to algorithm was added to induce the contrast in pairs according to the W3C guidelines. Quantitative experimentation of modified algorithm shows that

contrast ratio in each replacement pair is more than 4.5 as required for readability.

# **TITLE-OF-THESIS**

by MY-FULL-NAME

Thesis submitted to the Faculty of the Graduate School of the University of Maryland in partial fulfillment of the requirements for the degree of DEGREE-NAME CURRENT-YEAR



INSERT-DEDICATION-HERE

### **ACKNOWLEDGMENTS**

Write your acknowledgment here.

# TABLE OF CONTENTS

DEDIC	ATION i	i
ACKNO	DWLEDGMENTS ii	i
LIST O	F FIGURES	'n
LIST O	F TABLES	i
Chapter	r 1 INTRODUCTION	1
1.1	SECTION-TITLE	2
1.2	SECTION-TITLE	2
	1.2.1 SECTION-TITLE	2
	1.2.2 SECTION-TITLE	2
Chapter	BACKGROUND AND RELATED WORK	3
2.1	Color Vision Deficiency (C.V.D.)	3
2.2	Diagnosis	5
2.3	Related Work	5
Chapter	r 3 SYSTEM ARCHITECTURE	7

3.1	SECTI	ION-TITLE	9
3.2	SECTI	ION-TITLE	9
	3.2.1	SECTION-TITLE	9
	3.2.2	SECTION-TITLE	9
Append	ix A	APPENDIX-TITLE	10
A.1	SECTI	ION-TITLE	10
A.2	SECTI	ION-TITLE	10
	A.2.1	SECTION-TITLE	10
	A.2.2	SECTION-TITLE	10

### LIST OF FIGURES

3.1	Sample Look Up	Table																														8	
-----	----------------	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--

### LIST OF TABLES

#### Chapter 1

### INTRODUCTION

Website colors specially which are used in foreground text and background are responsible to provide legibility in the content. In addition to providing legibility, they also influence the subjective responses from the users. Depending on the color, a website may seem heavy or light, high or low in temperature and may tell about busyness.

While one solution to the problem of illegibility could be to educate web designers so that they only use a set of colors which are comfortable to both CVD and normal users. [we have developed one such technique - webpages colors downloaded]. Which is a kind of a prevention step. One such color combination could be to develop all the webpages using only black and white. But that itself defeats the purpose of existence of colors. Most of the web developers today, even being aware of the existence of CVD users, develop web pages considering only normal web users leading to confusion and frustration among CVD users.

Another solution is more of a rectifying step. In this, we recolor existing bad web pages to suit the need of both normal and CVD users.

- 1.1 SECTION-TITLE
- 1.2 SECTION-TITLE
  - 1.2.1 SECTION-TITLE
  - 1.2.2 SECTION-TITLE

#### Chapter 2

### **BACKGROUND AND RELATED WORK**

In this section we will learn about CVD and the existing related work to deal with it. Which also formed the basis of this thesis.

#### 2.1 Color Vision Deficiency (C.V.D.)

Color vision deficiency, is the inability or decreased ability to see color, or perceive color differences, under normal lighting conditions. Color blindness affects a significant percentage of the population. There is no actual blindness but there is a deficiency of color vision. The most usual cause is a fault in the development of one or more sets of retinal cones that perceive color in light and transmit that information to the optic nerve. This type of color blindness is usually a sex-linked condition. The genes that produce photopigments are carried on the X chromosome; if some of these genes are missing or damaged, color blindness will be expressed in males with a higher probability than in females because males only have one X chromosome (in females, a functional gene on only one of the two X chromosomes is sufficient to yield the needed photopigments).

Color blindness can also be produced by physical or chemical damage to the eye, the optic nerve, or parts of the brain. For example, people with achromatopsia suffer from a completely different disorder, but are nevertheless unable to see colors.

By cause CVD can be classified in to three types:

- Acquired
- Inherited: Inherited can further be classified in to three types:
  - Monochromacy: Also known as "total color blindness", is the lack of ability to distinguish colors (and thus the person views everything as if it were on a black and white television); caused by cone defect or absence. Monochromacy occurs when two or all three of the cone pigments are missing and color and lightness vision is reduced to one dimension. We are not dealing with this type in our current version of the algorithm.
  - Dichromacy: Dichromacy is a moderately severe color vision defect in which
    one of the three basic color mechanisms is absent or not functioning. Our algorithm can recolor web pages to suit all the Dichromats.
    - \* Protanopia (1% of the males): Protanopia is a severe type of color vision deficiency caused by the complete absence of red retinal photoreceptors. It is a form of dichromatism in which the subject can only perceive light wavelengths from 400 to 650nm, instead of the usual 700nm. Pure reds cannot be seen, instead appearing black; purple colors cannot be distinguished from blues; more orange-tinted reds may appear as very dim yellows, and all orange-yellow-green shades of too long a wavelength to stimulate the blue receptors appear as a similar yellow hue. It is hereditary and sex-linked.
    - \* Deuteranopia (1% of the males): Deuteranopia is a color vision deficiency in which the green retinal photoreceptors are absent, moderately affecting redgreen hue discrimination. It is a form of dichromatism in which

there are only two cone pigments present. It is likewise hereditary and sex-linked.

\* Tritanopia (Less than 1% of males and females): Tritanopia is a very rare color vision disturbance in which there are only two cone pigments present and a total absence of blue retinal receptors. Blues appear greenish, yellows and oranges appear pinkish, and purple colors appear deep red. It is related to Chromosome "7".

#### Anomalous trichromacy

#### 2.2 Diagnosis

The Ishihara color test, which consists of a series of pictures of colored spots, is the test most often used to diagnose redgreen color deficiencies. A figure (usually one or more Arabic digits) is embedded in the picture as a number of spots in a slightly different color, and can be seen with normal color vision, but not with a particular color defect. The full set of tests has a variety of figure/background color combinations, and enable diagnosis of which particular visual defect is present.

To test the type of color blindness users have, we did the Ishihara color test on each of them during our user study of the algorithm.

#### 2.3 Related Work

Quite a work has been done to both simulate and correct CVD. Ichikawa et al. [16sprweb] were the first publishers of a website recolouring tool that improves accessibility for people with CVD. Iaccarino et al. [15sprweb] proposed the use of edge services to recolour website images in transit to the user. ColorBlindnessSimulateCorrect by Seewald Solutions is one of the examples of an application developed to both sim-

ulate and correct CVD effect. It uses a linear transformation on rgb input. Daltonize developed by www.daltonize.org can be used to recolor web pages. They first convert RGB values of a color to LMS values and then compensate for color blindness by shifting wavelengths away from the portion of the spectrum invisible to the dichromat, towards the visible portion. Eyepilot [http://www.colorhelper.com/] enables computer users with redgreen color blindness to decipher color-coded maps and graphs by letting the user place a floating window on top of any picture to distinguish among the various color fields. The GNOME[http://en.wikipedia.org/wiki/GNOME] desktop environment provides users with the option to switch a color filter on and off choosing from a set of possible color transformations that displace the colors in order to disambiguate them. While all these tools have proved to be effective in inducing differentiability in the content and thus providing legibility, but none of them have been able to retain the naturalness1, differentiability2 of the original web page.

One such tool which preserves naturalness and improves color differentiability is kuhns tool. One improvement on naturalness preservation was done by David et al. in SPRWeb[]. Which is also the basis of this thesis. SPRWeb performs better in preserving naturalness and differentiability than Kuhns tool. But it fails to make sure than all the foreground background color pairs have the minimum required contrast ratio threshold of 4.5 as per W3C guidelines.

#### Chapter 3

### **SYSTEM ARCHITECTURE**

In this chapter, we are going to present the approaches that we took to solve the problem in hand and then we will finally present our algorithm to recolor web pages. We started of with a very intuitive idea. We first figured out that what color is conflicting with the color schema of the web page. After we figure that out, we replace those conflicting colors such that there are no more conflicts. In this idea, we need an initial knowledge of what two colors would be conflicting. And in addition to this, we also need to know what would be the safe colors which we can put in place of conflicting colors. To get an idea of this algorithm lets see the following example:

For simplicity, lets assume that we are recoloring web pages which are developed using only the following set of colors. Lets call this set as **U**(Universal Set):

- 1. Black(#000000)
- 2. Blue(#003366)
- 3. Orange(#FF9900)
- 4. Yellow(#FFCC00)
- 5. Red(#FF0000)

### 6. Green(#00FF00)

### 7. White(#FFFFF)

To recolor web pages for a particular type of CVD, lets say Protanopia, we need a kind of table like this:

	Black	Blue	Orange	Yellow	Red	Green	White
Black	Х	✓	✓	✓	✓	✓	✓
Blue	✓	Х	1	✓	1	1	1
Orange	✓	1	Х	✓	Х	Х	1
Yellow	✓	1	1	Х	1	1	Х
Red	✓	1	Х	✓	Х	Х	✓
Green	✓	1	Х	✓	Х	Х	1
White	✓	1	✓	Х	1	1	Х

FIG. 3.1: Sample Look Up Table

### 3.1 SECTION-TITLE

### 3.2 SECTION-TITLE

### 3.2.1 SECTION-TITLE

### 3.2.2 SECTION-TITLE

# Appendix A

# **APPENDIX-TITLE**

#### INSERT-APPENDIX-TEXT-HERE

- A.1 SECTION-TITLE
- A.2 SECTION-TITLE
- A.2.1 SECTION-TITLE
- A.2.2 SECTION-TITLE