

TSFAE02_P1: Summary of Treatment-emergent Adverse Events by System Organ Class and Preferred Term; Part 1, Combination Treated Analysis Set (Study MYF1001)

System Organ Class Preferred Term	Dose Level 1 Imetelstat 4.7 mg/kg (N=3)	Dose Level 2 Imetelstat 6.0 mg/kg (N=3)	Dose Level 3 Imetelstat 7.5 mg/kg (N=4)	Dose Level 4 Imetelstat 9.4 mg/kg (N=9)	Dose Escalation Part Total (N=19)
Subjects with at least one TEAEs	3 (100.0%)	3 (100.0%)	4 (100.0%)	8 (88.9%)	18 (94.7%)
Gastrointestinal disorders	2 (66.7%)	2 (66.7%)	3 (75.0%)	6 (66.7%)	13 (68.4%)
Nausea	0	1 (33.3%)	2 (50.0%)	5 (55.6%)	8 (42.1%)
Vomiting	0	1 (33.3%)	1 (25.0%)	3 (33.3%)	5 (26.3%)
Abdominal pain	2 (66.7%)	1 (33.3%)	0	0	3 (15.8%)
Abdominal pain upper	0	1 (33.3%)	1 (25.0%)	1 (11.1%)	3 (15.8%)
Constipation	0	1 (33.3%)	0	1 (11.1%)	2 (10.5%)
Diarrhoea	1 (33.3%)	0	1 (25.0%)	0	2 (10.5%)
Gastroesophageal reflux disease	1 (33.3%)	0	1 (25.0%)	0	2 (10.5%)
Abdominal discomfort	0	0	1 (25.0%)	0	1 (5.3%)
Dyspepsia	0	1 (33.3%)	0	0	1 (5.3%)
Faeces discoloured	0	1 (33.3%)	0	0	1 (5.3%)
Flatulence	0	1 (33.3%)	0	0	1 (5.3%)
Lip disorder	0	0	0	1 (11.1%)	1 (5.3%)
Investigations	1 (33.3%)	2 (66.7%)	4 (100.0%)	5 (55.6%)	12 (63.2%)
Alanine aminotransferase increased	0	2 (66.7%)	1 (25.0%)	4 (44.4%)	7 (36.8%)
Aspartate aminotransferase increased	0	0	2 (50.0%)	4 (44.4%)	6 (31.6%)
Platelet count decreased	1 (33.3%)	0	1 (25.0%)	3 (33.3%)	5 (26.3%)
Neutrophil count decreased	0	0	2 (50.0%)	1 (11.1%)	3 (15.8%)
White blood cell count decreased	0	0	1 (25.0%)	2 (22.2%)	3 (15.8%)
Blood alkaline phosphatase increased	1 (33.3%)	0	0	1 (11.1%)	2 (10.5%)
Blood bilirubin increased	0	0	0	1 (11.1%)	1 (5.3%)
Body temperature increased	0	0	0	1 (11.1%)	1 (5.3%)
Gamma-glutamyltransferase increased	0	0	0	1 (11.1%)	1 (5.3%)
Lymphocyte count decreased	0	0	0	1 (11.1%)	1 (5.3%)
Musculoskeletal and connective tissue disorders	3 (100.0%)	1 (33.3%)	2 (50.0%)	3 (33.3%)	9 (47.4%)

TSFAE02_P1: Summary of Treatment-emergent Adverse Events by System Organ Class and Preferred Term; Part 1, Combination Treated Analysis Set (Study MYF1001)

System Organ Class Preferred Term	Dose Level 1 Imetelstat 4.7 mg/kg (N=3)	Dose Level 2 Imetelstat 6.0 mg/kg (N=3)	Dose Level 3 Imetelstat 7.5 mg/kg (N=4)	Dose Level 4 Imetelstat 9.4 mg/kg (N=9)	Dose Escalation Part Total (N=19)
Pain in extremity	3 (100.0%)	0	2 (50.0%)	3 (33.3%)	8 (42.1%)
Arthralgia	0	0	1 (25.0%)	0	1 (5.3%)
Fibromyalgia	0	1 (33.3%)	0	0	1 (5.3%)
Limb mass	0	0	1 (25.0%)	0	1 (5.3%)
Myalgia	0	0	1 (25.0%)	0	1 (5.3%)
Neck pain	1 (33.3%)	0	0	0	1 (5.3%)
Blood and lymphatic system disorders	2 (66.7%)	1 (33.3%)	2 (50.0%)	3 (33.3%)	8 (42.1%)
Anaemia	2 (66.7%)	1 (33.3%)	2 (50.0%)	1 (11.1%)	6 (31.6%)
Leukopenia	1 (33.3%)	1 (33.3%)	1 (25.0%)	1 (11.1%)	4 (21.1%)
Neutropenia	1 (33.3%)	1 (33.3%)	2 (50.0%)	0	4 (21.1%)
Thrombocytopenia	1 (33.3%)	0	1 (25.0%)	1 (11.1%)	3 (15.8%)
General disorders and administration site conditions	2 (66.7%)	1 (33.3%)	3 (75.0%)	2 (22.2%)	8 (42.1%)
Fatigue	2 (66.7%)	0	3 (75.0%)	2 (22.2%)	7 (36.8%)
Asthenia	0	1 (33.3%)	1 (25.0%)	0	2 (10.5%)
Chest pain	0	0	2 (50.0%)	0	2 (10.5%)
Pyrexia	1 (33.3%)	0	0	1 (11.1%)	2 (10.5%)
Chills	0	0	0	1 (11.1%)	1 (5.3%)
Influenza like illness	1 (33.3%)	0	0	0	1 (5.3%)
Malaise	0	0	0	1 (11.1%)	1 (5.3%)
Mass	0	0	1 (25.0%)	0	1 (5.3%)
Non-cardiac chest pain	0	0	0	1 (11.1%)	1 (5.3%)
Pain	0	0	1 (25.0%)	0	1 (5.3%)
Respiratory, thoracic and mediastinal disorders	1 (33.3%)	2 (66.7%)	2 (50.0%)	3 (33.3%)	8 (42.1%)
Dyspnoea	1 (33.3%)	1 (33.3%)	1 (25.0%)	1 (11.1%)	4 (21.1%)
Dyspnoea exertional	0	1 (33.3%)	2 (50.0%)	0	3 (15.8%)
Cough	0	0	1 (25.0%)	0	1 (5.3%)

TSFAE02_P1: Summary of Treatment-emergent Adverse Events by System Organ Class and Preferred Term; Part 1, Combination Treated Analysis Set (Study MYF1001)

System Organ Class Preferred Term	Dose Level 1 Imetelstat 4.7 mg/kg (N=3)	Dose Level 2 Imetelstat 6.0 mg/kg (N=3)	Dose Level 3 Imetelstat 7.5 mg/kg (N=4)	Dose Level 4 Imetelstat 9.4 mg/kg (N=9)	Dose Escalation Part Total (N=19)
Epistaxis	0	0	1 (25.0%)	0	1 (5.3%)
Rhinorrhoea	0	0	0	1 (11.1%)	1 (5.3%)
Sinus congestion	0	0	0	1 (11.1%)	1 (5.3%)
Nervous system disorders	2 (66.7%)	0	1 (25.0%)	4 (44.4%)	7 (36.8%)
Dizziness	1 (33.3%)	0	0	2 (22.2%)	3 (15.8%)
Headache	1 (33.3%)	0	1 (25.0%)	1 (11.1%)	3 (15.8%)
Carpal tunnel syndrome	1 (33.3%)	0	0	0	1 (5.3%)
Disturbance in attention	0	0	0	1 (11.1%)	1 (5.3%)
Dysgeusia	0	0	1 (25.0%)	0	1 (5.3%)
Paraesthesia	0	0	1 (25.0%)	0	1 (5.3%)
Somnolence	0	0	0	1 (11.1%)	1 (5.3%)
Infections and infestations	1 (33.3%)	1 (33.3%)	2 (50.0%)	2 (22.2%)	6 (31.6%)
COVID-19	0	0	1 (25.0%)	1 (11.1%)	2 (10.5%)
Sinusitis	1 (33.3%)	0	0	1 (11.1%)	2 (10.5%)
Gastroenteritis	0	0	0	1 (11.1%)	1 (5.3%)
Herpes simplex	0	0	1 (25.0%)	0	1 (5.3%)
Infusion site infection	0	0	1 (25.0%)	0	1 (5.3%)
Pneumonia	0	1 (33.3%)	0	0	1 (5.3%)
Upper respiratory tract infection	0	1 (33.3%)	0	0	1 (5.3%)
Skin and subcutaneous tissue disorders	1 (33.3%)	0	2 (50.0%)	2 (22.2%)	5 (26.3%)
Pruritus	0	0	2 (50.0%)	0	2 (10.5%)
Urticaria	1 (33.3%)	0	0	1 (11.1%)	2 (10.5%)
Dry skin	0	0	0	1 (11.1%)	1 (5.3%)
Ecchymosis	0	0	1 (25.0%)	0	1 (5.3%)
Hyperhidrosis	0	0	0	1 (11.1%)	1 (5.3%)
Purpura senile	0	0	0	1 (11.1%)	1 (5.3%)

TSFAE02_P1: Summary of Treatment-emergent Adverse Events by System Organ Class and Preferred Term; Part 1, Combination Treated Analysis Set (Study MYF1001)

System Organ Class Preferred Term	Dose Level 1 Imetelstat 4.7 mg/kg (N=3)	Dose Level 2 Imetelstat 6.0 mg/kg (N=3)	Dose Level 3 Imetelstat 7.5 mg/kg (N=4)	Dose Level 4 Imetelstat 9.4 mg/kg (N=9)	Dose Escalation Part Total (N=19)
Rash papular	0	0	1 (25.0%)	0	1 (5.3%)
Skin lesion	0	0	1 (25.0%)	0	1 (5.3%)
Metabolism and nutrition disorders	1 (33.3%)	0	1 (25.0%)	2 (22.2%)	4 (21.1%)
Decreased appetite	1 (33.3%)	0	0	0	1 (5.3%)
Hypercalcaemia	0	0	0	1 (11.1%)	1 (5.3%)
Hypoalbuminaemia	0	0	1 (25.0%)	0	1 (5.3%)
Hypoglycaemia	0	0	0	1 (11.1%)	1 (5.3%)
Cardiac disorders	1 (33.3%)	0	1 (25.0%)	1 (11.1%)	3 (15.8%)
Bradycardia	1 (33.3%)	0	0	0	1 (5.3%)
Palpitations	0	0	1 (25.0%)	0	1 (5.3%)
Tachycardia	0	0	0	1 (11.1%)	1 (5.3%)
Injury, poisoning and procedural complications	1 (33.3%)	0	0	1 (11.1%)	2 (10.5%)
Animal bite	1 (33.3%)	0	0	0	1 (5.3%)
Muscle strain	0	0	0	1 (11.1%)	1 (5.3%)
Psychiatric disorders	1 (33.3%)	0	1 (25.0%)	0	2 (10.5%)
Agitation	0	0	1 (25.0%)	0	1 (5.3%)
Anxiety	1 (33.3%)	0	0	0	1 (5.3%)
Insomnia	0	0	1 (25.0%)	0	1 (5.3%)
Ear and labyrinth disorders	0	0	0	1 (11.1%)	1 (5.3%)
Tinnitus	0	0	0	1 (11.1%)	1 (5.3%)
Reproductive system and breast disorders	0	0	1 (25.0%)	0	1 (5.3%)
Breast mass	0	0	1 (25.0%)	0	1 (5.3%)

TSFAE02_P1: Summary of Treatment-emergent Adverse Events by System Organ Class and Preferred Term; Part 1, Combination Treated Analysis Set (Study MYF1001)

System Organ Class Preferred Term	Dose Level 1 Imetelstat 4.7 mg/kg (N=3)	Dose Level 2 Imetelstat 6.0 mg/kg (N=3)	Dose Level 3 Imetelstat 7.5 mg/kg (N=4)	Dose Level 4 Imetelstat 9.4 mg/kg (N=9)	Dose Escalation Part Total (N=19)
Vascular disorders	1 (33.3%)	0	0	0	1 (5.3%)
Hypotension	1 (33.3%)	0	0	0	1 (5.3%)

Note: Percentage is calculated based on number of subjects in the Combination Treated Analysis Set as denominator.

Note: AEs were coded using MedDRA version 25.0.

[\\vc01\biometrics\GRN163L_imetelstat\MYF1001\DB_DSUR_IB_DSMT_May2025\RE_DSUR_IB_DSMT_May2025\Prod\PROGRAM\tsfae02.sas] 22MAY2025, 17:36
Database Extract Date: 10MAY2025; Cut-off Date: 10MAY2025