Full-Stack Story Platform: Master Prompt Pack

VS CODE EDITION | Next.js + TypeScript + PostgreSQL (Neon) + Prisma | Phase 1 to 16 | 18+ adults only | No reader login | Text-only cards | 10 stories per page (dynamic) | Admin-managed ads

Kaise use karein (VS Code + AI agent extension)

Ye pack kisi bhi VS Code AI coding extension ke saath kaam karta hai: GitHub Copilot (Agent mode), Cline, Continue, Claude Code ya Gemini/Antigravity. Core workflow ek jaisa hai: prompt paste karo, agent files banata/edit karta hai, tum diff review karke Accept karte ho, aur terminal command se pehle permission maangi jaati hai.

1. AI extension ka chat/agent panel kholo (Copilot mein Agent mode, normal Ask mode nahi).
2. Model dropdown se apna model select karo.
3. Sabse pehle neeche wala Master Context Prompt poora paste karke bhejo.
4. Uske baad Phase 1 se Phase 16 tak ek-ek prompt, ek ke baad ek bhejo. Agla phase tabhi bhejo jab pichla khatam ho jaye aur uski 'Done when' list pass ho.
5. Agent ka diff padh kar Accept karo. Kuch galat lage to Reject karke sahi instruction do.
6. Terminal command ki permission maange to review karke Allow karo.
7. Har phase ke end mein khud terminal mein npm run lint, npm run typecheck aur npm test chala kar confirm karo.
8. Site ka naam SITE_NAME env variable se aata hai. Apna naam, logo aur original stories use karo. Kisi doosri website ka content, code ya design copy mat karo.

Tip: lambe phases (Phase 6 CMS, Phase 12 Admin Panel) mein agent atak sakta hai. Aisa ho to wahi phase dobara paste karo aur ye line jodo: 'continue from where you left off, do not redo finished parts'.

Is version mein kya decide kiya gaya hai

- Readers ke liye koi login/register nahi. Sirf /admin/login admin aur editor ke liye hai.
- Readers apni story anonymously submit kar sakte hain (Phase 10). Story kabhi auto-publish nahi hoti, admin approval ke baad hi public hoti hai.
- Story card text-only hai: koi photo/thumbnail nahi. Visual variety sirf CSS (colour strip, category badge) se.
- Koi dark/light toggle nahi. Ek hi clean light theme.
- Pagination hamesha dynamic: Math.ceil(total / 10). 11th story publish hote hi page 2 apne aap ban jata hai.
- Ads admin panel se manage hote hain (position, HTML snippet, ON/OFF). Home, listing aur story page, sab par ad slots hain. AdSense adult content allow nahi karta, isliye ExoClick / JuicyAds / TrafficStars jaise adult-friendly network use karo.
- Mobile-first: 360-390px phone pehle, phir tablet/desktop.
- 4 GB RAM laptop: Docker nahi, local PostgreSQL nahi. Neon (ya Supabase) free cloud database. Docker sirf optional production ke liye.
- Age gate by default 'overlay' mode mein hai taaki Google pages crawl kar sake (env AGE_GATE_MODE=overlay). Strict redirect chahiye to AGE_GATE_MODE=redirect set karo, lekin tab search engines gate ke peeche ka content nahi dekh payenge, yani SEO bahut kamzor hoga.

Zaroori note (legal)

Age gate sirf self-declaration hai, legal age verification nahi. India mein IT Act ki dhara 67 / 67A obscene ya sexually explicit material ke online publication par lagu hoti hai. Launch se pehle kisi IT/cyber lawyer se Terms, Privacy Policy, content policy aur hosting provider ki adult-content policy zaroor check karwayein. Ye pack legal advice nahi hai.

Google Search mein top ranking guarantee nahi ki ja sakti. Technical SEO ke saath original content, speed, internal linking aur time ke saath authority bhi matter karti hai.

Master Context Prompt (pehle ye paste karein)

ROLE: You are a senior full-stack engineer and tech lead working inside my VS Code project. You will build a production-grade Hindi/Hinglish story-reading platform in phases. I will send one phase prompt at a time. Work only on the phase I send. Do not jump ahead.

Before writing code for a phase, briefly list the files you plan to create/change and key decisions. After finishing a phase, actually run lint, typecheck and tests in the terminal and paste the real output as proof. Never claim something works without showing output. If you get stuck partway through a large phase, say clearly what is done and what is left instead of silently stopping.

PRODUCT: An ADULT (18+) fiction reading website for Hindi/Hinglish stories. Name comes from env SITE_NAME. All content is fictional and original. Every character in every story must be clearly an adult (18+) and all sexual activity must be consensual.

CONTENT FORMAT (IMPORTANT): Stories are TEXT-ONLY. No cover image, no image upload, no inline images, no photo feature anywhere (no Story.coverImage, no media library, no image in StoryCard). Visual variety comes only from CSS (colour strip, category badge, typography).

STACK: Next.js 14+ (App Router), TypeScript (strict), PostgreSQL on Neon (or Supabase), Prisma ORM, Auth.js v5 (ADMIN-ONLY login), Tailwind CSS, Zod, Tiptap, Resend (email), Vitest, Playwright. NO Docker, NO local PostgreSQL, NO Redis, NO Elasticsearch for local development (developer laptop has 4GB RAM). Docker only optionally for production later.

ACCOUNTS MODEL: There are NO reader accounts. Visitors never register or log in. Anonymous features (comments, submissions, bookmarks, likes) use a signed httpOnly "device_id" cookie (random UUID, no personal data). The ONLY login on the site is /admin/login for ADMIN and EDITOR. Never build a public /login, /register or /account area.

ADS MODEL: Adult-friendly ad network (ExoClick, JuicyAds, TrafficStars), NOT Google AdSense. Ads are managed from the admin panel (position, HTML snippet, enabled flag, global ON/OFF) and rendered by a reusable <AdSlot /> component. Never hard-code ads in the UI.

DESIGN RULES: Clean, light, content-focused Hindi reading UI. Original design, never copy another site's code, branding, text or layout. DO NOT add: dark/light toggle, reader login/register, social share buttons, heavy animations, video backgrounds, heavy UI libraries, or any feature I did not ask for.

GLOBAL RULES:
1. TypeScript strict, no "any". Validate every input with Zod (client and server).
2. Server Components by default. Every server action and route handler must check authentication and role before acting (admin routes).
3. UTF-8 everywhere. Use Noto Sans Devanagari plus a Latin font via next/font so Hindi, Hinglish and English render correctly.
4. MOBILE FIRST: design for 360-390px phones first, then tablet/desktop. Tap targets at least 44x44px, no horizontal scroll anywhere, menus/filters as full-screen bottom sheets on mobile, lean pages for slow Indian networks, respect env(safe-area-inset-*). Body text at least 16px. WCAG AA contrast.
5. Files under 300 lines. Use a service layer (src/server/services) for DB logic. No DB calls inside UI components.
6. Never hardcode secrets. Maintain .env.example. Never log passwords, tokens or full IPs (store hashed IPs only).
7. Constants: STORIES_PER_PAGE = 10, MIN_AGE = 18. Use them everywhere. Pagination is always DYNAMIC: totalPages = Math.ceil(total / STORIES_PER_PAGE), computed fresh from the live database count on every request. Never hardcode a page count. A new page must appear automatically when the 11th, 21st, 31st story is published and disappear when the count drops. Same rule for category, search, bookmarks and history listings.
8. At the end of each phase: run lint, typecheck and tests yourself, fix failures, then show (a) files created/changed, (b) real command output, (c) the 'Done when' checklist with PASS/FAIL. Do not start the next phase until I say so.
9. If a requirement is ambiguous, choose the safest sensible default and state the assumption in one line instead of stopping.
10. Do not copy content, branding or code from other websites.
11. SAFETY (enforced in code and moderation): never create categories, seed data, features or content involving minors/underage characters, non-consensual sexual content presented as desirable, real identifiable people, bestiality, or illegal activity. Seed data must be neutral, non-explicit placeholder text.

PHASE 1

Project Setup and Architecture (Low-RAM, Cloud DB)

PROMPT (paste this)

PHASE 1 - PROJECT SETUP AND ARCHITECTURE (4GB RAM LAPTOP, NO DOCKER)

Create a Next.js 14+ App Router project with TypeScript strict, Tailwind CSS, ESLint, Prettier, Husky + lint-staged and the path alias @/.

Folder structure:
- src/app (routes), src/components (ui, layout, story, admin, age-gate, ads)
- src/lib (db.ts, env.ts, utils, validators, security)
- src/server (services, actions), src/config (site.ts, constants.ts)
- prisma/, tests/ (unit, e2e), docs/

src/config/constants.ts: STORIES_PER_PAGE = 10, MIN_AGE = 18, AGE_COOKIE_NAME = "age_ok", AGE_DENIED_COOKIE_NAME = "age_denied", AGE_COOKIE_DAYS = 30, AGE_DENIED_HOURS = 24.

src/lib/env.ts: validate env with Zod. Required: DATABASE_URL (Neon/Supabase, sslmode=require), DIRECT_URL, AUTH_SECRET, AGE_GATE_SECRET, NEXT_PUBLIC_SITE_URL, SITE_NAME, ADMIN_EMAIL, ADMIN_PASSWORD, RESEND_API_KEY, NOTIFY_EMAIL, AGE_GATE_MODE (overlay|redirect, default overlay). App must fail fast with a clear message if anything is missing.

Configure prisma datasource for hosted Postgres with pooling (url + directUrl).

Add: .env.example (comment showing where to paste the Neon connection string), README with steps to create a free Neon database, copy the connection string and run the app, npm scripts: dev, build, lint, typecheck, test, test:e2e, db:migrate, db:seed, db:studio. State clearly that no Docker is needed locally.

Add docs/low-ram-tips.md: close extra browser tabs, run only VS Code + terminal + one browser tab, do not run dev server and test suite together, restart dev server if slow, prefer next dev --turbo.

Create a placeholder home page showing SITE_NAME. Run lint + typecheck and report.

Done when: npm run dev opens the placeholder page using a Neon/Supabase database with no Docker; lint and typecheck are clean; env validation fails with a clear message when a variable is missing.

PHASE 2

Database and Prisma Schema

PROMPT (paste this)

PHASE 2 - DATABASE AND PRISMA SCHEMA

Design prisma/schema.prisma (PostgreSQL) with these models, enums, relations and indexes:
- User (TEAM ONLY, no readers): id (cuid), name, email (unique), passwordHash, role (EDITOR | ADMIN), isBanned, lastLoginAt, createdAt, updatedAt. Plus Auth.js adapter models (Account, Session, VerificationToken) if needed, and PasswordResetToken.
- Story: id, title, slug (unique), excerpt, content (sanitized HTML/JSON, TEXT ONLY, NO image fields), authorName, status (DRAFT | SCHEDULED | PUBLISHED | ARCHIVED), publishedAt, scheduledAt, categoryId, viewCount, likeCount, commentCount, readingTimeMin, adultContentConfirmed (boolean, must be true to publish), seoTitle, seoDescription, createdAt, updatedAt.
- StoryPart (storyId, partNumber, title, content) and StoryRevision (storyId, content snapshot, editorId, createdAt).
- Category: name, slug (unique), description, seoTitle, seoDescription, sortOrder, colour (CSS colour token, not an image).
- StorySubmission: id, name (pen name), email, title, content, requestedCategory, status (PENDING | APPROVED | REJECTED), flagged (boolean), adminNote, ipHash, deviceId, createdAt, updatedAt.
- Comment: id, storyId, deviceId, displayName, parentId (self relation, one level), body, status (PENDING | APPROVED | REJECTED | SPAM), ipHash, createdAt.
- Bookmark (deviceId + storyId unique), Like (deviceId + storyId unique), ReadingHistory (deviceId, storyId, lastPart, progress, updatedAt).
- Report: id, storyId?, commentId?, storyUrl?, reason (enum), details, priority, status (OPEN | REVIEWED | ACTIONED | DISMISSED), createdAt.
- BlockedDevice (deviceIdHash or ipHash, reason, createdAt).
- Advertisement: id, name, position (enum: HOME_TOP, HOME_MIDDLE_1, HOME_MIDDLE_2, HOME_BOTTOM, LIST_IN_FEED, STORY_TOP, STORY_MIDDLE_1, STORY_MIDDLE_2, STORY_BOTTOM, STICKY_MOBILE), htmlCode, enabled, createdAt, updatedAt.
- AgeConsentLog: id, result (ACCEPTED | DENIED), ipHash, userAgentHash, createdAt (never raw IP).
- AuditLog: id, actorId, action, entity, entityId, metadata JSON, createdAt.
- SiteSetting: key (unique), value JSON (include adsEnabled, commentAutoApprove, maintenanceMode).
- SeoSetting: page (unique), title, description, keywords.

Indexes: Story(status, publishedAt desc), Story(categoryId, status, publishedAt), Story(slug), Comment(storyId, status), Bookmark(deviceId).

Enable pg_trgm and unaccent in a migration (needed for search in Phase 9). Create the initial migration.

prisma/seed.ts: 1 admin from env (ADMIN_EMAIL / ADMIN_PASSWORD, never hardcoded), 6 neutral categories (Romance, Drama, Family Saga, Mystery, Fantasy, Comedy), and 25 SAMPLE stories with neutral, NON-explicit placeholder text clearly marked "SAMPLE" so 10-per-page pagination can be tested. Singleton Prisma client in src/lib/db.ts.

Done when: prisma migrate dev and db:seed run cleanly; Prisma Studio shows 25 stories, 6 categories, 1 admin; no image fields exist on any model.

PHASE 3

18+ Age Gate, Disclaimer and Content Policy

PROMPT (paste this)

PHASE 3 - 18+ AGE GATE, DISCLAIMER AND CONTENT POLICY (CORE PHASE)

A) Age gate UI (/age-gate, also reusable as a full-screen overlay)
- Logo, "18+ Adults Only" badge and Hindi text:
  "यह वेबसाइट केवल 18 वर्ष या उससे अधिक आयु के वयस्कों के लिए है। क्या आपकी आयु 18 वर्ष या उससे अधिक है?"
- Buttons: "हाँ, प्रवेश करें" and "नहीं, बाहर जाएँ".
- Small links to /disclaimer, /terms, /privacy. Works on mobile and keyboard (focus trap, Enter/Escape), and with JavaScript disabled (plain form POST).

B) Behaviour
- YES: server action sets httpOnly, secure, sameSite=lax cookie "age_ok" holding a signed JWT (AGE_GATE_SECRET, 30 days). Save AgeConsentLog (ACCEPTED, hashed IP, hashed UA). Redirect to the originally requested page (returnTo must be a same-site relative path only).
- NO: set cookie "age_denied" for 24 hours, save AgeConsentLog (DENIED), redirect to /access-denied: "Sorry, you must be 18 or older to use this website", no site content, only an external safe link (google.com). While age_denied exists, YES must not work.

C) Enforcement (env AGE_GATE_MODE)
- overlay (default): every page is server-rendered; if no valid age_ok cookie, the full-screen gate overlay renders ABOVE the content before first paint (no flash of content). Pages stay crawlable, no noindex on content pages, no cloaking: bots and users get the same HTML.
- redirect: middleware redirects every non-allow-listed route to /age-gate?returnTo=... when the cookie is missing. Allow-list: /age-gate, /access-denied, /disclaimer, /terms, /privacy, /content-policy, /contact, /report, /_next, /favicon, /robots.txt, /sitemap.xml, /api/health.
- In both modes: no ad script may load before the age cookie is valid.
- Do not add any date-of-birth form anywhere.

D) Legal pages
- /disclaimer in Hindi + English: strictly 18+; all stories fictional, resemblance to real persons coincidental; every character is an adult (18+), content involving minors prohibited; viewer is responsible for local law; parents should use parental controls; contact/report and takedown process.
- DISCLAIMER TEXT (use EXACTLY this Hindi text as the main body of /disclaimer, without rewording, then show the English version below it, then the contact/report/takedown links and the parental-controls note):

[HINDI]
यह वेबसाइट केवल 18 वर्ष या उससे अधिक आयु के वयस्कों के लिए है। इस वेबसाइट पर उपलब्ध कहानियाँ केवल वयस्क पाठकों के मनोरंजन के उद्देश्य से प्रकाशित की जाती हैं।

यदि आपकी आयु 18 वर्ष से कम है, तो कृपया इस वेबसाइट का उपयोग न करें और तुरंत वेबसाइट छोड़ दें।

वेबसाइट पर प्रकाशित कहानियाँ लेखकों/उपयोगकर्ताओं द्वारा भेजी जा सकती हैं और उनके विचार व्यक्तिगत हो सकते हैं। प्रकाशन से पहले समीक्षा का प्रयास किया जाता है, लेकिन किसी सामग्री के वास्तविक घटना होने की गारंटी नहीं दी जाती।

सभी पात्र और घटनाएँ केवल वयस्क एवं सहमति-आधारित संदर्भ में प्रस्तुत की जानी चाहिए। नाबालिगों से संबंधित यौन सामग्री, गैर-सहमति वाली यौन सामग्री या अन्य प्रतिबंधित सामग्री स्वीकार या प्रकाशित नहीं की जाएगी।

यदि आपको लगता है कि किसी सामग्री से नियमों का उल्लंघन हुआ है, तो कृपया हमें तुरंत सूचित करें ताकि उसकी समीक्षा की जा सके।

इस वेबसाइट में प्रवेश करके आप पुष्टि करते हैं कि आपकी आयु 18 वर्ष या उससे अधिक है और आप वेबसाइट की शर्तों एवं अस्वीकरण को स्वीकार करते हैं।

[ENGLISH]
This website is only for adults aged 18 years or older. The stories available on this website are published solely for the entertainment of adult readers.

If you are under 18 years of age, please do not use this website and leave immediately.

Stories published on this website may be submitted by authors/users, and their views may be personal. We make an effort to review stories before publication, but we do not guarantee that any content is based on real events.

All characters and events must be presented only in an adult and consensual context. Sexual content involving minors, non-consensual sexual content or other prohibited content will not be accepted or published.

If you believe any content violates the rules, please inform us immediately so it can be reviewed.

By entering this website you confirm that you are 18 years of age or older and that you accept the website's terms and disclaimer.

- /content-policy: prohibited = any sexual content involving minors or characters who appear under 18, non-consensual content presented as desirable, real identifiable people, bestiality, illegal activity instructions, hate content.
- Persistent slim footer on every page: "18+ Adults Only | Fictional content | Disclaimer". "18+" badge on every story card and story page.

E) Meta/headers: <meta name="rating" content="adult"> and the RTA label meta tag (RTA-5042-1996-1400-1577-RTA) on all pages, plus "Rating: adult" header in next.config.

F) Tests: unit tests for JWT helper and returnTo validation; Playwright: no cookie -> gate shown; Yes -> enters; No -> access-denied and cannot re-enter same day; gate works with JS disabled.

Done when: Gate shows before any content (no flash); Yes stores a 30-day cookie; No blocks for 24h; disclaimer and content-policy pages exist; Playwright gate tests pass.

PHASE 4

Admin-Only Authentication

PROMPT (paste this)

PHASE 4 - ADMIN-ONLY AUTHENTICATION (NO PUBLIC READER LOGIN)

There is NO public login/register/account system. Do not build /login, /register, /forgot-password or /account for the public.

Implement Auth.js v5 (credentials, JWT sessions) ONLY for the internal team at /admin/login:
- Roles: EDITOR (create/edit/schedule stories, moderate comments and submissions) and ADMIN (everything EDITOR can, plus users, ads, SEO, site settings, analytics).
- Passwords hashed with argon2id (or bcrypt cost 12). Min 12 characters for team accounts.
- Only an ADMIN can create team accounts at /admin/users. The first admin comes from the seed script using ADMIN_EMAIL / ADMIN_PASSWORD.
- Password reset by emailed single-use token (1 hour expiry) via Resend.
- Middleware protects /admin/** (redirect to /admin/login). Banned accounts are signed out immediately. Every server action and route handler re-checks the session and role server-side.
- Rate limit /admin/login: 5 attempts per 15 minutes per IP. Generic error messages (no account enumeration). Zod validation.
- The public site never shows any Login or Sign up link.

Tests: role helpers (unit); e2e for admin login, wrong password, banned admin, and /admin/** unreachable without a session.

Done when: Only /admin/login exists as a login page; public pages show no login link; role protection and login rate limiting work.

PHASE 5

Layout, Design System and Mobile-First UI

PROMPT (paste this)

PHASE 5 - LAYOUT, DESIGN SYSTEM AND MOBILE-FIRST RESPONSIVE UI

MOBILE IS THE PRIMARY TARGET (360-430px wide, often slow networks). Build for phone first, then tablet/desktop.

A) Design tokens: one clean LIGHT theme only (NO dark/light toggle). White/light background, dark readable text, subtle borders, limited colours, minimal shadows. Mobile body text >= 16px. Fonts via next/font: Noto Sans Devanagari + a readable Latin font.

B) Navigation and layout
- Mobile header: logo, search icon, menu icon only. Menu opens as a full-screen bottom sheet (categories, Submit Story, links) with swipe-down-to-close.
- Optional bottom action bar on mobile (Home, Search, Bookmarks, Menu) so key actions stay in thumb reach. Never overlap toasts or sticky ads.
- Desktop: container ~1100px, 2 columns (content + sidebar with ad slot); sidebar drops below content on mobile.
- Simple footer (18+ line, Disclaimer, Terms, Privacy, Content Policy, Contact); collapse long link lists into "More" on mobile.
- Breadcrumbs, Container, Section: no horizontal scroll from 360px upward.

C) Components: Button (44x44px min target), Modal (full-screen/bottom sheet on mobile), Input/Textarea/Select (font-size >= 16px so iOS does not zoom), Toast, Skeleton, EmptyState, ErrorState, Badge (incl. 18+), Card, Pagination shell.

D) StoryCard (TEXT-ONLY, no image of any kind). Layout:
  [thin CSS colour strip by category]
  Story Title
  By Author | 02 Oct 2026 | Category chip | 18+ badge
  2-line excerpt
  reading time | likes/comments count Read Story ->
Whole card is one large tap target. Compact, fast, subtle border.

E) Story reading page: readable width (~720px), generous line-height, reader controls (font size A-/A+) as an easy-to-reach floating control, clear previous/next part buttons, safe-area insets respected.

F) Standard pages: 404, 500 error boundary, loading skeletons, empty states, all mobile-first.

G) Testing: screenshots at 360, 390, 768, 1024, 1440px with zero horizontal scroll. Lighthouse Mobile: Accessibility >= 95, Performance >= 85.

Done when: All components responsive at 360/390/768/1024/1440px with zero horizontal scroll; no theme toggle; no image on any card; Devanagari renders correctly; Lighthouse targets met.

PHASE 6

Story CMS (Admin Editor)

PROMPT (paste this)

PHASE 6 - STORY CMS (ADMIN and EDITOR)

Build /admin/stories:
- List table: search, filters (status, category), sorting, bulk actions (publish, archive, delete), server-side pagination.
- Create/Edit form (TEXT-ONLY, no image field anywhere): title, auto-generated unique slug (editable; Hindi titles transliterated to clean latin slugs, fallback to id-based slug), excerpt, author name, category, SEO title/description, status (draft/published/scheduled/archived), scheduled publish time.
- Tiptap editor: headings, bold, italic, links, blockquote, lists, horizontal rule, alignment. Devanagari input must work. Word count and reading time (auto readingTimeMin). NO image button, NO media library, NO file upload.
- Multi-part stories (StoryPart): add/reorder/delete chapters.
- Autosave draft every 30 seconds, StoryRevision history with "restore this version".
- Mandatory checkbox before publishing: "All characters are adults (18+) and this story is fictional" (adultContentConfirmed). Blocked in UI AND on the server.
- Sanitize HTML on save with a strict allow-list (sanitize-html). Never trust editor HTML.
- Scheduled publishing: /api/cron/publish-scheduled (protected by secret) publishes due stories and revalidates caches.
- Preview before publish. Every create/update/delete/publish writes an AuditLog row.
- Every button performs a REAL Prisma operation. No fake functionality.

Done when: Editor can create, autosave, schedule, publish and restore versions; publishing without the 18+ confirmation is blocked server-side; no image/upload UI exists in the CMS.

PHASE 7

Public Pages and 10-Stories-Per-Page Pagination

PROMPT (paste this)

PHASE 7 - PUBLIC PAGES AND PAGINATION (10 STORIES PER PAGE)

Build the public pages (behind the Phase 3 age gate):
- Home (/): latest stories (page 1 = first 10) as text-only cards, category links, popular this week, Submit Your Story section.
- Listing /page/[page] (or /stories?page=N, pick one and keep URLs clean): EXACTLY 10 stories per page. Sort: latest, most viewed, most liked (?sort=).
- Story page /story/[slug] (TEXT ONLY): breadcrumb, category, title, 18+ badge, author, date, reading time, short fictional-content notice, sanitized content, part navigation, related stories (same category), comments (Phase 10), "Report this story" link, Submit Your Story CTA.

Pagination (DYNAMIC, never fixed):
- One service getPaginatedStories({ page, perPage = STORIES_PER_PAGE, where, orderBy }) using findMany(skip/take) + count in prisma.$transaction, returning { items, total, totalPages, page, perPage }.
- Validate page with Zod (positive integer). Invalid -> page 1. Page > totalPages -> redirect to last page. No stories -> EmptyState. totalPages = Math.ceil(total / STORIES_PER_PAGE) computed live every request. The moment an 11th story is published, page 2 exists with no code change or redeploy.
- Reusable <Pagination /> component: Previous / Next, numbered pages with ellipsis (1 ... 4 5 6 ... 20), current page highlighted, aria-labels, plain links (works without JS). On mobile show compact "Previous | Page X of Y | Next" with large buttons.
- Same pagination on /category/[slug], /search, /bookmarks, /history.
- SEO for paginated pages: self-referencing canonical, prev/next links, title suffix "- Page N" for page > 1.
- Caching with unstable_cache / revalidateTag('stories'), revalidated on publish/update.

Tests: getPaginatedStories (page 1, middle, last, out-of-range, invalid) and e2e: 25 seeded stories show as 10 + 10 + 5.

Done when: 25 seeded stories show as 10 + 10 + 5; publishing an 11th (when 10 exist) creates page 2 automatically; pagination works with JS disabled; out-of-range pages redirect.

PHASE 8

Categories

PROMPT (paste this)

PHASE 8 - CATEGORIES

- Admin CRUD for categories: name, slug (editable), description, SEO title/description, sortOrder, CSS colour token (no uploaded icon or image). Safe delete: block deleting a category that still has stories unless they are reassigned first.
- Public: /category/[slug] with header + 10 stories per page (dynamic pagination) and /categories grid with story counts. Category links in header nav and category chips on cards.
- Sort filter (latest, popular) kept in the URL query string.
- Invalidate story/category counts and caches on publish/unpublish.
- SEO per category: unique title, meta description, canonical, breadcrumb JSON-LD.
- Seed only neutral category names. Never create categories about minors, non-consensual content or anything illegal.

Done when: Category pages paginate at 10 per page with correct counts; deleting a used category is blocked; no prohibited category can be created from seed data.

PHASE 9

Search

PROMPT (paste this)

PHASE 9 - SEARCH (PostgreSQL only)

- Migration: generated tsvector column (title weight A, excerpt weight B, content weight C) with a GIN index, plus pg_trgm GIN index on title for typo tolerance. Use the 'simple' text search configuration so Hindi/Hinglish are not stemmed wrongly; unaccent for Latin text.
- /search?q=...&category=...&sort=relevance|latest|popular&page=N: ranked with ts_rank + trigram fallback, 10 results per page (dynamic pagination), highlighted matches in title/excerpt. Search result pages are noindex.
- Header search box with debounced suggestions (top 6 titles) from /api/search/suggest, rate limited.
- Handle empty query, query over 100 chars, special characters and SQL injection safely (Prisma parameterised raw queries only).
- Log popular search queries (text only, no identity) for an admin report.
- "No results" page with latest stories and popular categories.
- Tests: Hindi, Hinglish, typo, empty query, pagination.

Done when: Hindi, Hinglish and English searches return ranked results; typos still match; results paginate at 10; no raw SQL injection paths.

PHASE 10

Guest Comments, Story Submission and Reports (No Login)

PROMPT (paste this)

PHASE 10 - GUEST COMMENTS, STORY SUBMISSION AND REPORTS (NO LOGIN)

A) Guest comments
- Form: display name (2-30 chars), body (2-1000 chars, plain text), honeypot field. One level of replies. Newest first, "load more" 10 at a time.
- Commenters are identified only by the signed device_id cookie (no personal data) for rate limiting and blocking.
- New comments are PENDING until an EDITOR/ADMIN approves (SiteSetting can enable auto-approve later). Links blocked or rel="nofollow ugc". Simple profanity/spam filter, duplicate detection, rate limit (5 per 10 minutes per device + IP).
- Edit/delete own comment within 10 minutes using a one-time token in the device cookie.
- Denormalised commentCount updated in a transaction.

B) Public story submission (/submit-story, no account)
- Fields: Name/Pen name, Email, Story Title, Category (from DB), Story content (textarea), required checkbox: "I confirm all characters are 18+, all acts are consensual, and this is my own original work", honeypot.
- Zod validation client + server. Rate limit 3 per hour per hashed IP. Server-side keyword blocklist auto-FLAGS suspicious submissions for review (never auto-publishes, never auto-rejects silently).
- Save as PENDING. Email NOTIFY_EMAIL via Resend. Show Hindi success message:
  "आपकी कहानी समीक्षा के लिए भेज दी गई है । प्रकाशित होने से पहले हमारी टीम इसकी समीक्षा करेगी ।"
- NEVER auto-publish.
- Admin /admin/submissions: filter Pending / Approved / Rejected / Flagged, view, edit, approve (creates a Story as DRAFT or PUBLISHED, still requiring the 18+ confirmation tick), reject with adminNote.

C) Reports
- /report page and "Report this story/comment" links: reason + details, saved to Report, emailed to admin. Reports about minors or illegal content are HIGH priority and the reported story is unpublished immediately pending review.
- Contact page includes DMCA/takedown instructions.

D) Admin moderation
- /admin/comments queue: filter by status, approve/reject/spam/delete in bulk, block a device/IP hash.
- Tests: rate limits, pending/approve flow, edit-token expiry, XSS payloads rendered as plain text, submission never public before approval.

Done when: Guests can comment and submit stories without login; everything queues for approval; rate limits, flagging and reporting work; XSS payloads render as plain text.

PHASE 11

Bookmarks, Likes and History (Device Cookie) - OPTIONAL

PROMPT (paste this)

PHASE 11 - BOOKMARKS, LIKES AND READING HISTORY (OPTIONAL, NO LOGIN)

Skip this phase if you want an even leaner site. If you keep it, everything works through the signed httpOnly "device_id" cookie (1 year, no personal data):
- Bookmark button on cards and story page (toggle, server action keyed on device_id, no login prompt).
- Like button, one like per device per story, likeCount updated in a transaction.
- /bookmarks and /history pages (10 per page, same Pagination, scoped to the visitor's device_id), remove actions, empty states.
- Reading history: last part and scroll progress, saved at most every 10 seconds; "Continue reading" on Home.
- View counting: once per device per story per 24h, ignore bots.
- "Clear my data" button removes everything tied to the current device_id and rotates the cookie. Privacy Policy explains that clearing cookies resets all of this.
- Keep the UI minimal: no extra buttons beyond bookmark and like.
- Tests: toggle idempotency, counters, cookie handling, pagination.

Done when: Bookmarks/likes/history work with no sign-up; counters stay accurate; lists paginate at 10; clearing data works.

PHASE 12

Admin Panel

PROMPT (paste this)

PHASE 12 - ADMIN PANEL

Build /admin (ADMIN and EDITOR; ADMIN-only sections marked):
- Dashboard: total stories, published, drafts, pending submissions, pending comments, open reports, categories, enabled ads, views (7/30 days), top stories, top searches, recent stories. Simple charts only if light.
- Team accounts (ADMIN only): create, change role, ban/unban, reset password, last login. Never show password hashes. Role changes write AuditLog.
- Blocked devices list with unblock.
- Stories (Phase 6), Categories (Phase 8), Submissions and Comments and Reports (Phase 10).
- Reports queue with priority; actions: dismiss, unpublish story, delete comment, block device. Reports about minors or illegal content are pinned HIGH and unpublish the content immediately.
- Age-gate analytics (ADMIN): daily ACCEPTED vs DENIED counts (no personal data).
- Site settings (ADMIN): site name, tagline, contact email, about text, footer text, disclaimer text editor, comment auto-approve, maintenance mode.
- Audit log viewer with filters (actor, action, entity, date).
- Admin tables: server-side pagination, sorting, search. Responsive: sidebar collapses on mobile, tables scroll or stack.
- Every admin action is protected server-side (requireRole, CSRF-safe server actions) and performs a REAL Prisma operation.

Done when: Dashboard shows real data; role rules enforced server-side; reports and audit logs work; every admin button hits the database.

PHASE 13

SEO and Metadata

PROMPT (paste this)

PHASE 13 - SEO AND METADATA

- Next.js Metadata API: unique title/description per page, title templates, canonical URLs, Open Graph, Twitter cards. Optional: a simple text-only OG card via next/og (title + category on a plain branded background, nothing explicit, no photo).
- app/sitemap.ts (stories, categories, static pages, paginated listing pages; split beyond 5,000 URLs) and app/robots.ts. Disallow /admin, /api, /age-gate, /access-denied. Sitemap contains only public, indexable pages.
- JSON-LD: WebSite with SearchAction, BreadcrumbList, Article/CreativeWork for stories.
- Paginated pages: self-canonical, prev/next, "Page N" title suffix. Search result pages noindex.
- Adult signals: keep rating meta and RTA label and a visible 18+ notice. No cloaking: bots and users receive the same HTML.
- Per-page SEO overrides from the admin SeoSetting table.
- Clean URLs (/story/latin-slug, /category/name); 301 redirect when a slug changes; custom 404 with popular stories.
- Performance: next/font, static generation + revalidate for listings, minimal client JS. Lighthouse mobile Performance >= 90 and SEO >= 95 on Home, listing and story pages.
- docs/seo-checklist.md: what is implemented and what to submit to Google Search Console. Do not claim guaranteed rankings.

Done when: Sitemap and robots valid; structured data validates; Lighthouse SEO >= 95; paginated pages have correct canonicals.

PHASE 14

Security and Privacy Hardening

PROMPT (paste this)

PHASE 14 - SECURITY AND PRIVACY HARDENING

- Security headers via next.config: Content-Security-Policy (nonces for scripts; allow the configured ad network domains only), Strict-Transport-Security, X-Content-Type-Options, frame-ancestors/X-Frame-Options, Referrer-Policy, Permissions-Policy.
- Rate limiting (Upstash Redis in production or in-memory adapter in dev) for admin login, comments, submissions, search, reports and age-gate endpoints.
- CSRF protection for all mutations (Server Actions origin check, tokens for route handlers), same-origin CORS.
- Zod on every action/route, output encoding, sanitize-html on all rich text, parameterised queries only.
- Ad HTML is admin-only input; render it only inside the dedicated <AdSlot /> component.
- Secrets: nothing in the repo, documented rotation of AUTH_SECRET / AGE_GATE_SECRET, secure httpOnly cookies.
- Privacy: IPs hashed with a rotating salt; Privacy Policy and Terms pages; cookie notice (essential cookies, plus ad-network cookies if ads enabled); retention policy: delete AgeConsentLog and logs older than 90 days via cron.
- Abuse handling: report flow, takedown contact page, instant unpublish, documented process to remove prohibited content within 24 hours.
- Dependency safety: npm audit, Dependabot, locked versions.
- OWASP Top-10 self-review in docs/security-review.md, fix every High finding.

Done when: Security headers present; rate limits and CSRF checks work; npm audit has no high vulnerabilities; docs/security-review.md exists.

PHASE 15

Testing, CI/CD and Deployment

PROMPT (paste this)

PHASE 15 - TESTING, CI/CD AND DEPLOYMENT

Testing:
- Vitest unit/integration tests (services, validators, age logic, pagination) with coverage >= 80% on src/server and src/lib.
- Playwright e2e: age gate (yes/no/no-cookie), browse 3 pages of stories (10/10/5), search, category filter, anonymous comment, anonymous story submission -> appears in admin -> approve -> appears publicly, report flow, admin login, unauthorized /admin redirect, admin create/publish story (with the 18+ confirmation). Run on Chromium and a mobile viewport.
- axe accessibility test on key pages.

CI/CD:
- GitHub Actions: install, lint, typecheck, unit tests, prisma migrate on a service Postgres, e2e, build; block merge on failure (runs on GitHub servers, not your laptop).
- OPTIONAL production Dockerfile (multi-stage, non-root) and /api/health endpoint. Not needed for Option A.

Deployment (docs/deployment.md):
- Option A (recommended): Vercel + Neon. No Docker, no server management. FIRST confirm that the hosting provider's policy allows adult content; many do not.
- Option B (advanced): VPS with Docker, Nginx, HTTPS (Let's Encrypt).
- Steps: environment variables, prisma migrate deploy, seed admin only, cron jobs (scheduled publish, log cleanup), daily database backups with a restore test, uptime monitoring and error tracking.
- docs/launch-checklist.md: legal review (Terms, Privacy, content policy, local adult-content laws), age gate verified, sample stories removed, admin password changed, robots/sitemap verified, backups working, rate limits enabled, 404/500 checked, Google Search Console + sitemap submission.

Done when: CI is green; coverage target met; deployment docs and launch checklist complete.

PHASE 16

Ads Integration (Admin-Managed, Adult-Friendly Network)

PROMPT (paste this)

PHASE 16 - ADS (ADMIN-MANAGED, ADULT-FRIENDLY NETWORK, NOT GOOGLE ADSENSE)

AdSense and most mainstream networks prohibit adult/erotic content. Use an adult-friendly network (ExoClick, JuicyAds, TrafficStars). Build it network-agnostic: the admin pastes any provider's snippet.

A) Admin Ads manager (/admin/ads, ADMIN only)
- CRUD for Advertisement: name, position (enum from Phase 2), HTML snippet, enabled toggle. Global "Ads enabled" ON/OFF in site settings (kill switch: hides every slot instantly without redeploy). Every button performs a real Prisma operation. Validate with Zod; snippet is admin-only input.

B) <AdSlot position="..." /> component
- Reads enabled ads for that position from the database (cached, revalidated on admin change). Renders nothing if global ads are off or no ad is enabled for that position.
- Fixed-size container with caption "Advertisement" and reserved min-height (728x90 desktop, 300x250, 320x50 mobile) so layout never shifts.
- Lazy-load below the fold with IntersectionObserver. Wrap loading in error handling so ad blockers never break the page.
- Never load any ad script before the age cookie is valid, and never on /age-gate or /access-denied.

C) Placements
- Home: HOME_TOP below the header, HOME_MIDDLE_1 after story 3, HOME_MIDDLE_2 after story 6, HOME_BOTTOM at the end, plus a sidebar slot on desktop.
- Listing, category and search pages: LIST_IN_FEED after every 4th card (10 cards -> 2 in-feed slots), plus top/bottom.
- Story page: STORY_TOP above the title, STORY_MIDDLE_1 after roughly the first third, STORY_MIDDLE_2 after roughly two thirds (always between paragraphs, never mid-paragraph), STORY_BOTTOM before comments. Optional dismissible STICKY_MOBILE bar that never covers the bottom action bar.
- No ads in /admin, /disclaimer, /content-policy, /terms, /privacy, /age-gate, /access-denied.

D) Compliance
- Update the cookie notice to mention ad-network cookies. Add ads.txt route if the network requires it.
- docs/ads-setup.md: how to sign up with the network, get approved (age gate and content policy are already live from Phase 3), create zones and paste snippets into the admin panel.

Tests: global OFF renders zero ad containers; ON renders the expected slots on Home, a listing (10 cards -> 2 in-feed) and a story page; no ad scripts on /age-gate or /access-denied.

Done when: Ads render via admin-managed positions on home, listings and story pages; layout never shifts; ads never load before the age gate; the global kill switch works instantly.

Final Review Prompt (Phase 16 ke baad)

> FINAL REVIEW: Audit the whole project against this checklist. Output a table of PASS/FAIL with file references, then fix every FAIL.
>
> 1. Age gate: with no valid age cookie the gate shows before any content (no flash); in redirect mode every non-allow-listed route redirects to /age-gate. "No" blocks re-entry for 24 hours.
> 2. Disclaimer, content policy, terms, privacy and contact (with takedown info) exist and are linked in the footer.
> 3. No public /login, /register or /account pages exist; only /admin/login exists and it is role-protected and rate-limited.
> 4. A story cannot be published without the 18+ characters/fiction confirmation (UI and server).
> 5. Submissions are never auto-published; flagged submissions are visible in admin; approval creates a story.
> 6. All list pages (home, category, search, bookmarks, history) show exactly 10 items per page with working pagination, no login needed.
> 7. Publish an 11th sample story (when 10 exist) and confirm page 2 appears automatically with no code change.
> 8. Admin routes, server actions and API routes are role protected on the server; comment moderation and device blocking work.
> 9. XSS, CSRF, rate limiting and sanitization are covered by tests.
> 10. Ads: admin-managed positions render on Home, every listing and every story page; global OFF hides all; ads never load on /age-gate or /access-denied.
> 11. At 360px and 390px: no horizontal scroll, all tap targets >= 44x44px, menus are bottom sheets, primary actions reachable by thumb.
> 12. No images, cover photos or upload UI exist anywhere (models, CMS, cards, story page). No dark/light toggle exists.
> 13. Sitemap, robots, canonical and JSON-LD valid; Lighthouse mobile targets met.
> 14. Lint, typecheck, unit tests and e2e tests all pass.

Quick Phase Map

Phase	Focus
1	Setup, folder structure, env validation (Neon, no Docker)
2	Prisma schema, seed (25 sample stories)
3	18+ age gate, disclaimer, content policy
4	Admin-only login (no reader accounts)
5	Design system, mobile-first UI, text-only cards
6	Story CMS (Tiptap, drafts, scheduling)
7	Public pages + dynamic 10-per-page pagination
8	Categories
9	Search (Hindi/Hinglish)
10	Guest comments, story submission, reports
11	Bookmarks, likes, history (optional)
12	Admin panel
13	SEO and metadata
14	Security and privacy
15	Testing, CI/CD, deployment
16	Ads (admin-managed, adult network)