

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>FoodieExpress - Your No.1 Food Delivery App</title>
  <link rel="stylesheet" href="style.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0-beta3/css/all.min.css">
</head>
<body>
  <header class="main-header">
    <div class="container">
      <div class="logo">FoodieExpress</div>
      <nav class="main-nav">
        <ul class="nav-list">
          <li><a href="#" class="nav-link active">Home</a></li>
          <li><a href="#" class="nav-link">Restaurants</a></li>
          <li><a href="#" class="nav-link">Offers</a></li>
          <li><a href="#" class="nav-link">My Orders</a></li>
        </ul>
        <div class="menu-toggle" id="menuToggle">
          <i class="fas fa-bars"></i>
        </div>
      </nav>
      <div class="user-actions">
        <button class="icon-button"><i class="fas fa-search"></i></button>
        <button class="icon-button cart-button" id="cartButton">
          <i class="fas fa-shopping-cart"></i>
          <span class="cart-count" id="cartCount">0</span>
        </button>
        <button class="primary-button">Sign In</button>
      </div>
    </div>
  </header>

  <main>
    <section class="hero-section">
      <div class="container">
        <h2>Craving something delicious?</h2>
        <p>Order from your favorite restaurants, delivered fresh and fast.</p>
        <div class="search-bar">
          <input type="text" id="locationInput" placeholder="Enter your delivery location...">
          <button class="primary-button" id="findFoodBtn">Find Food</button>
        </div>
      </div>
    </section>
  </main>
</body>
</html>
```

```
    </div>
  </div>
</section>
```

```
<section class="category-section">
  <div class="container">
    <h3>Explore Cuisines</h3>
    <div class="category-grid" id="categoryGrid">
      </div>
    </div>
  </section>
```

```
<section class="restaurant-section">
  <div class="container">
    <h3>Top Restaurants Near You</h3>
    <div class="restaurant-list" id="restaurantList">
      </div>
    </div>
  </section>
</main>
```

```
<footer class="main-footer">
  <div class="container">
    <p>&copy; 2025 FoodieExpress. All rights reserved.</p>
  </div>
</footer>
```

```
<div id="cartModal" class="modal">
  <div class="modal-content">
    <span class="close-button">&times;</span>
    <h2>Your Cart</h2>
    <div id="cartItems" class="cart-items">
      <p>Your cart is empty.</p>
    </div>
    <div class="cart-summary">
      <p>Total: <span id="cartTotal">₹0.00</span></p>
      <button class="primary-button checkout-button">Checkout</button>
    </div>
  </div>
</div>
```

```
<script src="script.js"></script>
</body>
```

