JavaScript Array Methods with Examples

Method	Description & Example
push()	Adds one or more elements to the end of an array and returns the new length. Example: let arr = [1, 2]; arr.push(3); // [1, 2, 3]
pop()	Removes the last element from an array and returns it. Example: let arr = [1, 2, 3]; arr.pop(); // [1, 2]
shift()	Removes the first element from an array and returns it. Example: let arr = [1, 2, 3]; arr.shift(); // [2, 3]
unshift()	Adds one or more elements to the beginning of an array and returns the new length. Example: let arr = [2, 3]; arr.unshift(1); // [1, 2, 3]
concat()	Merges two or more arrays and returns a new array. Example: let arr1 = [1]; let arr2 = [2, 3]; arr1.concat(arr2); // [1, 2, 3]
join()	Joins all elements of an array into a string. Example: let arr = ['a', 'b', 'c']; arr.join('-'); // 'a-b-c'
slice()	Returns a shallow copy of a portion of an array. Example: let arr = [1, 2, 3, 4]; arr.slice(1, 3); // [2, 3]
splice()	Changes the contents of an array by removing or replacing elements. Example: let arr = [1, 2, 3]; arr.splice(1, 1); // [1, 3]
forEach()	Executes a provided function once for each array element. Example: [1, 2, 3].forEach(x => console.log(x));
map()	Creates a new array with the results of calling a function for every element. Example: [1, 2, 3].map(x => x * 2); // [2, 4, 6]
filter()	Creates a new array with elements that pass the test. Example: [1, 2, 3].filter(x => x > 1); // [2, 3]
reduce()	Executes a reducer function on each element, resulting in a single value. Example: [1, 2, 3].reduce((a, b) => a + b); // 6
reduceRight()	Same as reduce but from right-to-left. Example: [1, 2, 3].reduceRight((a, b) => a - b);
find()	Returns the first element that satisfies the provided function. Example: [1, 2, 3].find(x => x > 1); // 2
findIndex()	Returns the index of the first element that satisfies the provided function. Example: [1, 2, 3].findIndex(x => x > 1); // 1
some()	Checks if at least one element passes the test. Example: [1, 2, 3].some(x => x > 2); // true
every()	Checks if all elements pass the test. Example: [1, 2, 3].every(x => x > 0); // true
includes()	Checks if an array includes a certain element. Example: [1, 2, 3].includes(2); // true
indexOf()	Returns the first index at which a given element can be found. Example: [1, 2, 3].indexOf(2); // 1
lastIndexOf()	Returns the last index at which a given element can be found. Example: [1, 2, 3, 2].lastIndexOf(2); // 3

flat()	Creates a new array with all sub-array elements concatenated. Example: [1, [2, 3]].flat(); // [1, 2, 3]
flatMap()	Maps each element, then flattens the result. Example: [1, 2].flatMap(x => [x, x * 2]); // [1, 2, 2, 4]
sort()	Sorts the elements of an array in place. Example: [3, 1, 2].sort(); // [1, 2, 3]
reverse()	Reverses the elements of an array in place. Example: [1, 2, 3].reverse(); // [3, 2, 1]
fill()	Fills all elements with a static value. Example: [1, 2, 3].fill(0); // [0, 0, 0]
copyWithin()	Copies part of an array to another location. Example: [1, 2, 3, 4].copyWithin(0, 2); // [3, 4, 3, 4]
toString()	Returns a string representing the array. Example: [1, 2, 3].toString(); // '1,2,3'
toLocaleString()	Returns a localized string representing the array. Example: [1, 2].toLocaleString();
keys()	Returns a new Array Iterator object that contains the keys. Example: [...['a', 'b'].keys()]; // [0, 1]
values()	Returns a new Array Iterator object that contains the values. Example: [...['a', 'b'].values()]; // ['a', 'b']
entries()	Returns a new Array Iterator object with key/value pairs. Example: [...['a', 'b'].entries()]; // [[0, 'a'], [1, 'b']]
from()	Creates an array from an array-like object. Example: Array.from('abc'); // ['a', 'b', 'c']
isArray()	Checks if a value is an array. Example: Array.isArray([1, 2, 3]); // true
of()	Creates an array from the arguments. Example: Array.of(1, 2, 3); // [1, 2, 3]