

General Information

1	Name of the DISCOM	MPSEZ Utilities Limited		
2	i) Year of Establishment	2010		
	ii) Government/Public/Private	Private		
3	DISCOM's Contact details & Address			
i	City/Town/Village	2nd Floor, Adani House, Navinal Island, Mundra		
ii	District	Kutch		
iii	State	Gujarat	Pin	370421
iv	Telephone	02838 255797	Fax	
4	Registered Office			
i	Company's Chief Executive Name	Mehul Rupera		
ii	Designation	Whole Time Director		
iii	Address	Adani Corporate House, Shantigram, Near Vaishno Devi Circle		
iv	City/Town/Village	Khodiyar	P.O.	
v	District	Ahmedabad		
vi	State	Gujarat	Pin	382421
vii	Telephone	9099002463	Fax	
5	Nodal Officer Details*			
i	Nodal Officer Name (Designated at DISCOM's)	Anil Rabadia		
ii	Designation	Sr. Manager		
iii	Address	2nd Floor, Adani House, APSEZ		
iv	City/Town/Village	Mundra	P.O.	
v	District	Kutch		
vi	State	Gujarat	Pin	370421
vii	Telephone	9687660309	Fax	
6	Energy Manager Details*			
i	Name	Anil Rabadia		
ii	Designation	Sr. Manager	Whether EA or EM	EM
iii	EA/EM Registration No.	EA-17765		
iv	Telephone		Fax	
v	Mobile	9687660309	E-mail ID	Anilb.Rabadia@adani.com
7	Period of Information			
	Year of (FY) information including Date and Month (Start & End)	1st Jul, 2023 - 30th Sep, 2023		

Anil B. Rabadia



Anil B. Rabadia

Performance Summary of Electricity Distribution Companies			
1	Period of Information	1st Jul, 2023 - 30th Sep, 2023	
	Year of (FY) information including Date and Month (Start & End)		
2	Technical Details		
(a)	Energy Input Details		
(i)	Input Energy Purchase (From Generation Source)	Million kwh	160.83
(ii)	Net input energy (at DISCOM Periphery after adjusting the transmission losses and energy traded)	Million kwh	160.30
(iii)	Total Energy billed (is the Net energy billed, adjusted for energy traded))	Million kwh	155.95
(b)	Transmission and Distribution (T&D) loss Details	Million kwh	4.35
		%	2.71%
	Collection Efficiency	%	100.00%
(c)	Aggregate Technical & Commercial Loss	%	2.71%

if any of the information supplied is found to be incorrect and such information result into loss to the Central Government or State Government or any of the authority under them or any other person affected, I/we undertake to indemnify such loss.

Authorised Signatory and Seal

Signature:-

Name of AEA*:

Registration Number:



Anil Rabadia

EA-17765

Name of Authorised Signatory: Sh. Mehul Rupera

Name of the DISCOM: MPSEZ Utilities Limited

Full Address:- Aduni corporate House, Shantigram, Near Vashno Devi circle
Khodiyar Ahmedabad - 382 421

Seal



Form-Details of Input Infrastructure					
1	Parameters	Total	Covered during in audit	Verified by Auditor in Sample Check	Remarks (Source of data)
i	Number of circles	1	1	1	
ii	Number of divisions	1	1	1	
iii	Number of sub-divisions	0	0	0	
iv	Number of Sub-stations	6	6	6	
v	Number of Power Transformers	13	13	13	
vi	Total capacity of the PTRs in MVA	607	607	607	
vii	Number of Capacitor banks	0	0	0	
viii	Total capacity of the Capacitor Banks in MVAr	0	0	0	
ix	Total Number of feeders	72	72	72	
x	Total Number of DTs	8	8	8	
xi	Total capacity of the DTs in KVA	3,005	3,005	3,005	
xii	Number of consumers	92	92	92	
2	Parameters	66kV and above	33kV	11kV,22kV,20kV,6.6kV,3.3kV	LT
a. i.	Number of conventional metered consumers	5	1	27	36
ii	Number of consumers with 'smart' meters	0	0	0	0
iii	Number of consumers with 'smart prepaid' meters	0	0	0	0
iv	Number of consumers with 'AMR' meters	4	0	17	2
v	Number of consumers with 'non-smart prepaid' meters	0	0	0	0
vi	Number of unmetered consumers	0	0	0	0
vii	Number of total consumers	9	1	44	38
b.i.	Number of conventionally metered Distribution Transformers	0	0	0	7
ii	Number of DTs with communicable meters	0	0	0	0
iii	Number of unmetered DTs	0	0	0	1
iv	Number of total Transformers	0	0	0	8
c.i.	Number of metered feeders	13	1	35	0
ii	Number of feeders with communicable meters	0	0	0	0
iii	Number of unmetered feeders	0	0	0	23
iv	Number of total feeders	13	1	35	23
d.	Line length (ct km)	106.47	0.37	74.29	10.75
e.	Length of Aerial Bunched Cables	0	0	0	0
f.	Length of Underground Cables	19.35	0.37	74.29	10.75

3	Voltage levels	Particulars	MU	Reference	Remarks (Source of data)
i	66kV and above	Long-Term Conventional	135.88	Includes input energy for franchisees	SLDC, Bill
		Medium Conventional	0.00		
		Short Term Conventional	6.53		
		Banking	0.00		
		Long-Term Renewable energy	17.89	Includes power from bilateral/ PX/ DEEP	SLDC, Bill
		Medium and Short-Term RE	0.00		
		Captive, open access input	0.00		
			0.00		
		Sale of surplus power	0.00	Any power wheeled for any purchase other than sale to DISCOM. Does not include input for franchisee.	
		Quantum of inter-state transmission loss	0.53		
ii	33kV	Power procured from inter-state sources	160.83	As confirmed by SLDC, RLDC etc Based on data from Form 5	Calculation
		Power at state transmission boundary	160.30		
		Long-Term Conventional	NA		
		Medium Conventional	NA		
		Short Term Conventional	NA		
		Banking	NA		
		Long-Term Renewable energy	NA		
		Medium and Short-Term RE	NA		
		Captive, open access input	NA		
		Sale of surplus power	NA		
iii	33 kV	Quantum of intra-state transmission loss	0.00		
		Power procured from intra-state sources	0.00		
		Input in DISCOM wires network	160.83		
		Renewable Energy Procurement	NA		
		Small capacity conventional/ biomass/ hydro plants Procurement	NA		
		Captive, open access input	NA		
		Renewable Energy Procurement	NA		
		Small capacity conventional/ biomass/ hydro plants Procurement	NA		
		Sales Migration Input	NA		
		Renewable Energy Procurement	NA		
v	11 kV	Sales Migration Input	NA		
		Renewable Energy Procurement	NA		
		Energy Embedded within DISCOM wires network	0.00		
		Total Energy Available/ Input	160.83		
vi	LT				
vii					
viii					

4	Voltage level	Energy Sales Particulars	MU	Reference
i	LT Level	DISCOM' consumers	0.99	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive		Non DISCOM's sales
		Embedded generation used at LT level		Demand from embedded generation at LT level
		Sale at LT level	0.99	
		Quantum of LT level losses		
ii	11 kV Level	Energy Input at LT level		
		DISCOM' consumers	59.38	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive		Non DISCOM's sales
		Embedded generation at 11 kV level used		Demand from embedded generation at 11kV level
		Sales at 11 kV level	59.38	
iii	33 kV Level	Quantum of Losses at 11 kV		
		Energy input at 11 kV level		
		DISCOM' consumers	5.80	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive		Non DISCOM's sales
		Embedded generation at 33 kV or below level		This is DISCOM and OA demand met via energy generated at same voltage level
iv	> 33 kV	Sales at 33 kV level	5.80	
		Quantum of Losses at 33 kV		
		Energy input at 33kV Level		
		DISCOM' consumers	89.79	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive		Non DISCOM's sales
		Cross border sale of energy		
		Sale to other DISCOMs		
		Banking		
		Energy input at > 33kV Level		
		Sales at 66kV and above (EHV)	89.79	
		Total Energy Requirement	160.298	
		Total Energy Sales	155.9513	

Loss Estimation for DISCOM	
T&D loss	4.88
D loss	4.35
T&D loss (%)	3.03%
D loss (%)	2.71%

Details of Division Wise Losses (See note below)**

Division Wise Losses																					
Period From 1st Jul, 2023 - 30th Sep, 2023																					
S.No	Name of circle	Circle code	Name of Division	Consumer profile				Energy parameters					Losses		Commercial Planner		AT & C loss (%)				
				Consumer category	No of connection metered (Nos)	No of connection Un-metered (Nos)	Total Number of connections (Nos)	% of number of connections	Connected Load metered (MW)	Connected Load Un-metered (MW)	Total Connected Load (MW)	% of connected load	Input energy (MU)	Metered energy	Unmetered/a assessment energy	% of energy consumption		T&D loss (MU)	T&D loss (%)	Billed Amount in Rs. Crore	Collected Amount in Rs. Crore
1			Residential	0	0	0	0	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00%		
			Agricultural	0	0	0	0	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00%		
			Commercial/Industrial-LT	28	0	28	30%	5.15	0.00	5.15	1%	160.30	0.82	0.00	0.82	1%	4.35	2.71%	0.61	0.00	100.00%
			Commercial/Industrial-HT	45	0	45	49%	491.02	0.00	491.02	95%	151.96	151.96	0.00	151.96	97%	95.92	95.92	95.92	95.92	100.00%
			Others	19	0	19	21%	21.37	0.00	21.37	4%	3.18	3.18	0.00	3.18	2%	4.35	2.71%	2.26	2.26	100.00%
Sub-total				92	0	92	100%	517.55	0.00	517.55	100%	160.30	155.95	0.00	155.95	100%	98.79	98.79	100.00%		
76			Residential	0	0	0	0	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00%		
			Agricultural	0	0	0	0	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00	0%	0.00	0.00	0.00%		
			Commercial/Industrial-LT	28	0	28	30%	5.15	0.00	5.15	1%	160.30	0.82	0.00	0.82	1%	4.35	2.71%	0.61	0.00	100.00%
			Commercial/Industrial-HT	45	0	45	49%	491.02	0.00	491.02	95%	151.96	151.96	0.00	151.96	97%	95.92	95.92	95.92	95.92	100.00%
			Others	19	0	19	21%	21.37	0.00	21.37	4%	3.18	3.18	0.00	3.18	2%	4.35	2.71%	2.26	2.26	100.00%
Total				92	0	92	100%	517.55	0.00	517.55	100%	160.30	155.95	0.00	155.95	100%	98.79	98.79	100.00%		
At company level				92	0	92	100%	517.55	0.00	517.55	100%	160.30	155.95	0.00	155.95	100%	98.79	98.79	100.00%		
** Note - It shall be mandatory to record the energy supplied separately for each category of consumers which is being provided a separate rate of subsidy in the tariff, by the state government, so that the subsidy due to the electricity distribution company is quarterly calculated by multiplying the supplied to each of such category of consumers by the																					

** Note - It shall be mandatory to record the energy supplied separately for each category of consumers which is being provided a separate rate of subsidy in the tariff, by the state government, so that the subsidy due for the electricity distribution company is quarterly calculated by multiplying the energy supplied to each of such category of consumers by the

Color	Parameter
	Please enter name of circle
	Please enter circle code
	Please enter numeric value or 0
	Formula protected

I/We undertake that the information supplied in this Document and Pro-forma is accurate to the best of my knowledge and If any of the Information supplied is found to be incorrect and such Information result into loss to the Central Government or State Government or any of the authority under them or any other person affected, I/we undertake to indemnify such loss.

Authorised Signatory and Seal

Name of Authorised Signatory:
Name of the DISCOM:
Full Address:-

Sh Mohd Rupera
MPSEZ Utilities Limited
Adani Corporate House, Shantigram, Near Vaishno Devi Circle, Khandiyar, Ahmedabad - 382421

Signature:-
Name of Energy Manager:
Registration Number:

Anil Rabadia
EA-17765

Seal



Form-Input energy(Details of Input energy & Infrastructure)
A. Summary of energy input & Infrastructure

[illegible][illegible]

Net input energy at DISCOM periphery (MU)

CASE	PARAMETER
5504	Please enter voltage level or leave blank
	Please enter frequency and name or leave blank
	Enter meter run or leave blank
	Enter C/P ratio or leave blank
	Please enter number of hours or 0
0	Please select meter and location
	Meters selected

I/We undertake that the information supplied in this Document and Pro-forma is accurate to the best of my knowledge and if any of the information supplied is found to be incorrect and such information result into loss to the Central Government or State Government or any of the authority under them or any other person affected, I/we undertake to indemnify such loss.

Authorised Simulatory and Seal

Name of Authorised Signatory: Sh. Mehtul Rupera

Name of the INSCOM: MPSEZ Utilities Limited
Full Address: Adani Corporate House, Chhatrapati Nagar, Valcha Road, Circle, Khodiyar, Ahmedabad - 382424

cal

Signature:-
Name of Energy
Registration No.

Anil Rabadia
CA 1776E

(Details of Consumers)						
Summary of Energy						
Period From 1st Jul, 2023 - 30th Sep, 2023						
S.No	Type of Consumers	Category of Consumers (EHT/HT/LT/Others)	Voltage Level (In kV) 220kV/132kV/ 110kV/66kV/33kV/ 22kV/20kV/11kV/6. 6kV/3kV/00.4kV/0. 23kV	No of Consumers	Total Consumption (In MU)	Remarks (Source of data)
1	Domestic	-	NA			
2	Commercial	LT	433	23	0.61	
3	IP Sets	-	NA			
4	Hor. & Nur. & Coffee/Tea & Rubber (Metered)	-	NA			
5	Hor. & Nur. & Coffee/Tea & Rubber (Flat)	-	NA			
6	Heating and Motive Power	-	NA			
7	Water Supply	LT	433	1	0.13	
8	Public Lighting	LT	433	8	0.10	
9	HT Water Supply	HT	11000	2	0.41	
10	HT Industrial	HT	66000/33000/11000	24	101.93	
11	Industrial (Small)	LT	433	2	0.05	
12	Industrial (Medium)	-	NA			
13	HT Commercial	EHV/HT	66000/33000/11000	20	49.86	
14	Applicable to Government Hospitals & Hospitals	HT	11000	1	0.17	
15	Lift Irrigation Schemes/Lift Irrigation Societies	-	NA			
16	HT Res. Apartments Applicable to all areas	HT	11000	1	1.42	
17	Mixed Load	-	NA			
18	Government offices and department	LT	433	3	0.04	
19	Others-1 (if any , specify in remarks)	HT (Temporary)	11000	4	1.22	
20	Others-2 (if any , specify in remarks)	LT (Temporary)	433	3	0.02	
21	Others-3 (if any , specify in remarks)					
22	Others-4 (if any , specify in remarks)					
23	Others-5 (if any , specify in remarks)					
			Total	92	155.95	

(Details of Feeder-wise losses)

Period From 1st Jul, 2023 - 30th Sep, 2023

Sl No.	Zone	Name of the Circle	Name of the Division	Name of the Sub-division	Name of the Sub-Station	Feeder Code/ID	Feeder Name	Input Energy Received at Feeder (in MU)	Final Net Export at Feeder Level (in MU)	Feeder Consumption (in MU)	T&D losses (%)	Remarks
1	MUL	MUL	MUL	MUL	MRSS	MRSS-601 & 602	66 KV West Port 1 & 2	9.74	9.74	9.74	0.003%	
2	MUL	MUL	MUL	MUL	MRSS	MRSS-610 & 611	66 KV MRSS - MSPVL 1 & 2	50.99	50.83	50.92	0.14%	
3	MUL	MUL	MUL	MUL	MRSS	MRSS-605	66KV MICT (MPT end)	3.95	3.95	3.93	0.52%	
4	MUL	MUL	MUL	MUL	GLGIS	GLGIS-601 & 602	66KV GLL (GLI end)	8.78	8.75	8.78	0.05%	
5	MUL	MUL	MUL	MUL	EMC	VGPI 1 & 2	66KV VGPI 1 & 2	8.17	8.17	8.06	1.37%	
6	MUL	MUL	MUL	MUL	MRSS	TSS 1 & 2	66 KV TSS 01 & 02	0.09	0.09	0.09	0.00%	
7	MUL	MUL	MUL	MUL	MRSS	MRSS-MPT	MPT 1 & 2	6.94	6.94	6.94	0.00%	
8	MUL	MUL	MUL	MUL	MRSS	MRSS-MPT	MPT 1 & 2	6.94	6.94	6.94	0.00%	
9	MUL	MUL	MUL	MUL	MRSS	MRSS-MPT	MPT 1 & 2	6.94	6.94	6.94	0.00%	
10	MUL	MUL	MUL	MUL	MRSS	MRSS-301 & 401	33 KV Ahistrom 33 KV	2.39	2.39	2.39	0.00%	
11	MUL	MUL	MUL	MUL	MRSS	MRSS-302 & 402	11 KV MSTPL 1 & 2	2.12	2.10	2.10	0.84%	
12	MUL	MUL	MUL	MUL	MRSS	MRSS-403	11 KV MSPVL VAM 1 & 2	2.11	2.11	2.09	0.77%	
13	MUL	MUL	MUL	MUL	MRSS	MRSS-403	11 KV 4 MID	0.16	0.16	0.17	1.10%	
14	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	-3.53%	
15	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
16	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
17	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
18	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
19	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
20	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
21	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
22	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
23	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
24	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
25	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
26	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
27	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
28	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
29	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	
30	MUL	MUL	MUL	MUL	MRSS	MRSS-403 & 406	11 KV SSS - 1 & 2	1.29	1.25	1.28	1.31%	

Details of DT-wise losses (please add more rows as per requirement)

Zone Name	Circle name	Division name	Name of the Sub division.	Name of the Substation	Substation Code	Name of the 11 KV Feeder	Feeder Code	Name of the Location where DT situated	DT Capacity (kVA)	Predominant consumer type of DT (Domestic/Industrial/Agriculture/Mixed)	Type of metering AMR/AMI/Communicable/Conventional meter/Unmetered.	Status of Meter-whether Functional (Yes/No)	No of Connected Consumers	Input Energy (MU) (A)	Billed Energy (MU) (B)	Loss (MU) (A-B)	%Loss (A-B)/A
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV FTWZ CSS OG	2901-EHSS-MISS-107	FTWZ CSS	315	Industrial	Metered	Yes	2	0.02	0.02	0.00	5.4%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV FTWZ CSS OG	2901-EHSS-MISS-107	HPCLCSS	315	Industrial	Metered	Yes	1	0.00	0.00	0.00	4.2%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV FTWZ CSS OG	2901-EHSS-MISS-107	LIGHT HOUSE CSS	315	Industrial	Metered	Yes	2	0.04	0.04	0.00	4.7%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV FTWZ CSS OG	2901-EHSS-MISS-107	R&D YARD CSS	315	Industrial	Metered	Yes	4	0.13	0.13	0.00	1.5%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV CSA OG	2901-EHSS-MISS-111	DHRUB CSS	315	Industrial	Metered	Yes	2	0.02	0.02	0.00	4.4%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV ANJANI OG	2901-EHSS-MISS-118	MITAP CSS	990	Industrial	Metered	Yes	11	0.23	0.23	0.00	1.4%
MUL	MUL	MUL	MUL	66/33/11 KV MITAP SUB-STATION	2901-EHSS-MISS	MITAP 11KV HONEYCOMB OG	2901-EHSS-MISS-122	SECTOR-11 CSS	315	Industrial	Metered	Yes	8	0.13	0.13	0.00	3.7%