


# Amasty Extension Installation Guide

for Magento 2.x



1. Unpack the extension ZIP file on your computer.
2. Connect to your website source folder with FTP/SFTP/SSH client and **upload all** the files and folders from the extension package to the corresponding **root folder** of your Magento installation:

Please use the “**Merge**” upload mode. Do not replace the whole folders, but merge them. This way your FTP/SFTP client will only add new files. This mode is used by default by most of FTP/SFTP clients software. For MacOS it's recommended to use Transmit. If you install several extensions from Amasty, they will contain same files from the Base package — feel free to overwrite them, these are system files used by all our extensions.



3. Connect to your Magento directory with SSH.

4. Run the following commands:


```
php bin/magento module:enable Amasty_Modulename
```

```
user@55m:/var/www/store$ php bin/magento module:enable Amasty_Promo
```

```
php bin/magento setup:upgrade
```

```
user@55m:/var/www/store$ php bin/magento setup:upgrade
```

5. Go to System — Cache Management page on your Magento backend and click the “Flush Magento Cache” button. After this action, the extension is installed.



The screenshot shows the 'Cache Management' page in the Magento Admin. The left sidebar contains navigation links: DASHBOARD, SALES, PRODUCTS, CUSTOMERS, MARKETING, CONTENT, REPORTS, STORES, and SYSTEM. The main content area has a header with 'Cache Management' and a search icon. Below the header, there are two buttons: 'Flush Cache Storage' and 'Flush Magento Cache'. A red arrow points to the 'Flush Magento Cache' button. Below the buttons, there is a 'Refresh' button and a 'Submit' button, followed by the text '12 records found'. A table lists the cache types with their descriptions, tags, and status buttons.

<input type="checkbox"/>	Cache Type	Description	Tags	Status
<input type="checkbox"/>	Configuration	Various XML configurations that were collected across modules and merged.	CONFIG	DISAB
<input type="checkbox"/>	Layouts	Layout building instructions.	LAYOUT_GENERAL_CACHE_TAG	DISAB
<input type="checkbox"/>	Blocks HTML output	Page blocks HTML.	BLOCK_HTML	DISAB
<input type="checkbox"/>	Collections Data	Collection data files.	COLLECTION_DATA	DISAB
<input type="checkbox"/>	Reflection Data	API interfaces reflection data.	REFLECTION	DISAB
<input type="checkbox"/>	Database DDL operations	Results of DDL queries, such as describing tables or indexes.	DB_DDL	DISAB
<input type="checkbox"/>	EAV types and attributes	Entity types declaration cache.	EAV	DISAB