

WalkinRadius – Subscriber Application

SUBCRIBER LAUNCH APP FLOW




SUBCRIBER AUTHENTICATION FLOW



Note: authenticate service response will carry subscriber's entire response or there can be separate web-service for same – need to finalize.

SUBCRIBER AUTHENTICATION FLOW - SUBSCRIBER DASHBOARD



SUBSCRIBER NAME: MY SHOPEE

TOTAL BEACONS:5

Serial no : 111111

Device name : Beacon1
iBeacon model : 400WinR

Template name : Beacon1-template

Template data : http://www.xxx.com

Start date : 10.07.2018

End date : 30.07.2018

Share a link :

Serial no : 222222

Device name : Beacon2

iBeacon model : 4000WinR

Template name : Beacon2-template

Template data : http://www.xxx.com

SUBSCRIBER NAME: MY SHOPEE

TOTAL BEACONS:5

Serial no : 111111

Device name : Beacon1

iBeacon model : 400WinR

Template name : Beacon1-template

Template data : http://www.xxx.com

Start date : 10.07.2018

http://www.beacon2-templ1.com

http://www.beacon2-templ2.com

http://www.beacon2-templ3.com

http://www.beacon2-templ4.com


http://www.beacon2-templ5.com

http://www.beacon2-templ6.com


emplace data . Http://www.xxx.com

July 17, 2018 July 17, 2018

BLE TEMPLATE READ/WRITE FLOW



BLE TEMPLATE READ FLOW



BLE TEMPLATE WRITE FLOW

