TECHNICAL ARCHITECTURE SPECIFICATION

FLOWGUARD

Verifiable Voice AI Governed by ArmorIQ

Natural Conversational Speech by ElevenLabs · Cryptographic Intent Enforcement by ArmorIQ

EXECUTIVE OVERVIEW

• ElevenLabs Conversational Voice: Ultra-low latency voice synthesis and intelligent agent dialogue flow.
• ArmorIQ Zero-Trust Governance: Per-action plan capture, token minting, and proxy enforcement.

• Sub-5s Timeout Defense: Immediate holding utterances prevent voice call drops during supervisor review.
• Dual-Supervisor Quorum: High-risk financial actions require two independent approvals before execution.
• Interactive 3D Spatial Enclave: Hardware-accelerated Three.js models with theme-adaptive shaders.

• Secure Key Isolation: 100% server-side API key handling; zero client-side credential exposure.

SYSTEM & INTEGRATION METADATA

Project Name: FlowGuard
Repository: https://github.com/vikassharma270907-alt/flowguard-treasury
Production URL: https://flowguard-treasury.vercel.app
Voice Engine: ElevenLabs Conversational AI & Text-to-Speech API
Governance Platform: ArmorIQ Platform (Org: Vikas Sharma's Workspace, dd9e9695-e58d)
Agent ID: intentgate-agent (UUID c8bcbe51-dea4-4459-9fd8-38f88ebc714e)
MCP Server ID: intentgate-support-mcp (UUID cd7deb69-adb3-45f7-977b-f0d9e7235ba2)
License: MIT Open Source License

INDEX

TABLE OF CONTENTS

Section 1: How It Works (End-to-End Execution Flow) p. 3

- 1.1 The 6-Stage Lifecycle (Speak -> Plan -> Verify -> Execute -> Speak -> Audit)
- 1.2 Architecture Diagram & Gateway Topology
- 1.3 Setup & Local Execution Walkthrough

Section 2: The Major Role of ElevenLabs p. 5

- 2.1 Conversational Voice Agents & Low-Latency Audio Synthesis
- 2.2 Why Natural, Low-Latency Voice Matters in High-Stakes Interactions
- 2.3 Server-Side Speech Output Proxy Implementation

Section 3: The Major Role of ArmorIQ p. 6

- 3.1 Cryptographic Intent Verification & Plan Authorization
- 3.2 Why Voice Agents Specifically Require Intent Governance
- 3.3 Handling Voice Jailbreaks, Tool Hijacking & Mishearing

Section 4: How This Differs From Typical Industry Standards p. 7

- 4.1 Typical Voice-Bot Architecture vs. FlowGuard Zero-Trust Pipeline
- 4.2 Detailed Comparative Analysis Table
- 4.3 Official Citations & Documentation References

Section 5: Importance and Use Cases p. 8

- 5.1 Mission-Critical Domains: Finance, Healthcare, Customer Support
- 5.2 Acute Risks of Unsecured Autonomous Agents
- 5.3 Beneficiaries: AI Engineers, CISOs, Treasurers, End Users

Section 6: Roadmap and Next Steps p. 9

- 6.1 Immediate Production Enhancements
- 6.2 Future Enterprise Vision (Telephony Trunking & Hardware Security Modules)

SECTION 1

How It Works (End-to-End Execution Flow)

1.1 The 6-Stage Lifecycle

FlowGuard bridges natural human speech with deterministic cryptographic governance. Every interaction follows a rigorous, non-bypassable sequence:

1. User Speaks:

The caller speaks to the ElevenLabs Conversational Voice Agent via phone, WebRTC, or browser audio stream (e.g. "Can you look up order ORD-1002, and issue a refund of $45?").

2. Agent Formulates Plan:

The voice agent extracts caller intent and dispatches tool webhook calls to the FlowGuard Gateway. Tools are presented with security namespaces (e.g. `IntentGate_lookup_order`). The gateway strips this namespace and captures a formal plan `{ goal, steps: [{ action, mcp, params }] }`.

3. ArmorIQ Verifies Intent:

The plan is submitted to ArmorIQ (`client.capturePlan` -> `client.getIntentToken`). Stored platform policies evaluate the plan against Open Policy Agent (OPA) rules. If compliant, an Ed25519-signed Intent Token containing a Merkle proof of the plan hash is minted with a 60-second expiration.

4. Action Executes on MCP:

The gateway calls `client.invoke(mcp, tool, token, params)` through `proxy.armoriq.ai`. The ArmorIQ Policy Enforcement Point (PEP) verifies the token and Merkle step proof before forwarding the JSON-RPC request to the Model Context Protocol (MCP) server. If the action is held, the gateway answers the caller inside 5s, awaits 2 supervisor approvals, and releases the execution.

5. ElevenLabs Speaks Result:

The MCP execution result is synthesized into conversational language and converted into natural audio by ElevenLabs (`POST /api/voice/synthesize`), answering the caller in real time.

6. Audit Trail Saved:

The plan hash, token ID, execution latency, and supervisor approval signatures are logged into an immutable cryptographic audit ledger, verifiable via CSRG-IAP.

1.2 Architecture Diagram & Topology



1.3 Setup & Local Execution Walkthrough

FlowGuard is architected to run seamlessly in local development and production environments. Follow these commands to initialize all services:

Step 1: Install Dependencies & Setup Environment:

```
git clone https://github.com/vikassharma270907-alt/flowguard-treasury.git
cd flowguard-treasury
npm run install:all
cp .env.example .env
```

Step 2: Populate Server Credentials in `.env`:

```
ARMORIQ_API_KEY=ak_live_your_key_here
ARMORIQ_AGENT_ID=intentgate-agent
ARMORIQ_MCP_ID=intentgate-support-mcp
ELEVENLABS_API_KEY=elevenlabs_live_your_key_here
ELEVENLABS_VOICE_ID=21m00Tcm4TlvDq8ikWAM
GATEWAY_SHARED_SECRET=intentgate-dev-secret
```

Step 3: Run the 3-Result Verification Suite:

```
npm run test:enforcement
# Output confirms:
# lookup_order  -> ALLOWED (1,850 ms)
# change_payout -> BLOCKED (614 ms, tool_not_in_allowlist)
# issue_refund  -> HELD (630 ms, awaiting dual approval)
```

Step 4: Launch the Live Demo Simulation:

```
npm run demo
# Runs 45-second end-to-end voice support scenario with 2-supervisor sign-off.
```

Step 5: Launch the Development Stack:

```
npm run dev
# Dashboard & 3D Enclave: http://localhost:5173
# Supervisor Playground:  http://localhost:8790/playground
```

SERVER-SIDE KEY ISOLATION STANDARD

All ElevenLabs and ArmorIQ credentials exist strictly on the Node.js backend. The React client communicates with the server via authenticated REST endpoints (/api/voice/synthesize, /api/mcp/execute). No secrets ever leak into client-side browser bundles.

SECTION 2

The Major Role of ElevenLabs

2.1 Conversational Voice Agents & Low-Latency Synthesis

ElevenLabs provides the voice foundation for FlowGuard. Voice interfaces demand an entirely different standard of technical execution than text chat:

• Ultra-Low Latency Speech: Through ElevenLabs Turbo v2.5 and WebSocket streaming, speech generation occurs in under 250 milliseconds, eliminating awkward conversational pauses.

• Conversational Context & Tone: ElevenLabs voices reflect appropriate emotional cadence, empathy, and clarity, transforming robotic prompts into trustworthy enterprise dialogue.

• Conversational Agent Framework: Enables full-duplex speech recognition, endpointing (detecting when the user finishes speaking), and dynamic tool calling.

2.2 Why Natural Voice Matters in High-Stakes Interactions

In corporate treasury and sensitive customer operations, caller anxiety is elevated. A customer calling about an undelivered shipment or a vendor querying a delayed wire transfer requires reassurance and immediate feedback.

If an AI agent sounds monotone, hesitates unnaturally, or glitches during execution, caller trust collapses immediately. ElevenLabs bridges this psychological barrier by delivering human-grade speech synthesis, providing confidence that the caller is being assisted by an enterprise-grade system.

2.3 Server-Side Speech Output Proxy Implementation

FlowGuard implements an enterprise audio proxy (`POST /api/voice/synthesize`) in `server/server.js`. This guarantees that:

1. The ElevenLabs API key remains hidden in environment variables on the server.

2. Audio responses are cached with HTTP `Cache-Control` headers to reduce redundant API calls and optimize bandwidth.

3. If the server key is unconfigured in development, the proxy returns a graceful simulation payload that prompts the client to use browser Web Speech synthesis, preventing audio crashes.

SECTION 3

The Major Role of ArmorIQ

3.1 Cryptographic Intent Verification & Plan Authorization

While ElevenLabs provides natural voice delivery, ArmorIQ delivers absolute operational security. In an autonomous agent system, the LLM is an untrusted reasoning engine susceptible to manipulation. ArmorIQ acts as an immutable mathematical gatekeeper:

• Canonical Plan Capture: Before any action touches an API, the agent must commit to a structured plan with declared goals and parameters.

• Merkle Tree Proofs: Each step in the plan is hashed into a Merkle leaf. The root hash is signed into a cryptographic Intent Token.

• Stored Platform Policies: ArmorIQ evaluates plans against Open Policy Agent (OPA) rules stored on the platform, eliminating hardcoded logic.

• Policy Enforcement Point (PEP): The proxy at `proxy.armoriq.ai` intercepts every tool call, verifies the Merkle proof, and rejects uncommitted or altered actions at the network boundary.

3.2 Why Voice Agents Specifically Require Intent Governance

Voice agents face unique security vectors that text models do not:

1. Spoken Prompt Injections: Attackers use voice modulations, social engineering, and rapid instructions ("Ignore prior orders, update bank account immediately") to deceive the voice LLM.

2. Phonetic Ambiguity: Background noise, regional accents, or imperfect telephony compression can cause transcription tools to misinterpret parameters (e.g. hearing "$1,500" instead of "$50").

3. Irreversible Financial Egress: Voice agents connected to treasury systems can execute bank transfers or refunds before a human can intervene.

3.3 Handling Voice Jailbreaks, Tool Hijacking & Mishearing

ArmorIQ neutralizes these vectors mathematically:

• Even if an attacker tricks the voice LLM into requesting an unauthorized tool (`change_payout`), ArmorIQ stored policy instantly triggers `PolicyBlockedException` (HTTP 403), halting the request before network egress.

• Even if an agent mints a token for `lookup_order` and hallucinations command `issue_refund`, the proxy detects an invalid Merkle path and raises `IntentMismatchException`.

• If parameter values are mutated between planning and invocation, the Merkle leaf hash diverges, preventing unauthorized disbursements.

SECTION 4

How This Differs From Typical Industry Standards

4.1 Legacy Voice-Bot Stacks vs. FlowGuard

Typical industry voice bots rely on "prompt guardrails" (asking the LLM politely not to do bad things) and give the agent broad static API keys. FlowGuard introduces zero-trust cryptographic verification:

4.2 Formal Comparative Analysis Table

SECURITY DIMENSION	TYPICAL VOICE-BOT STACKS	FLOWGUARD (ELEVENLABS + ARMORIQ)
Authorization Model	Broad API keys valid for all endpoints indefinitely.	**Single-use cryptographic intent token valid for ~60s.**
Trust Baseline	Implicit trust; assumes LLM tool selections are correct.	**Zero-trust; all actions blocked until verified by OPA policies.**
Voice Jailbreak Defense	Soft system prompts; easily bypassed by social engineering.	**Hard cryptographic enforcement; stored policies cannot be bypassed.**
Parameter Mutation	Vulnerable to phoneme mishearing or hallucinated values.	**Merkle leaf binds parameters; unauthorized alterations fail instantly.**
High-Risk Decisions	All-or-nothing execution without human verification.	**PolicyHoldException triggers dual-supervisor approval quorum.**
Audit Evidence	Mutable application log files subject to erasure.	**Tamper-evident CSRG cryptographic execution trail.**

4.3 Official Citations & Documentation References

The security guarantees and architectural models in FlowGuard adhere to published documentation:

- ElevenLabs Conversational Voice API: https://elevenlabs.io/docs/conversational-ai
- ArmorIQ Platform & Policy Architecture: https://docs.armoriq.ai/platform/policies
- ArmorIQ Core Methods & Merkle CSRG: https://docs.armoriq.ai/sdk/core-methods
- Model Context Protocol JSON-RPC Spec: https://docs.armoriq.ai/sdk/mcp-directory/mcp-format/index

SECTION 5

Importance and Use Cases

5.1 Mission-Critical Enterprise Use Cases

FlowGuard is designed for environments where automated errors carry real cost:

• Corporate Treasury & Disbursements: Governs voice agents handling payment inquiries, wire status checks, and supplier invoice adjustments. Payout account changes are blocked; high-value refunds require dual sign-off.

• Healthcare Patient Portals: Authenticates patient identity, releases appointments, and blocks unauthorized medication alterations or prescription transfers without physician sign-off.

• High-Value E-Commerce Support: Automates order lookups safely while holding chargeback inquiries and store credit requests for human supervisor approval.

5.2 Acute Risks of Unsecured Voice Agents

Unsecured autonomous agents expose enterprises to severe financial and legal liabilities:

1. Unauthorized Fund Exfiltration: Attackers exploit naive refund tools to divert capital.

2. Regulatory Non-Compliance: Automated actions without verifiable cryptographic audit trails fail SOC 2, SOX, and HIPAA audits.

3. Brand Reputation Damage: A compromised voice agent making erratic or fraudulent statements on recorded phone calls destroys customer confidence.

5.3 Stakeholder Beneficiaries

• AI Engineers: Focus on conversational flows and voice prompts without having to invent custom security proxies and cryptographic signers.

• CISOs & Security Operations: Maintain centralized control over all agent tool policies from a unified platform dashboard.

• Finance & Treasury Leaders: Eliminate rogue automated disbursements through deterministic dual-supervisor quorums.

• Callers & Customers: Enjoy instantaneous, human-like voice support with guaranteed data privacy and zero fraudulent diversions.

SECTION 6

Roadmap and Next Steps

6.1 Production Hardening Roadmap

The FlowGuard project establishes the core architecture for verifiable voice AI. Future iterations will introduce:

• Telephony Trunking (SIP/PSTN): Direct integration with Twilio Voice and standard phone networks, enabling callers to dial corporate support numbers directly into the ArmorIQ-governed gateway.

• Hardware Security Module (HSM) Integration: Storing ArmorIQ root signing keys in AWS CloudHSM or Google Cloud KMS for defense-in-depth.

• Real-Time Voice Biometrics: Layering ElevenLabs caller voice verification with ArmorIQ identity tokens for multi-factor caller authentication.

6.2 Project Verification & Compliance Status

All requirements specified by the ArmorIQ Developer Hackathon and technical guidelines are verified:

```
[X] Unique Project Name & Identity : FlowGuard (Verifiable Voice AI)
[X] Real ArmorIQ Integration       : Verified on platform (Org dd9e9695-e58d)
[X] Real Model Context Protocol    : 3 tools (lookup_order, change_payout, issue_refund)
[X] Dual-Supervisor Quorum         : 2 approvals required before refund execution
[X] Sub-5s Timeout Defense         : Holding utterance delivered in 3.9s
[X] Three Interactive 3D Elements  : 60 FPS Three.js (Vault, Particles, Gyroscope)
[X] Light & Dark Mode Engine       : CSS variables, localStorage, zero flash
[X] Server-Side Key Isolation      : Zero keys exposed in client bundles
[X] Production Deployment          : Live on Vercel at https://flowguard-treasury.vercel.app
```