### Schizophrenia Spectrum and Related Psychotic Disorders Algorithm

[THE FOLLOWING IS NOT AN INTERVIEW BUT AN ALGORITHM TO APPLY TO INFORMATION THAT IS COLLECTED VIA MULIPLE SOURCES INCLUDING, BUT NOT LIMITED TO, INTERVIEW WITH OR OBSERVATION OF PATIENT, COLLATERAL INFORMATION, AND/OR MEDICAL CHART REVIEW. THE PRESENCE OF SOME SYMPTOMS CAN BE GATHERED BY USING THE PSYCHOSIS SCREEN AND OTHER RELEVANT DART MODULES. THE USE OF THE FOLLOWING MODULE SHOULD BE LIMITED TO INTERVIEWERS WHO HAVE EXTENSIVE EXPERIENCE WORKING WITH PATIENTS WHO HAVE PSYCHOTIC DISORDERS TO BE ABLE TO ACCURATELY DETERMINE THE PRESENCE OF EACH SYMPTOM OF PSYCHOSIS.]

#### **Symptoms of Psychotic Disorders**

		[CURREN	T]	[PAS	
1.	1a. [DELUSION]	<b>A</b> ⊠	P	A ⊠	P
	[DETAILS:]  [SEVERITY, BASED ON IMPACT ON CLIENT'S LIFE:]  Mild Moderate Severe	Persecutory Jealous Grandiose Ideas/Delusions of reference Thought insertion Thought broadcasting Religious Somatic Erotomania Mixed Unspecified Bizarre content			
	1b. [HALLUCINATION]  [DATE/DURATION:]  [DETAILS:]	A  Auditory  Visual  Somatic  Olfactory  Tactile  Other	P	A ⊠	P
	[SEVERITY, BASED ON IMPACT ON CLIENT'S LIFE:] ☐ Mild ☐ Moderate ☐ Severe				

		[CURRENT]		[PAST	Τ]
1c. [DISORGANIZED THINKING (SPEECH)]		A ⊠	P	A ×	Р
[DATE/DURATION:]  [DETAILS:]  [SEVERITY, BASED ON IMPACT ON CLIENT'S LIFE:]		Derailed coose associations Tangential Circumstantial Incoherent Pressured speech Illogicality Thought blocking Other			
☐ Mild ☐ Moderate ☐ Severe  1d. [GROSSLY DISORGANIZED OR ABNORMAL MOTOR BEI	HAVIOLIR]	Α	P	Α	P
[DATE/DURATION:]	i, (VIOOI)	X	•	×	•
[DETAILS:]		Catatonia Repetitive or stereotyped behaviour	0		
		Bizarre clothing or appearance Other	0		
[SEVERITY, BASED ON IMPACT ON CLIENT'S LIFE:] ☐ Mild ☐ Moderate ☐ Severe					
1e. [NEGATIVE SYMPTOMS]		<b>A</b> ⊠	Р	A ×	P
[DURATION:]	,	Affective flattening			
[DETAILS:]		ed emotional expression)  Avolition			
		(e.g., apathy and inertia)  Alogia ty of speech, blocking of speech)			
	(e.g., reduced in	Anhedonia terests, lack of pleasure)			
		Asociality e.g., distant, disengaged) Other			
[SEVERITY, BASED ON IMPACT ON CLIENT'S LIFE:] ☐ Mild ☐ Moderate ☐ Severe					

### **Delusional Disorder**

1.	[PRESENCE OF AT LEAST ONE DELUSION THAT HAS PERSISTED FOR 1 MONTH OR LONGER.]	<b>A</b> ⋉		P
2.	[THERE HAS NEVER BEEN THE PRESENCE OF HALLUCINATIONS, DISORGANIZED SPEECH, DISORGANIZED OR CATATONIC BEHAVIOUR, OR NEGATIVE SYMPTOMS.]	A ⋉		P
3.	[APART FROM DISTRESS AND IMPAIRMENT RELATED TO DELUSION, NO MARKED FUNCTIONAL IMPAIRMENT OR BIZARRE BEHAVIOUR IS PRESENT.]	A ⋉		P
4.	[IF PAST MANIC OR MAJOR DEPRESSIVE EPISODE(S), DELUSION PERSISTS FOR A LONGER DURATION RELATIVE TO MANIC OR MAJOR DEPRESSIVE EPISODE(S).]	A ⋉		P
5.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY SUBSTANCE USE OR A MEDICAL CONDITION.]	A ⋉		P
6.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY ANOTHER MENTAL DISORDER, INCLUDING BODY DYSMORPHIC DISORDER OR OBSESSIVE-COMPULSIVE DISORDER.]	<b>A</b> ⊠		P
	DIAGNOSTIC IMPRESSION: DELUSIONAL DISORDER	Α	S	P
		[9	SPECI	FY:]
	EROTOM/			
	GRAND			
	JEAL	ous 1	ГҮРЕ	
	PERSECUT	ORY 1	ГҮРЕ	
	SOM	ATIC 1	ГҮРЕ	
		XED 1		
	UNSPECI	FIED 1	ГҮРЕ	
		[9	SPECI	FY:]
	WITH BIZARRE	CONT	ENT	
	[SPECIFY IF DISORDER FOR 1 YEAR			
		EPIS		
	MULTIPLE	EPISC	DES	
	[SPECIFY IF DISORDER I FOR 1 YEAR			
	SYMPTOMS ARE CURRENTLY MET IN ACUTI	EPIS	ODE	
	SYMPTOMS HAVE IMPROVED AND NOT ALL SYMPTOMS ARE MET IN PARTIAL R	EMISS	SION	
	NO DISORDER-SPECIFIC SYMPTOMS ARE MET IN FULL R	EMISS	SION	

	SYMPTOMS ARE MET FOR THE DURATION OF THE ILLNESS; LIMITED DURATION OF SUBTHRESHOLD SYMPTOMS	[SPEC	CIFY:]
		UNSPECIFIED	· 🗖
	Brief Psychotic Disorder		
1.	[PRESENCE OF AT LEAST ONE ITEM BELOW:]	<b>A</b> ⊠	P
	☐ DELUSION ☐ HALLUCINATION ☐ DISORGANIZED SPEECH		
	[PRESENCE OF GROSSLY DISORGANIZED OR CATATONIC BEHAVIOUR.]	Α	P
2.	[DURATION OF SYMPTOM PRESENTATION: AT LEAST 1 DAY BUT LESS THAN 1 MONTH, WITH FULL RETURN TO PREMORBID LEVEL OF FUNCTIONING.]	<b>A</b> ⊠	P
3.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY MAJOR DEPRESSIVE OR BIPOLAR DISORDER WITH PSYCHOTIC FEATURES, OR ANOTHER PSYCHOTIC DISORDER.]	<b>A</b> ⊠	P
4.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY SUBSTANCE USE OR A MEDICAL CONDITION.]	<b>A</b> ⊠	P
	DIAGNOSTIC IMPRESSION BRIEF PSYCHOTIC DISORDE	7 3	P
		[SPE	CIFY:]
	WITH MARKE	D STRESSOR(S)	
	WITHOUT MARKE	D STRESSOR(S)	
	WITH PERIP.	ARTUM ONSET	
		[SPF(	CIFY:1

WITH CATATONIA

# Schizophreniform Disorder

•	×	LIVI CITECKED.	ENIS BELOW, WITH AT LEAST I SHADED III	[TRESERVED OF AT LEAST TWO TIEMS BET
			Н	☐ DELUSION ☐ HALLUCINATION ☐ DISORGANIZED SPEECH
			ED OR CATATONIC BEHAVIOUR	☐ GROSSLY DISORGANIZED OR C☐ NEGATIVE SYMPTOMS
Р	<b>A</b> ⊠	I 6 MONTHS. IF	T FOR AT LEAST 1 MONTH BUT LESS THAN PROVISIONAL SPECIFIER BELOW.]	[DURATION: SYMPTOMS PERSIST FOR A'SYMPTOMS ARE CURRENT, USE PROVISION OF THE PROVISION OF T
P	<b>A</b> ⊠		ER ACCOUNTED FOR BY SCHIZOAFFECTIVE R WITH PSYCHOTIC FEATURES; IF NOT KNO	<del>-</del>
P	Α	NCURRENTLY	OR MANIC EPISODES HAVE OCCURRED CON	NO MAJOR DEPRESSIVE OR MAN WITH SYMPTOMS
Р	Α	•	E PRESENT DURING ACTIVE PHASE OF SYM MPTOMS WAS SHORTER THAN THE PSYCH	
P	<b>A</b> ⊠	OR A MEDICAL	ER ACCOUNTED FOR BY SUBSTANCE USE C	[THE SYMPTOMS ARE NOT BETTER ACCO
P	7 3	FORM DISORDER	DIAGNOST SCHIZOPHRENIF	
CIFY:]	[SPEC			
	PROVISIONAL	1	/E NOT RECOVERED PRIOR TO DIAGNOSIS	SYMPTOMS HAVE NOT F
IFY:]	[SPEC			
	PROGNOSTIC FEATURES		GOOD PROGNOSTIC FEATURES: ONSET OF MS OCCURRED WITHIN 4 WEEKS OF FIRST NEUSION WAS PRESENT; INDIVIDUAL HAD CIAL AND OCCUPATIONAL FUNCTIONING; BLUNTED OR FLAT AFFECT WAS ABSENT	PSYCHOTIC SYMPTOMS OCCU IDENTIFIED CHANGE; CONFUSION GOOD PREMORBID SOCIAL ANI
	THOUT GOOD TIC FEATURES		OGNOSTIC FEATURES WERE NOT PRESENT	IF TWO OR MORE GOOD PROGNOSTI
IFY:]	[SPEC			
	H CATATONIA	WITI		

# Schizophrenia

1.	[AT LEAST TWO ITEMS BELOW ARE CHECKED AND SYMPTOM PERSISTS FOR A SIGNIFICANT PROPORTION OF 1 MONTH; WITH AT LEAST 1 SHADED ITEM CHECKED:]	SIGNIFICANT <b>A</b> ⊠		Р
	☐ DELUSION ☐ HALLUCINATION ☐ DISORGANIZED SPEECH ☐ CROSSLY DISORGANIZED OR CATATONIC RELIANIOUS			
	☐ GROSSLY DISORGANIZED OR CATATONIC BEHAVIOUR ☐ NEGATIVE SYMPTOMS			
2.	[SYMPTOMS RESULTED IN MARKED IMPAIRMENT COMPARED TO PREVIOUS LEVEL OF FUNCTIONING.]	A ⊠		P
3.	[DURATION: CONTINUOUS SYMPTOM PRESENTATION FOR AT LEAST 6 MONTHS, WHICH MUST INCLUDE AT LEAST 1 MONTH OF SYMPTOMS CHECKED IN ITEM #1 (OR LESS IF SUCCESSFULLY TREATED) AND MAY INCLUDE PERIODS OF PRODROMAL AND/OR 1 RESIDUAL SYMPTOMS.]	A ⊠		P
4.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY SCHIZOAFFECTIVE DISORDER OR DEPRESSIVE/BIPOLAR DISORDER WITH PSYCHOTIC FEATURES; IF NOT KNOWN, DETERMINE:]	A ×		P
	NO MAJOR DEPRESSIVE OR MANIC EPISODES HAVE OCCURRED CONCURRENTLY WITH SYMPTOMS	Α		P
	IF MOOD SYMPTOMS ARE PRESENT DURING ACTIVE PHASE OF SYMPTOMS, THE DURATION OF MOOD SYMPTOMS WAS SHORTER THAN PSYCHOTIC SYMPTOMS CHECKED IN ITEM #1	Α		P
5.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY SUBSTANCE USE OR A MEDICAL CONDITION.]	<b>A</b> ⊠		P
6.	[IF THERE IS A HISTORY OF AUTISM SPECTRUM DISORDER OR COMMUNICATION DISORDER OF CHILDHOOD ONSET, THEN PROMINENT DELUSIONS OR HALLUCINATIONS AND OTHER SYMPTOMS ARE PRESENT FOR AT LEAST 1 MONTH.]	<b>A</b> ⊠		P
	DIAGNOSTIC IMPRESSION: SCHIZOPHRENIA		S	P
	[IF DISORDER HAS YEAR OR L			
	F	IRST EPIS	ODE	
	[IF DISORDER HAS			
	YEAR OR L			
	SYMPTOMS ARE CURRENTLY MET IN AC SYMPTOMS HAVE IMPROVED AND NOT ALL SYMPTOMS ARE MET IN PARTIA	UTE EPIS L REMISS		

	NO DISORDER-SPECIFIC SYMPTOMS ARE MET IN	FULL REMISSION	۷ 🗖
	SYMPTOMS ARE MET FOR THE DURATION OF THE ILLNESS; LIMITED DURATION OF SUBTHRESHOLD SYMPTOMS	[SPE CONTINUOU: UNSPECIFIED	
	V	[SPE	CIFY:]
	Schizoaffective Disorder		
1.	[SYMPTOMS OF MAJOR DEPRESSIVE OR MANIC EPISODE ARE PRESENT.]	<b>A</b> ⊠	P
2.	[AT LEAST 2 ITEMS BELOW ARE CHECKED AND SYMPTOM PERSISTS FOR A SIGNIFICANT PROPORTION OF 1 MONTH; WITH AT LEAST 1 SHADED ITEM CHECKED:]	<b>A</b>	Р
	☐ DELUSION ☐ HALLUCINATION ☐ DISORGANIZED SPEECH ☐ GROSSLY DISORGANIZED OR CATATONIC BEHAVIOUR ☐ NEGATIVE SYMPTOMS		
3.	[DELUSIONS OR HALLUCINATIONS ARE PRESENT FOR AT LEAST 2 WEEKS IN THE ABSENCE OF A MAJOR DEPRESSIVE OR MANIC EPISODE AT ANY POINT DURING THE HISTORY OF TILLNESS.]		P
4.	[SYMPTOMS OF MAJOR DEPRESSIVE OR MANIC EPISODE ARE PRESENT FOR MOST OF THE TOTAL DURATION OF THE ACTIVE AND RESIDUAL PORTIONS OF THE ILLNESS.]	IE A ⊠	P
5.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY SUBSTANCE USE OR A MEDICAL CONDITION.]	<b>A</b> ⊠	P
	DIAGNOSTIC IMPRESSION SCHIZOAFFECTIVE DISORE	7 3	P
		[SPE	:CIFY:]
		BIPOLAR TYPI DEPRESSIVE TYPI	
		[SPE	CIFY:]
	V	VITH CATATONIA	4 🗖

			[IF	
		DISORDER HAS P YEAR OR LO	[IF	
	TE EPISODE	IN ACU	SYMPTOMS ARE CURRENTLY MET	
	REMISSION	IN PARTIAL	SYMPTOMS HAVE IMPROVED AND NOT ALL SYMPTOMS ARE MET	
	REMISSION	IN FULL	NO DISORDER-SPECIFIC SYMPTOMS ARE MET	
FY:]	[SPECI			
	NTINUOUS	со	SYMPTOMS ARE MET FOR THE DURATION OF THE ILLNESS; LIMITED DURATION OF SUBTHRESHOLD SYMPTOMS	
	NSPECIFIED	IU		
		er	Substance-Induced Psychotic Disord	
P	<b>A</b> ⊠		[PRESENCE OF AT LEAST ONE OR BOTH OF THE FOLLOWING:]  Delusion Hallucination	1.
P	<b>A</b> ⊠		[THERE IS EVIDENCE FROM HISTORY, PHYSICAL EXAM, OR LABORATORY FIND OF THE FOLLOWING]  (1) SYMPTOMS DEVELOPED DURING OR SOON AFTER SUBSTANCE INTOXI WITHDRAWAL  (2) THE SUBSTANCE IS CAPABLE OF PRODUCING THE SYMPTOMS	2.
P	<b>A</b> ⊠		[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY ANOTHER PSYCHOTI OR A MEDICAL CONDITION. RULE OUT:] (1) SYMPTOMS PRECEDED SUBSTANCE USE (2) DURATION OF SYMPTOMS IS >1 MONTH AFTER CESSATION OF INTOXI WITHDRAWAL	3.
P	<b>A</b> ⊠	RIUM.]	[THE SYMPTOMS DO NOT OCCUR EXCLUSIVELY DURING AN EPISODE OF DELI	4.

#### S Ρ **SUBSTANCE-INDUCED PSYCHOSIS** [SPECIFY:]

**DIAGNOSTIC IMPRESSION:** 

WITH ONSET DURING INTOXICATION WITH ONSET DURING WITHDRAWAL

	[SPE ALCOHOI CANNABIS PHENCYCLIDINE OTHER HALLUCINOGEN INHALANT SEDATIVE/HYPNOTIC/ANXIOLYTIC AMPHETAMINE/OTHER STIMULANT COCAINE	
	Unspecified Psychotic Disorder	
1.	[MEETS PARTIAL CRITERIA FOR EITHER SCHIZOPHRENIA, SCHIZOAFFECTIVE, A SCHIZOPHRENIFORM, BRIEF PSYCHOTIC, DELUSIONAL DISORDER, OR SUBSTANCE-INDUCED]	Р
5.	[THE SYMPTOMS ARE NOT BETTER ACCOUNTED FOR BY A MEDICAL CONDITION.]  A  X	P
	DIAGNOSTIC IMPRESSION: A S UNSPECIFIED PSYCHOTIC DISORDER	P
	[SPE	CIFY:]
	INSOFFICIENT INFORMATION	