

```
# Install required packages
!apt install tesseract-ocr
!pip install pytesseract opencv-python-headless matplotlib
```

Reading package lists... Done
 Building dependency tree... Done
 Reading state information... Done
 tesseract-ocr is already the newest version (4.1.1-2.1build1).
 0 upgraded, 0 newly installed, 0 to remove and 34 not upgraded.
 Collecting pytesseract
 Downloading pytesseract-0.3.13-py3-none-any.whl.metadata (11 kB)
 Requirement already satisfied: opencv-python-headless in /usr/local/lib/python3.11/dist-packages (4.11.0.86)
 Requirement already satisfied: matplotlib in /usr/local/lib/python3.11/dist-packages (3.10.0)
 Requirement already satisfied: packaging>=21.3 in /usr/local/lib/python3.11/dist-packages (from pytesseract) (24.2)
 Requirement already satisfied: Pillow>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from pytesseract) (11.2.1)
 Requirement already satisfied: numpy>=1.21.2 in /usr/local/lib/python3.11/dist-packages (from opencv-python-headless) (2.0.2)
 Requirement already satisfied: contourpy>=1.0.1 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (1.3.2)
 Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (0.12.1)
 Requirement already satisfied: fonttools>=4.22.0 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (4.58.0)
 Requirement already satisfied: kiwisolver>=1.3.1 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (1.4.8)
 Requirement already satisfied: pyparsing>=2.3.1 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (3.2.3)
 Requirement already satisfied: python-dateutil>=2.7 in /usr/local/lib/python3.11/dist-packages (from matplotlib) (2.9.0.post0)
 Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.7->matplotlib) (1.17.0)
 Downloading pytesseract-0.3.13-py3-none-any.whl (14 kB)
 Installing collected packages: pytesseract
 Successfully installed pytesseract-0.3.13

```
import cv2
import pytesseract
import matplotlib.pyplot as plt
from google.colab.patches import cv2_imshow
```

```
# Configure pytesseract path (Colab already has it after install)
pytesseract.pytesseract.tesseract_cmd = r'/usr/bin/tesseract'
```

Double-click (or enter) to edit

```
import cv2
import pytesseract
import matplotlib.pyplot as plt
from google.colab.patches import cv2_imshow
import numpy as np
# Load the image
img = cv2.imread('/content/car.jpg')
img = cv2.resize(img, (600, 400)) # Resize for better visibility

# Convert to grayscale
gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)

# Noise removal
blur = cv2.bilateralFilter(gray, 11, 17, 17)

# Edge detection
edged = cv2.Canny(blur, 30, 200)

cv2_imshow(edged)
```



```
import cv2
import pytesseract
import matplotlib.pyplot as plt
from google.colab.patches import cv2_imshow
import numpy as np
# Load the image
img = cv2.imread('/content/car.jpg')
img = cv2.resize(img, (600, 400)) # Resize for better visibility

# Convert to grayscale
gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)

# Noise removal
blur = cv2.bilateralFilter(gray, 11, 17, 17)

# Edge detection
edged = cv2.Canny(blur, 30, 200)

cv2_imshow(edged)
```



```
# Find contours
cnts, _ = cv2.findContours(edged.copy(), cv2.RETR_TREE, cv2.CHAIN_APPROX_SIMPLE)

# Sort and look for rectangular contour
cnts = sorted(cnts, key=cv2.contourArea, reverse=True)[:10]
screenCnt = None

for c in cnts:
    peri = cv2.arcLength(c, True)
    approx = cv2.approxPolyDP(c, 0.018 * peri, True)
    if len(approx) == 4:
        screenCnt = approx
        break

if screenCnt is None:
    print("No contour detected.")
else:
    # Mask everything except plate
    mask = cv2.drawContours(np.zeros(gray.shape, dtype=np.uint8), [screenCnt], 0, 255, -1)
    out = cv2.bitwise_and(img, img, mask=mask)

    # Crop the plate
    (x, y) = np.where(mask == 255)
    (topx, topy) = (np.min(x), np.min(y))
    (bottomx, bottomy) = (np.max(x), np.max(y))
    cropped = gray[topx:bottomx+1, topy:bottomy+1]

    cv2_imshow(cropped)
```

No contour detected.

```
# Enhance cropped image
cropped = cv2.resize(cropped, None, fx=2, fy=2, interpolation=cv2.INTER_CUBIC)
_, thresh = cv2.threshold(cropped, 0, 255, cv2.THRESH_BINARY + cv2.THRESH_OTSU)

# OCR
```

```
text = pytesseract.image_to_string(thresh, config='--psm 7 -l eng')
print("Detected Number Plate:", text.strip())
```



```
-----
NameError                                Traceback (most recent call last)
<ipython-input-9-976ee82d32fe> in <cell line: 0>()
      1 # Enhance cropped image
----> 2 cropped = cv2.resize(cropped, None, fx=2, fy=2,
interpolation=cv2.INTER_CUBIC)
      3 _, thresh = cv2.threshold(cropped, 0, 255, cv2.THRESH_BINARY +
cv2.THRESH_OTSU)
      4
      5 # OCR
```

```
-----
NameError: name 'cropped' is not defined
-----
```

Next steps: [Explain error](#)

Start coding or [generate](#) with AI.