sketch_oct28a.ino

```ino
void setup() {
  Serial.begin(9600);
}

void loop() {
  if (Serial.available() > 0) {
    char receivedChar = Serial.read();

    // Print the character you sent, then print the echo right next to it
    Serial.print("Sent: ");
    Serial.print(receivedChar);
    Serial.print(" -> Echo: ");
    Serial.println(receivedChar);
  }
}

```

Output Serial Monitor ×

Message (Enter to send message to 'Arduino UNO' on 'COM5')

```
Echo: A
Echo:
Echo: D
Echo:

Sent: A -> Echo: A
Sent:
 -> Echo:
```

sketch_oct28a | Arduino IDE 2.3.10

File Edit Sketch Tools Help

Arduino UNO

sketch_oct28a.ino

```ino
void setup() {
  Serial.begin(9600);
}

void loop() {
  if (Serial.available() > 0) {
    char receivedChar = Serial.read();

    // Print the character you sent, then print the echo right next to it
    Serial.print("Sent: ");
    Serial.print(receivedChar);
    Serial.print(" -> Echo: ");
    Serial.println(receivedChar);
  }
}

```

Output Serial Monitor

Message (Enter to send message to 'Arduino UNO' on 'COM5')

New Line 9600 baud

```
Echo: A
Echo:

Echo: D
Echo:

Sent: A -> Echo: A
Sent:
 -> Echo:
```

Ln 16, Col 1 Arduino UNO on COM5 2

31°C Mostly sunny

Search

ENG IN 61% 2:12 PM 10/28/2026