

Introduction	2
First steps	3
Player	
Surfaces	
Input	
API	
Contacs	

Thanks for your purchase! Your support is greatly appreciated!

**Asset:** Smart First Person Controller.

Creator: Victor Klepikov.

## Introduction

Asset Smart First Person Controller is a powerful, flexible and intuitive to use first person controller system, allows you to quickly and easily setup your player controller for any first person game, and have them working in minutes! And many other features.

#### **Included features are:**

- ✓ All asset files, for free or commercial use (re-selling prohibited).
- ✓ States: Idle. Walking. Running. Jumping. Crouching. Climbing.
- ✓ Ladders and climbing system.
- Smart surface detection.
- ✓ Smart head bobbing system.
- ✓ Falling Damage Calculation.
- Advanced input system.
- ✓ Optimized for mobile.
- Intuitive and easy to modify source code for any of your needs.

These features should cover the most requirements for a shooting games. However, please note that a this project can't suit all game cases. You likely want to modify it to fit your needs and implement your own unique game and user interface mechanics. In the following chapters, this manual explains all components involved in this kit, so you can see where you might want to start.

**Asset:** Smart First Person Controller.

Creator: Victor Klepikov.


## First Steps

**WARNING:** If you are new to Unity, please take a quick break and get dirty with its main functionalities first, because this documentation will assume you have some basic knowledge regarding the interface and its editor tools.



Import the "Smart First Person Controller" unitypackage into an empty project.


Once the import has finished, you'll see all project files listed in the Project panel.



So, you probably have already seen how it works and you already want to understand the principles of operation, as well as set up all by your project. Well, let's start, the following pages are devoted to this.



# Player




This script is Script Input Manager (Script) Update Type responsible MenuElements (Menu ○ Menu Prefab for player Move Horizontal Move X Move Vertical Move Y moving on Look X Look Horizontal Look Y Look Vertical scene. Sets V Actions Jump Jump the movement Crouch Crouch Pause Pause speed and an-Block Cursor Block Cursor Unblock Cursor Unblock Cursor other param-

eters foe all states. Also play sounds for current surface. And responsible for main camera look controlling.

This script will need to calculate the shaking effect of the head and weapons when player movement.

This script is responsible for playback animations of player body.



▼ 🕝 🗹 Body Animation (Script)			\$,
Idle	■ soldierIdleRelaxed		0
Walk	■ soldierWalk		0
Forward Speed		1.2	
Backward Speed	$\overline{}$	0.72	
Run	■ soldierRun		0
Run Speed		1.15	
Strafe Left	■ soldierStrafeLeft		0
Strafe Right	■ soldierStrafeRight		0
Strafe Speed		8.0	
Crouch	soldierCrouch		0
Crouch Walk	■ soldierCrouchRun		0
Forward Speed		0.75	
Backward Speed	$\overline{}$	0.45	
Crouch Strafe Left	■ soldierCrouchStrafeLeft		0
Crouch Strafe Right	■ soldierCrouchStrafeRight		0
Crouch Strafe Spe	ed ———	0.5	
Falling	■ soldierFalling		0
Half-Strafe Angle		35	
HS-Angle Smooth		7	

## Surfaces

#### Window -> Victor's Assets -> Smart FP Controller Settings



Surfases
window tab
need for
configuration
surface detection
system.

Add (register)
material
to associate it
for custom surface.

This component configurate all sounds of character movement, it's a footsteps, jumping and landing sounds.

\*Generic for unknown surface.



Creator: Victor Klepikov.

Asset:

# Input

#### Window -> Victor's Assets -> Smart FP Controller Settings

Actions sub tab need for register the actions (buttons and axes) to perform actions. Use this only when implementing events that trigger an action.


Input Manager can be handle *Events based on Axis values*.


Source - used for select source of get axis value.

Input Manager - get axis registered in this manager.

Native Input used for get axis directly from the Unity.Input.

Clamp used to clamp the events of only positive or only negative values.





Actions sub tab need for register axis to get float value.

Custom - The value will be in the range -1...1 for keyboard and joystick input. Since input is not smoothed, keyboard input will always be either -1, 0 or 1. This is useful if you want to do all smoothing of keyboard input processing yourself.

Unity - The value will be in the range -1...1 for keyboard and joystick input. If the axis is setup to be delta mouse movement, the mouse delta is multiplied by the axis sensitivity and the range is not -1...1.

**Normalize** - if true the value will be in the range -1...1.

Smart First Person Controller.

**Creator:** Victor Klepikov.

### **API**

### namespace: SmartFirstPersonController

class SmartInputManager	
static void BindAction( string m_Name, EActionEvent m_Event, ActionHandler m_Handler);	Bind your void to named action.
static void UnbindAction( string m_Name, EActionEvent m_Event, ActionHandler m_Handler);	Unbind your void to named action.
static void BindActionByAxis( string actionName, AxisState axisState, ActionHandler m_Handler);	Bind your void to named axis works as action.
static void UnbindActionAxis( string actionName, AxisState axisState, ActionHandler m_Handler);	Unbind your void to named axis works as action.
static void BindAxis (string m_Name, AxisHandler m_Handler);	Bind your void to named axis.
static void UnbindAxis ( string m_Name, AxisHandler m_Handler );	Unbind your void to named axis.
static bool GetAction ( string m_Name, EActionEvent m_Event );	Use this only when implementing events that trigger an action.
static bool GetActionByAxis ( string actionName, EAxisState axisState );	Use this only when implementing events based only axis value that trigger an action.
static float GetAxis( string m_Name );	Returns the value of the virtual axis identified by name.
static void BlockCursor();	Locking mouse cursor.
static void UnblockCursor();	Unlocking mouse cursor.
static void Pause();	Pause/Unpause game.

delegate void ActionHandler(); delegate void AxisHandler( float value );

#### enum EActionEvent

**Down -** during the frame the user pressed down the virtual button.

**Pressed -** while the virtual button is held down.

**Up** - first frame the user releases the virtual button.

enum EAxisState - Event of axis state works as EActionEvent, but based only axis value.

PositiveDown, PositivePress, PositiveUp, - Events based Positive axis values.

NegativeDown, NegativePress, NegativeUp - Events based Negative axis values.

**Asset:** Smart First Person Controller. **Creator:** Victor Klepikov.

class FirstPersonController		
static bool isGrounded { get; }	Was the player touching the ground during the last move?	
static bool isClimbing { get; }	Was the player climbs?	
static bool isMoving { get; }	Was the player movement?	
static bool isRunning { get; }	Was the player runs?	
static bool isCrouched { get; }	Was the player crouching?	
static bool isJumping { get; }	Was the player jumping?	
static bool isFalling { get; }	Was the player falling?	
static RaycastHit floorHit { get; }	Used to get information back from a floor sphere cast.	

interface IFootstepSFXManager	
void PlayJumpingSound( RaycastHit hit );	Play sound on jumping start.
void PlayLandingSound( RaycastHit hit );	Play sound when player fell the ground.
void PlayFootStepSound( RaycastHit hit );	Play one foorstep sound from array.

class SurfaceDetector		
static string GetSurfaceNameByHit( RaycastHit hit );	Returns index of surface by RaycastHit.	
static int GetSurfaceIndexByHit( RaycastHit hit );	Returns name of surface by RaycastHit.	
static Material GetMaterialByHit( RaycastHit hit );	Returns mesh material by RaycastHit.	
static string GetMaterialNameByHit( RaycastHit hit );	Returns mesh material name by RaycastHit.	
static Texture GetTerrainTextureByHit ( RaycastHit hit );	Returns terrain texture by RaycastHit.	
static string GetTerrainTextureNameByHit ( RaycastHit hit );	Returns terrain name by RaycastHit.	
<pre>static int GetCount { get; }</pre>	Returns count of surfaces.	
<pre>static string[] GetNames { get; }</pre>	Returns string array of surfaces names.	

class GameSettings	
static bool InvertLookX { get; set; }	Invert horizontal look axis.
<pre>static bool InvertLookY { get; set; }</pre>	Invert vertical look axis.
static float LookSensitivity { get; set; }	Get/Set of look sensitivity.
<pre>static float MasterVolume { get; set; }</pre>	The total volume for all Audio Sources (AS).
<pre>static float MusicVolume { get; set; }</pre>	Volume level for AS whose output is set to music.
static float SFXVolume { get; set; }	Volume level for AS whose output is set to SFX.
<pre>static float VoiceVolume { get; set; }</pre>	Volume level for AS whose output is set to voice.
static AudioMixer MasterMixer { get; }	Get master mixer.
static AudioMixerGroup MusicOutput { get; }	Get music output Mixer Group.
static AudioMixerGroup SFXOutput { get; }	Get sfx output Mixer Group.
<pre>static AudioMixerGroup VoiceOutput { get; }</pre>	Get voice output Mixer Group.

## **Contacts**

All the source code is made so that it is easy to understand, feel free to take a look at the scripts and to modify them to fit your needs.

If you have any questions, comments, suggestions or find errors in this documentation, don't hesitate to contact me.

#### **Support:**

http://bit.ly/vk-Support | http://forum.unity3d.com/threads/333931

myAssets: <a href="http://u3d.as/5Fb">http://u3d.as/5Fb</a>

mySite: <a href="http://vkdemos.ucoz.org">http://vkdemos.ucoz.org</a>

myTwitter: <a href="http://twitter.com/VictorKlepikov">http://twitter.com/VictorKlepikov</a>

### Thank you for choosing Smart First Person Controller!

If you've bought this asset on the Unity Asset Store, please write a short review so other users can form an opinion!

Again, thanks for your support, and good luck with your projects!