DKL /
data-catalog-api

Code | Issues | Pull requests 11 | Actions | Projects | Wiki | Security

We have planned a Disaster Recovery exercise on SGitHub OnPremise from **Saturday 28th of March 2026 from 09:00 PM CET to Sunday 29th of March 2026 03:00 AM CET.**

# Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.

base: develop ← compare: DATAUSER-6134-sonar-codesm...

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others.
Learn about pull requests

Create pull request

3 commits | 40 files changed | 2 contributors

Commits on Mar 26, 2026

**fix(sonar): fixed minor sonar code quality issues part 2** ...
**greeshma-ganapati** committed yesterday
0c1102f

Commits on Mar 27, 2026

**chore: 🚀 increase version to v0.31.0-SNAPSHOT**
**asingh072423** authored and **greeshma-ganapati** committed 1 hour ago
ad34010

**fix(sonar): fixed some more minor sonar code quality issues part 2** ...
**greeshma-ganapati** committed 1 hour ago
3584954

Showing 40 changed files with **95 additions** and **104 deletions**.

Split | Unified

2 pom.xml

```
12  12
13  13      <groupId>com.socgen.datacatalog</groupId>
14  14      <artifactId>sgdata-catalog</artifactId>
15  -       <version>0.30.0-SNAPSHOT</version>
```

```
+     <version>0.31.0-SNAPSHOT</version>
      <name>${project.groupId}:${project.artifactId}:${project.packaging}</name>
      <description>SG|Data Catalog</description>
      <url>https://sgithub.fr.world.socgen/DKL/data-catalog-api</url>
```

2 src/main/java/com/socgen/bigdata/catalog/commons/Tools.java

```
          return field == null || StringUtils.isBlank(field);
      }

-     public static Boolean checkIfFieldIsNull(List field) {
+     public static <T> Boolean checkIfFieldIsNull(List<T> field) {
          return field == null || field.isEmpty();
      }

```

8 src/main/java/com/socgen/bigdata/catalog/enums/DatasetRelationType.java

```
@@ -1,12 +1,13 @@
package com.socgen.bigdata.catalog.enums;
-
+ import lombok.Getter;
+ @Getter
public enum DatasetRelationType {
    PARENT("is the parent of"),
    CHILD("is a child of"),
    SUGGESTS("is connected with"),
    SIMILAR("is similar to");

-     private String label;
+     private final String label;

    DatasetRelationType(String l) {
        this.label = l;
        throw new IllegalArgumentException(String.format("DatasetRelationType has not %s as code", value));
    }

-     public String getLabel() {
-         return label;
-     }
}
```

9 src/main/java/com/socgen/bigdata/catalog/enums/Environments.java

```
@@ -1,21 +1,20 @@
package com.socgen.bigdata.catalog.enums;

+ import lombok.Getter;
+
```

```
+ @Getter
  public enum Environments {
      prd("1"),
      uat("2"),
      dev("3"),
      default_weight("-1");

-     private String weight;
+     private final String weight;

      Environments(String weight) {
          this.weight = weight;
      }

-     public String getWeight() {
-         return weight;
-     }
-
      public static Environments getOrDefault(String env) {
          for (Environments e : Environments.class.getEnumConstants()) {
              if (e.name().equalsIgnoreCase(env)) {
```

15 src/main/java/com/socgen/bigdata/catalog/enums/Exposition.java

```
  @@ -1,17 +1,20 @@
  package com.socgen.bigdata.catalog.enums;

+ import lombok.Getter;
+
  /**
   * Created by jbouahom122616 on 05/12/2017.
   */
+ @Getter
  public enum Exposition {
      hidden("hidden", "Hidden"),
      restricted("restricted", "Restricted"),
      group("group", "Group"),
      partner("partner", "Partner"),
      ePublic("public", "Public");

-     private String displayName;
-     private String zeeneaName;
+     private final String displayName;
+     private final String zeeneaName;

      Exposition(String displayName, String zeeneaName) {
          this.displayName = displayName;
          return displayName;
      }

-     public String getZeeneaName() {
```

```
27        -         return zeeneaName;
28        -     }
29        -
30        -     public String getDisplayName() {
31        -         return displayName;
32        -     }
33        -
34   29       public static Exposition valueOfOrDefault(String myValue) {
35   30           for (Exposition exposition : Exposition.class.getEnumConstants()) {
36   31               if (exposition.toString().equals(myValue)) {
```

7 src/main/java/com/socgen/bigdata/catalog/enums/ExternalDataType.java

```
...  ...   @@ -1,5 +1,8 @@
1    1     package com.socgen.bigdata.catalog.enums;
2    2
     3   + import lombok.Getter;
     4   +
     5   + @Getter
3    6     public enum ExternalDataType {
4    7         RAW("Raw"),
5    8         ESTIMATED_DATA("Estimated data"),
11   14        this.label = label;
12   15    }
13   16
14       -     public String getLabel() {
15       -         return label;
16       -     }
17       -
18   17        public static String getLabelFromEnumString(String text) {
19   18        for (ExternalDataType externalDataType : ExternalDataType.values()) {
20   19            if (externalDataType.name().equalsIgnoreCase(text)) {
```

9 src/main/java/com/socgen/bigdata/catalog/enums/FeedFrequency.java

```
...  ...   @@ -1,8 +1,11 @@
1    1     package com.socgen.bigdata.catalog.enums;
2    2
     3   + import lombok.Getter;
     4   +
3    5     /**
4    6      * Created by jbouahom122616 on 05/12/2017.
5    7      */
     8   + @Getter
6    9     public enum FeedFrequency {
7    10        STREAMED("Streamed"),
8    11        DAILY("Daily"),
13   16        ANNUALLY("Annually"),
14   17        OTHER("Other");
15   18
```

```
16      -     private String displayName;
    19  +     private final String displayName;
17  20
18  21        FeedFrequency(String displayName) {
19  22            this.displayName = displayName;
24  27            return displayName;
25  28        }
26  29
27      -     public String getDisplayName() {
28      -         return displayName;
29      -     }
30      -
31  30        public static FeedFrequency nameOfOrDefault(String name) {
32  31            try {
33  32                return name != null ? Enum.valueOf(FeedFrequency.class, name) :
    null;
```

4 src/main/java/com/socgen/bigdata/catalog/enums/Lifecycle.java

```
12  12        trashed("Trashed", "Trashed"),
13  13        deprecated("Deprecated", "Deprecated");
14  14
15      -     private String displayName;
16      -     private String zeeneaName;
    15  +     private final String displayName;
    16  +     private final String zeeneaName;
17  17
18  18        Lifecycle(String displayName, String zeeneaName) {
19  19            this.displayName = displayName;
```

2

src/main/java/com/socgen/bigdata/catalog/enums/PublicCloudEligibilityStatus.java

```
11  11        CLOUD_AUTHORITY_AUTHORIZATION("Sensitive"),
12  12        MISSING_INFORMATION("Missing information");
13  13
14      -     private String label;
    14  +     private final String label;
15  15
16  16        PublicCloudEligibilityStatus(String label) {
17  17            this.label = label;
```

2 src/main/java/com/socgen/bigdata/catalog/enums/RoleAssignement.java

```
4   4         APPLICATION_DEVELOPMENT_MANAGER("Application development manager (SG)"),
5   5         BUSINESS_APPLICATION_MANAGER("Business application manager (SG)");
6   6
7       -     private String roleName;
    7   +     private final String roleName;
8   8
```

```
9   9       RoleAssignement(String roleName) {
10  10          this.roleName = roleName;
```

2 src/main/java/com/socgen/bigdata/catalog/enums/SourceStatus.java

```
9   9       decommissioned("DECOMMISSIONED"),
10  10      closed("CLOSED");
11  11
12      -   private String displayName;
    12  +   private final String displayName;
13  13
14  14      SourceStatus(String displayName) {
15  15          this.displayName = displayName;
```

2 src/main/java/com/socgen/bigdata/catalog/enums/StorageSpace.java

```
11  11      USAGE("Usage View");
12  12
13  13
14      -   private String label;
    14  +   private final String label;
15  15
16  16      StorageSpace(String label) {
17  17          this.label = label;
```

2

src/main/java/com/socgen/bigdata/catalog/enums/dataset/ClientDataCategories.java

```
9   9       INTERNAL_MANAGEMENT("Internal management (NBI, risks analysis)"),
10  10      NO_CLIENT_DATA_CATEGORIE("No client data");
11  11
12      -   private String label;
    12  +   private final String label;
13  13
14  14      ClientDataCategories(String label) {
15  15          this.label = label;
```

2

src/main/java/com/socgen/bigdata/catalog/enums/dataset/DataGoldenNature.java

```
10  10      OTHER_DATALAKE_REPLICATION("Other data lake replication"),
11  11      NOT_GOLDEN_DATA("Not golden data");
12  12
13      -   private String label;
    13  +   private final String label;
14  14
15  15      DataGoldenNature(String label) {
16  16          this.label = label;
```

2 src/main/java/com/socgen/bigdata/catalog/enums/dataset/DataOrigin.java

```
8   8       PUBLIC("Public (Open Data)"),
9   9       EXTERNAL("External (from third party)");
10  10
11      -   private String label;
    11  +   private final String label;
12  12
13  13      DataOrigin(String label) {
14  14          this.label = label;
```

2

src/main/java/com/socgen/bigdata/catalog/enums/dataset/GDPRClassification.java

```
11  11      DP2("DP2"),
12  12      DP3("DP3");
13  13
14      -   private String label;
    14  +   private final String label;
15  15
16  16      GDPRClassification(String label) {
17  17          this.label = label;
```

5 src/main/java/com/socgen/bigdata/catalog/enums/sort/EntitySortEnum.java

```
...     ...   @@ -1,10 +1,12 @@
1   1     package com.socgen.bigdata.catalog.enums.sort;
2   2
    3   + import lombok.Getter;
3   4     import org.springframework.data.domain.Sort;
4   5
5   6     /**
6   7      * Created by jbouahom122616 on 09/01/2018.
7   8      */
    9   + @Getter
8   10    public enum EntitySortEnum implements SortEnumInterface {
9   11        alphabetical(0),
10  12        recently(1),
30  32            }
31  33        }
32  34
33      -     public Sort getSort() {
34      -         return sort;
35      -     }
36  35    }
```

5 src/main/java/com/socgen/bigdata/catalog/enums/sort/TagSortEnum.java

```
...     ...   @@ -1,10 +1,12 @@
```

```
1   1   package com.socgen.bigdata.catalog.enums.sort;
2   2
    3 + import lombok.Getter;
3   4   import org.springframework.data.domain.Sort;
4   5
5   6   /**
6   7    * Created by jbouahom122616 on 09/01/2018.
7   8    */
    9 + @Getter
8   10  public enum TagSortEnum implements SortEnumInterface {
9   11      alphabetical(0),
10  12      top(1);
24  26          }
25  27      }
26  28
27      - public Sort getSort() {
28      -     return sort;
29      - }
30  29  }
```

10

src/main/java/com/socgen/bigdata/catalog/helpers/HiveTableStructGenerator.java

```
...  ...  @@ -1,12 +1,14 @@
1   1   package com.socgen.bigdata.catalog.helpers;
2   2
3   3   import java.util.ArrayList;
    4 + import java.util.Collections;
4   5   import java.util.List;
5   6   import java.util.regex.Pattern;
6   7   import lombok.extern.slf4j.Slf4j;
7   8
8   9   @Slf4j
9   10  public class HiveTableStructGenerator {
    11 +     private static final String TYPE_ARRAY="array";
10  12
11  13      private HiveTableStructGenerator() {
12  14          throw new IllegalStateException("Utility class");
41  43                  String keyType = keyValueSplit[0].trim();
42  44                  String valueType = keyValueSplit[1].trim();
43  45                  return String.format("map<%s,%s>", keyType,
    getComplexType(valueType));
44      -           case "array":
45      -               return String.format("array<%s>",
    getComplexType(removeTypeMarker(complexType, "array")));
    46 +            case TYPE_ARRAY:
    47 +                return String.format("array<%s>",
    getComplexType(removeTypeMarker(complexType, TYPE_ARRAY)));
46  48              default:
47  49                  return null;
48  50          }
```

```
58  60
59  61          if ("union".equals(mainType)) {
60  62              log.warn("Union type is not supported");
61  -               return null;
    63  +           return Collections.emptyList();
62  64          }
63  -           if ("array".equals(mainType)) {
    65  +       if (TYPE_ARRAY.equals(mainType)) {
64  66              return generateHiveColumnRecursively(nestedType, prefix);
65  67          }
66  68          if ("map".equals(mainType)) {
```

3 src/main/java/com/socgen/bigdata/catalog/helpers/JsonDtoCompare.java

```
54  54                  .flatMap(e -> flatten(new AbstractMap.SimpleEntry<>
(entry.getKey() + "." + e.getKey(), e.getValue())));
55  55          }
56  56
57  -           if (entry.getValue() instanceof List<?>) {
58  -               List<?> list = (List) entry.getValue();
    57  +       if (entry.getValue() instanceof List<?> list) {
59  58              return IntStream.range(0, list.size())
60  59                  .mapToObj(i -> new AbstractMap.SimpleEntry<String, Object>
(entry.getKey() + "." + i, list.get(i)))
61  60                  .flatMap(JsonDtoCompare::flatten);
```

3 src/main/java/com/socgen/bigdata/catalog/helpers/PaginationHelper.java

```
2   2
3   3   import com.socgen.apibank.http.util.PaginationUtil;
4   4   import java.net.URISyntaxException;
    5 + import java.util.List;
5   6   import lombok.extern.slf4j.Slf4j;
6   7   import org.springframework.data.domain.Page;
7   8   import org.springframework.http.HttpHeaders;
19  20          throw new IllegalStateException("Utility class");
20  21      }
21  22
22  -       public static ResponseEntity responseEntityOk(Page<?> page) {
    23  +   public static ResponseEntity _responseEntityOk(Page<?> page) {
23  24          try {
24  25              String currentPath =
ServletUriComponentsBuilder.fromCurrentRequest().build().getPath();
25  26
```

8

...main/java/com/socgen/bigdata/catalog/helpers/datasource/table/GenerateFromHiveHelper.ja…

```
13  13  import lombok.extern.slf4j.Slf4j;
14  14
```

```
15  15   @Slf4j
    16 + 
16  17   public class GenerateFromHiveHelper {
    18 +     private static final String TYPE_ARRAY = "array";
17  19 
18  20       private GenerateFromHiveHelper() {
19  21           /* This utility class should not be instantiated */
39  41               log.warn("Union type is not supported");
40  42               return Collections.emptyList();
41  43           }
42     -         if ("array".equals(mainType)) {
    44 +         if (TYPE_ARRAY.equals(mainType)) {
43  45               return generateDataSourceTableColumnRecursively(
44  46                   nestedType,
45  47                   parentDataSourceTableColumn,
195 197                  String valueType = splitKeyValue[1].trim();
196 198 
197 199                  return String.format("map<%s,%s>", keyType,
    getComplexType(valueType));
198    -             case "array":
199    -                 return String.format("array<%s>",
    getComplexType(removeTypeMarker(complexType, "array")));
    200 +             case TYPE_ARRAY:
    201 +                 return String.format("array<%s>",
    getComplexType(removeTypeMarker(complexType, TYPE_ARRAY)));
200 202              default:
201 203                  return null;
202 204          }
```

2 src/main/java/com/socgen/bigdata/catalog/models/excel/ExcelColumn.java

```
21  21 
22  22       public ExcelColumn(String label) {
23  23           this.label = label;
24     -         this.width = label != null ? (short) (label.toString().length() * 240)
    : 3000;
    24 +         this.width = label != null ? (short) (label.length() * 240) : 3000;
25  25           if (this.width < 3000) {
26  26               this.width = 3000;
27  27           } else if (this.width > 22000) {
```

12 src/main/java/com/socgen/bigdata/catalog/models/jpa/JpaAuditHistroy.java

```
51  51       public final boolean equals(Object o) {
52  52           if (this == o) return true;
53  53           if (o == null) return false;
54     -         Class<?> oEffectiveClass = o instanceof HibernateProxy
55     -             ? ((HibernateProxy)
    o).getHibernateLazyInitializer().getPersistentClass()
    54 +         Class<?> oEffectiveClass = (o instanceof HibernateProxy hp)
    55 +             ? (hp.getHibernateLazyInitializer().getPersistentClass())
```

```
56  56              : o.getClass();
57      -         Class<?> thisEffectiveClass = this instanceof HibernateProxy
58      -             ? ((HibernateProxy) this).getHibernateLazyInitializer().getPersistentClass()
    57  +         Class<?> thisEffectiveClass = (this instanceof HibernateProxy th)
    58  +             ? (th.getHibernateLazyInitializer().getPersistentClass())
59  59              : this.getClass();
60  60          if (thisEffectiveClass != oEffectiveClass) return false;
61  61          JpaAuditHistroy that = (JpaAuditHistroy) o;
64  64
65  65      @Override
66  66      public final int hashCode() {
67      -         return this instanceof HibernateProxy
68      -             ? ((HibernateProxy) this).getHibernateLazyInitializer().getPersistentClass().hashCode()
    67  +         return (this instanceof HibernateProxy hp)
    68  +             ? (hp.getHibernateLazyInitializer().getPersistentClass().hashCode())
69  69              : getClass().hashCode();
70  70      }
71  71  }
```

3

...cgen/bigdata/catalog/repositories/jpa/specification/JpaCdoDomainSpecificationBuilder.ja…

```
8   8   import org.springframework.data.jpa.domain.Specification;
9   9
10  10  public class JpaCdoDomainSpecificationBuilder {
    11  +     private JpaCdoDomainSpecificationBuilder(){
    12  +         /* This is a utility class and should not be instantiated */
    13  +     }
11  14
12  15      public static Specification<JpaCdoDomain> textSearch(String text) {
13  16          return (Root<JpaCdoDomain> root, CriteriaQuery<?> query, CriteriaBuilder builder) ->
```

5

.../socgen/bigdata/catalog/repositories/jpa/specification/JpaEntitySpecificationBuilder.ja…

```
12  12  import org.springframework.util.StringUtils;
13  13
14  14  public class JpaEntitySpecificationBuilder {
    15  +     private JpaEntitySpecificationBuilder(){
    16  +         /*  This is a utility class and should not be instantiated */
    17  +     }
15  18
16  19      public static BooleanExpression fullTextSearch(String text) {
17  20          return ((text == null) || text.isEmpty())
123 126         if (user == null) {
124 127             return QJpaEntity.jpaEntity.technical.isFalse();
```

```
125  128          }
126  -            if (user.getAdmin()) {
     129  +       if (Boolean.TRUE.equals(user.getAdmin())) {
127  130              return Expressions.asBoolean(true).isTrue();
128  131          }
129  132          return QJpaEntity.jpaEntity.technical
```

3

...en/bigdata/catalog/repositories/jpa/specification/JpaEnvironmentSpecificationBuilder.ja…

```
8   8   import org.springframework.data.jpa.domain.Specification;
9   9
10  10  public class JpaEnvironmentSpecificationBuilder {
    11  +   private JpaEnvironmentSpecificationBuilder(){
    12  +       /*  This is a utility class and should not be instantiated */
    13  +   }
11  14
12  15      public static Specification<JpaEnvironment> textSearch(String text) {
13  16          return (Root<JpaEnvironment> root, CriteriaQuery<?> query,
    CriteriaBuilder builder) ->
```

3

...gen/bigdata/catalog/repositories/jpa/specification/JpaExpositionSpecificationBuilder.ja…

```
8   8   import org.springframework.data.jpa.domain.Specification;
9   9
10  10  public class JpaExpositionSpecificationBuilder {
    11  +   private JpaExpositionSpecificationBuilder(){
    12  +       /* This is a utility class and should not be instantiated */
    13  +   }
11  14
12  15      public static Specification<JpaExposition> textSearch(String text) {
13  16          return (Root<JpaExposition> root, CriteriaQuery<?> query,
    CriteriaBuilder builder) ->
```

3

...cgen/bigdata/catalog/repositories/jpa/specification/JpaLifecycleSpecificationBuilder.ja…

```
8   8   import org.springframework.data.jpa.domain.Specification;
9   9
10  10  public class JpaLifecycleSpecificationBuilder {
    11  +   private JpaLifecycleSpecificationBuilder(){
    12  +
    13  +   }
11  14
12  15      public static Specification<JpaLifecycle> textSearch(String text) {
13  16          return (Root<JpaLifecycle> root, CriteriaQuery<?> query,
    CriteriaBuilder builder) ->
```

19 src/main/java/com/socgen/bigdata/catalog/security/OAuth2BaseProperties.java

```diff
@@ -1,43 +1,28 @@
package com.socgen.bigdata.catalog.security;

+import lombok.Getter;
import java.util.ArrayList;
import java.util.List;
-
+@Getter
public class OAuth2BaseProperties {

    protected String accessTokenUri;
    protected String clientId;
    protected String clientSecret;
    protected List<String> scopes = new ArrayList<>();

-    public String getAccessTokenUri() {
-        return accessTokenUri;
-    }
-
    public void setAccessTokenUri(String accessTokenUri) {
        this.accessTokenUri = accessTokenUri;
    }

-    public String getClientId() {
-        return clientId;
-    }
-
    public void setClientId(String clientId) {
        this.clientId = clientId;
    }

-    public String getClientSecret() {
-        return clientSecret;
-    }
-
    public void setClientSecret(String clientSecret) {
        this.clientSecret = clientSecret;
    }

-    public List<String> getScopes() {
-        return scopes;
-    }
-
    public void setScopes(List<String> scopes) {
        this.scopes = scopes;
    }
```

4

src/main/java/com/socgen/bigdata/catalog/security/UserAuthoritiesServiceImpl.java

```
10  10  @Service
11  11  public class UserAuthoritiesServiceImpl {
12  12
13      - private JpaPersonRepository personRepository;
    13  + private final JpaPersonRepository personRepository;
14  14
15  15      public UserAuthoritiesServiceImpl(JpaPersonRepository personRepository) {
16  16          this.personRepository = personRepository;
17  17      }
18  18
19  19      public GrantedAuthority loadAuthoritiesUserByUsername(String email) throws
    UsernameNotFoundException {
20  20          JpaPerson jpaPerson = personRepository.findByEmail(email);
21      - if (jpaPerson != null && jpaPerson.getAdmin() != null &&
    jpaPerson.getAdmin()) {
    21  + if (jpaPerson != null && jpaPerson.getAdmin() != null &&
    Boolean.TRUE.equals(jpaPerson.getAdmin())) {
22  22              return new SimpleGrantedAuthority(UserRole.ROLE_ADMIN.name());
23  23          }
24  24          return null;
```

6

src/main/java/com/socgen/bigdata/catalog/services/AuditHistoryService.java

```
49  49          String objectType,
50  50          String userId,
51  51          Boolean isAutomaticallyGenerated,
52      - List ignoreProperties
    52  + List<String> ignoreProperties
53  53      ) {
54      - Map oldValueMap = JsonDtoCompare.flatten(oldValue);
55      - Map newValueMap = JsonDtoCompare.flatten(newValue);
    54  + Map<String, Object> oldValueMap = JsonDtoCompare.flatten(oldValue);
    55  + Map<String, Object> newValueMap = JsonDtoCompare.flatten(newValue);
56  56          JpaAuditHistroy jpaAuditHistroySaved = null;
57  57          try {
58  58              String deltaDto = JsonDtoCompare.diffMap(oldValueMap, newValueMap,
    ignoreProperties);
```

4

src/main/java/com/socgen/bigdata/catalog/services/BusinessDataService.java

```
127 127     }
128 128
129 129     public List<FilterItemDto> searchDxBusinessData(String text, List<String>
    ids) {
```

```
130 -         Boolean textNullOrEmpty = text == null || text.isEmpty();
131 -         Boolean idsNullOrEmpty = ids == null || ids.isEmpty();
    130 +         boolean textNullOrEmpty = (text == null || text.isEmpty());
    131 +         boolean idsNullOrEmpty = (ids == null || ids.isEmpty()) ;
132 132           List<Long> idLists = new ArrayList<>();
133 133           if (!idsNullOrEmpty) {
134 134               idLists = ids.stream().map(Long::parseLong).toList();
```

5 src/main/java/com/socgen/bigdata/catalog/services/CdoDomainService.java

```
25  25  import com.socgen.bigdata.catalog.services.person.UserService;
26  26  import java.io.IOException;
27  27  import java.util.ArrayList;
    28 + import java.util.Collections;
28  29  import java.util.Comparator;
29  30  import java.util.HashMap;
30  31  import java.util.HashSet;
202 203         return cdoDomainMapper.toDto(newDomain, allEntityCountByCdoDomain);
203 204     }
204 205
205 -     public Boolean userHasRightOnDomain(JpaCdoDomain cdoDomain, boolean fromHasRightEdit) {
    206 +     public boolean userHasRightOnDomain(JpaCdoDomain cdoDomain, boolean fromHasRightEdit) {
206 207         if (userService.isAdmin()) {
207 208             return true;
208 209         }
438 439             codeSet.addAll(codes);
439 440         });
440 441         if (!opt.isPresent()) {
441 -             return null;
    442 +             return Collections.emptyList();
442 443         }
443 444         return new ArrayList<>(codeSet);
444 445     }
```

8 src/main/java/com/socgen/bigdata/catalog/services/EntityService.java

```
865 865
866 866     private Map<String, Object> normalizeForAudit(Map<String, Object> source) {
867 867         if (source == null) {
868 -             return null;
    868 +             return Collections.emptyMap();
869 869         }
870 870
871 871         Map<String, Object> result = new LinkedHashMap<>();
1264 1264           numberOfFields
1265 1265       );
1266 1266       collectScoreInformation(
```

```
1267 -            ((jpaEntity.getRelatedApi() != null &&
     !jpaEntity.getRelatedApi().isEmpty())),
     1267 +       (jpaEntity.getRelatedApi() != null &&
     !jpaEntity.getRelatedApi().isEmpty()),
1268 1268          atomicScore,
1269 1269          numberOfFields
1270 1270      );
1499 1499      if (!CollectionUtils.isEmpty(codes)) {
1500 1500          return domainRepository.findByCodeIn(codes);
1501 1501      }
1502 -        return null;
     1502 +  return Collections.emptyList();
1503 1503  }
1504 1504
1505 1505  private List<OrganizationalUnit> getBuSuListToAdd(List<Integer> buSuIds) {
1511 1511          return Objects.nonNull(buSuListToAdd) ? new ArrayList<>
     (buSuListToAdd) : null;
1512 1512      }
1513 1513
1514 -        return null;
     1514 +  return Collections.emptyList();
1515 1515  }
1516 1516
1517 1517  private void checkBuSuOwnership(
```

1 src/main/java/com/socgen/bigdata/catalog/services/board/BoardUtils.java

```
7  7   import com.socgen.bigdata.catalog.models.jpa.JpaCountry;
8  8   import com.socgen.bigdata.catalog.models.jpa.JpaDatasetRelationship;
9  9   import com.socgen.bigdata.catalog.models.jpa.JpaEntity;
10 -   import com.socgen.bigdata.catalog.models.jpa.LegalEntity;
11 10  import com.socgen.bigdata.catalog.models.jpa.Tag;
12 11  import com.socgen.bigdata.catalog.models.jpa.person.JpaPerson;
13 12  import java.math.BigDecimal;
```

2

...main/java/com/socgen/bigdata/catalog/services/board/dataset/DatasetBoardAgGridConfig.ja…

```
17 17  import com.socgen.bigdata.catalog.enums.Exposition;
18 18  import com.socgen.bigdata.catalog.enums.board.BoardAgGridType;
19 19  import
       com.socgen.bigdata.catalog.enums.board.dataset.DatasetBoardAgGridSection;
20 -   import com.socgen.bigdata.catalog.models.jpa.JpaBusinessData;
21 20  import com.socgen.bigdata.catalog.models.jpa.JpaEntity;
22 21  import com.socgen.bigdata.catalog.services.board.BoardComputation;
23 22  import com.socgen.bigdata.catalog.services.board.BoardUtils;
24 23  import java.util.ArrayList;
25 24  import java.util.List;
26 25  import java.util.Objects;
27 -   import java.util.Optional;
28 26  import java.util.function.Function;
```

```
import javax.annotation.PostConstruct;
import lombok.Getter;
```

2

src/main/java/com/socgen/bigdata/catalog/services/mappers/EntityMapper.java

```
        if (Objects.nonNull(entity.getTags())) {
            return entity.getTags().stream().map(Tag::getName).toList();
        } else {
-           return null;
+           return Collections.emptyList();
        }
    }

```

3

...ava/com/socgen/bigdata/catalog/services/organizationalunit/OrganizationalUnitService.ja…

```

import com.socgen.bigdata.catalog.models.jpa.OrganizationalUnit;
import com.socgen.bigdata.catalog.repositories.jpa.OrganizationalUnitRepository;
+ import java.util.Collections;
import java.util.HashSet;
import java.util.Objects;
import java.util.Set;
        if (Objects.nonNull(organizationalUnits) && !organizationalUnits.isEmpty()) {
            return organizationalUnits.stream().map(OrganizationalUnit::getId).collect(Collectors.toSet());
        } else {
-           return null;
+           return Collections.emptySet();
        }
    }

```

8

src/main/java/com/socgen/bigdata/catalog/services/person/IcContactService.java

```
    public Boolean scheduledUpdateIc() {
        log.info("scheduledUpdateIc - triggered");

-       if (enabled) {
+       if (Boolean.TRUE.equals(enabled)) {
            List<JpaPerson> jpaPeople = jpaPersonRepository.findAll();

            for (JpaPerson person : jpaPeople) {
```

```
77  77
78  78      @Transactional
79  79      public Boolean initialLoadContact() {
80      -       if (enabled) {
    80  +       if (Boolean.TRUE.equals(enabled)) {
81  81              List<JpaPerson> jpaPeople = jpaPersonRepository.findAll();
82  82              for (JpaPerson person : jpaPeople) {
83  83                  updateContactFromPersonUsingMail(person);
135 135     @Transactional
136 136     @Async("loadIcContactApiBatch")
137 137     public void updateContactAsyncFromPerson(JpaPerson person) {
138     -       if (enabled && (person.getIcId() == null ||
            person.getIcId().isEmpty())) {
    138 +       if (Boolean.TRUE.equals(enabled) && (person.getIcId() == null ||
            person.getIcId().isEmpty())) {
139 139             updateContactFromPersonUsingMail(person);
140 140         }
141 141     }
142 142
143 143     @Transactional
144 144     public void updateContactFromPeople(List<JpaPerson> people) {
145     -       if (enabled && people != null && !people.isEmpty()) {
    145 +       if (Boolean.TRUE.equals(enabled) && people != null &&
            !people.isEmpty()) {
146 146             for (JpaPerson person : people) {
147 147                 updateContactAsyncFromPerson(person);
148 148             }
```