### In [1]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
```

## set19:

#### In [147]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book19.csv")
```

#### Out[147]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	0(
0	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	ξ
1	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14
2	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17
3	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1
4	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	(
110	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	(
111	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	(
112	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30
113	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3
114	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	ξ
115 r	ows × 2	20 columns											

### In [148]:

### a.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
d+,,,,	06. 4100+64/1	7) in+64(2) c	bioc+(1)

dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

## In [149]:

```
b=a.fillna(method='ffill')
b
```

## Out[149]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	00
0	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	ξ
1	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14
2	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17
3	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1
4	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	(
110	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	(
111	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	(
112	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30
113	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3
114	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	ξ
115 r	ows × 2	20 columns											


4

## In [150]:

## b.plot.bar(legend=None)

## Out[150]:


## <AxesSubplot:>



### In [151]:

### b.plot.line(legend=None)

## Out[151]:




## In [152]:

## b.plot.area(legend=None)

## Out[152]:

## <AxesSubplot:>




### In [153]:

## b.plot.hist(legend=None)

## Out[153]:

<AxesSubplot:ylabel='Frequency'>




## In [154]:

```
b.plot.pie(y='YEAR',figsize=(8,8),labels=None,legend=None)
```

## Out[154]:

<AxesSubplot:ylabel='YEAR'>



# set20:

## In [155]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book20.csv")
a
```

## Out[155]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC.
0	1817	WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.
1	1818	WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.
2	1819	WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.
3	1820	WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.
4	1821	WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.
													-
110	1927	WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.
111	1928	WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.
112	1929	WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.
113	1930	WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.
114	1931	WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.
115 r	115 rows × 20 columns												

### In [156]:

### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


Data	COTAMINS (COC	ar 20 corumns).	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)

## memory usage: 18.1+ KB

### In [157]:

```
a.plot.line(legend=None)
```

#### Out[157]:




## In [158]:

## a.plot.bar(legend=None)

## Out[158]:


## <AxesSubplot:>



### In [159]:

### a.plot.area(legend=None)

## Out[159]:




## In [160]:

a.plot.hist(legend=None)

## Out[160]:

<AxesSubplot:ylabel='Frequency'>




## In [161]:

a.plot.pie(y='MAY',figsize=(8,8),labels=None,legend=None)

## Out[161]:

<AxesSubplot:ylabel='MAY'>



# set21:

## In [162]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book21.csv")
a
```

## Out[162]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	1702	JAMMU & KASHMIR	1901	66.4	69.3	69.6	132.2	105.8	53.4	171.7	181.3	101.8
1	1703	JAMMU & KASHMIR	1902	6.5	9.7	91.3	100.5	70.7	113.3	108.4	136.9	62.2
2	1704	JAMMU & KASHMIR	1903	96.2	21.5	238.6	58.7	57.3	18.9	332.5	218.6	176.9
3	1705	JAMMU & KASHMIR	1904	110.6	17.3	145.2	64.5	67.8	25.9	182.3	132.2	62.3
4	1706	JAMMU & KASHMIR	1905	146.7	76.3	161.4	71.7	65.2	43.3	145.2	111.5	239.7
110	1812	JAMMU & KASHMIR	2011	43.4	211.6	97.8	89.0	32.4	72.5	81.6	131.2	72.0
111	1813	JAMMU & KASHMIR	2012	150.9	95.8	45.2	86.6	48.9	32.6	118.8	264.9	106.7
112	1814	JAMMU & KASHMIR	2013	52.2	136.4	41.9	47.4	47.4	80.5	125.1	219.1	41.2
113	1815	JAMMU & KASHMIR	2014	75.8	64.0	153.1	76.1	52.7	25.3	100.5	134.6	362.8
114	1816	JAMMU & KASHMIR	2015	27.9	187.2	341.4	173.3	64.6	121.4	233.2	129.2	130.2

115 rows × 20 columns

4

### In [163]:

### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


#	Column	Non-Null Count	
0	index	115 non-null	
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	114 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	114 non-null	float64
14	DEC	114 non-null	float64
15	ANNUAL	114 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	114 non-null	float64
19	Oct-Dec	114 non-null	float64
dtyp	es: float64(1	7), int64(2), o	bject(1)

memory usage: 18.1+ KB

### In [164]:

```
a.plot.line(legend=None)
```

#### Out[164]:




## In [165]:

## a.plot.bar(legend=None)

## Out[165]:


## <AxesSubplot:>



### In [166]:

### a.plot.area(legend=None)

## Out[166]:




## In [167]:

a.plot.hist(legend=None)

## Out[167]:

<AxesSubplot:ylabel='Frequency'>



## In [168]:

a.plot.pie(y='FEB',figsize=(8,8),labels=None,legend=None)

## Out[168]:

<AxesSubplot:ylabel='FEB'>



# set22:

## In [169]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book22.csv")
a
```

## Out[169]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	1587	HIMACHAL PRADESH	1901	137.8	174.5	75.0	19.2	89.6	32.7	280.5	459.7	53.0
1	1588	HIMACHAL PRADESH	1902	6.5	27.0	104.4	76.2	61.3	78.8	258.6	199.3	113.4
2	1589	HIMACHAL PRADESH	1903	76.5	21.4	213.7	25.4	54.7	32.2	157.7	256.5	107.9
3	1590	HIMACHAL PRADESH	1904	79.3	22.4	131.7	48.0	90.3	33.1	241.1	184.3	56.4
4	1591	HIMACHAL PRADESH	1905	81.3	76.8	160.2	39.3	50.4	43.6	191.1	132.8	119.1
110	1697	HIMACHAL PRADESH	2011	43.9	97.4	49.7	62.4	45.1	118.3	177.7	380.2	120.3
111	1698	HIMACHAL PRADESH	2012	92.3	51.3	28.4	55.9	9.4	31.1	241.5	280.6	133.1
112	1699	HIMACHAL PRADESH	2013	79.9	182.6	76.6	28.9	32.6	233.6	208.8	240.0	65.8
113	1700	HIMACHAL PRADESH	2014	69.6	124.9	125.2	60.6	68.9	51.7	203.6	146.7	84.6
114	1701	HIMACHAL PRADESH	2015	67.2	156.6	192.5	84.9	45.0	85.8	249.9	195.9	75.5

115 rows × 20 columns

4

### In [170]:

### a.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	index	115 non-null	 int64
_			
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
	C7 1	-> • • • • • • • •	/ . \

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

## In [171]:

```
b=a.fillna(method='ffill')
b
```

## Out[171]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	1587	HIMACHAL PRADESH	1901	137.8	174.5	75.0	19.2	89.6	32.7	280.5	459.7	53.0
1	1588	HIMACHAL PRADESH	1902	6.5	27.0	104.4	76.2	61.3	78.8	258.6	199.3	113.4
2	1589	HIMACHAL PRADESH	1903	76.5	21.4	213.7	25.4	54.7	32.2	157.7	256.5	107.9
3	1590	HIMACHAL PRADESH	1904	79.3	22.4	131.7	48.0	90.3	33.1	241.1	184.3	56.4
4	1591	HIMACHAL PRADESH	1905	81.3	76.8	160.2	39.3	50.4	43.6	191.1	132.8	119.1
110	1697	HIMACHAL PRADESH	2011	43.9	97.4	49.7	62.4	45.1	118.3	177.7	380.2	120.3
111	1698	HIMACHAL PRADESH	2012	92.3	51.3	28.4	55.9	9.4	31.1	241.5	280.6	133.1
112	1699	HIMACHAL PRADESH	2013	79.9	182.6	76.6	28.9	32.6	233.6	208.8	240.0	65.8
113	1700	HIMACHAL PRADESH	2014	69.6	124.9	125.2	60.6	68.9	51.7	203.6	146.7	84.6
114	1701	HIMACHAL PRADESH	2015	67.2	156.6	192.5	84.9	45.0	85.8	249.9	195.9	75.5

115 rows × 20 columns


4

## In [172]:

## b.plot.bar(legend=None)

## Out[172]:


## <AxesSubplot:>



### In [173]:

### b.plot.line(legend=None)

## Out[173]:




## In [174]:

b.plot.area(legend=None)

## Out[174]:

## <AxesSubplot:>




## In [175]:

b.plot.hist(legend=None)

## Out[175]:

<AxesSubplot:ylabel='Frequency'>



## In [176]:

```
b.plot.pie(y='JUL',figsize=(8,8),labels=None,legend=None)
```

## Out[176]:

<AxesSubplot:ylabel='JUL'>



# set23:

## In [177]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book23.csv")
a
```

## Out[177]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3
115 r	ows × 2	20 columns											

115 rows × 20 columns

1

### In [178]:

### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtyp	es: float64(1	7), int64(2), o	bject(1)

memory usage: 18.1+ KB

### In [179]:

```
a.plot.line(legend=None)
```

#### Out[179]:




## In [180]:

## a.plot.bar(legend=None)

## Out[180]:


## <AxesSubplot:>



### In [181]:

### a.plot.area(legend=None)

### Out[181]:




## In [182]:

## a.plot.hist(legend=None)

## Out[182]:

<AxesSubplot:ylabel='Frequency'>




## In [183]:

a.plot.pie(y='MAR',figsize=(8,8),labels=None,legend=None)

## Out[183]:

<AxesSubplot:ylabel='MAR'>



# set24:

## In [184]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book24.csv")
a
```

## Out[184]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	00
0	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3
1	1473	PUNJAB	1902	0.0	8.0	9.9	10.9	29.6	49.9	125.6	94.9	67.2	ξ
2	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6
3	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7
4	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1
110	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	C
111	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2
112	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16
113	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6
114	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	ξ

115 rows × 20 columns

◀

### In [185]:

### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


Ducu	COTAMINS (COC	ar 20 coramiis).	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)

## memory usage: 18.1+ KB

### In [186]:

### a.plot.line(legend=None)

#### Out[186]:




## In [187]:

## a.plot.area(legend=None)

## Out[187]:


## <AxesSubplot:>



### In [188]:

## a.plot.bar(legend=None)

## Out[188]:




## In [189]:

a.plot.hist(legend=None)

## Out[189]:

<AxesSubplot:ylabel='Frequency'>




## In [190]:

a.plot.pie(y='DEC',figsize=(8,8),labels=None,legend=None)

## Out[190]:

<AxesSubplot:ylabel='DEC'>



In [ ]:		