#### In [1]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
```

# set25:

#### In [191]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book25.csv")
a
```

#### Out[191]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	O
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	17
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	6
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	1
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	

115 rows × 20 columns

#### In [192]:

#### a.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
	C3 1 C 4 / 4	->	/ . \

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

# In [193]:

```
b=a.fillna(method='ffill')
b
```

# Out[193]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	О
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	17
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	6
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	1
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	
115 r	ows × 2	20 columns											


115 rows × 20 columns

# In [194]:

# b.plot.bar(legend=None)

# Out[194]:


# <AxesSubplot:>



#### In [195]:

#### b.plot.line(legend=None)

#### Out[195]:




# In [196]:

# b.plot.area(legend=None)

# Out[196]:

# <AxesSubplot:>




# In [197]:

# b.plot.hist(legend=None)

# Out[197]:

<AxesSubplot:ylabel='Frequency'>




# In [198]:

```
b.plot.pie(y='YEAR',figsize=(8,8),labels=None,legend=None)
```

# Out[198]:

<AxesSubplot:ylabel='YEAR'>



# set26:

# In [199]:

a=pd.read\_csv(r"C:\Users\user\Downloads\Book26.csv")
a

# Out[199]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
105	105	ANDAMAN & NICOBAR ISLANDS	2011	265.9	84.8	272.8	111.4	326.5	383.2	583.2	441.5	757.1
106	106	ANDAMAN & NICOBAR ISLANDS	2012	119.9	45.6	30.9	55.8	533.9	458.2	317.3	369.6	868.9
107	107	ANDAMAN & NICOBAR ISLANDS	2013	67.1	37.6	43.0	46.3	509.3	777.0	564.8	336.7	473.6
108	108	ANDAMAN & NICOBAR ISLANDS	2014	41.9	8.6	0.0	11.1	238.0	416.6	467.6	321.6	412.9
109	109	ANDAMAN & NICOBAR ISLANDS	2015	126.8	7.6	3.1	138.2	331.9	346.4	328.9	480.0	523.3

110 rows × 20 columns

#### In [200]:

#### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 110 entries, 0 to 109
Data columns (total 20 columns):


Data	COTAIIII3 (COC	ar 20 corumns).	
#	Column	Non-Null Count	Dtype
0	index	110 non-null	int64
1	SUBDIVISION	110 non-null	object
2	YEAR	110 non-null	int64
3	JAN	110 non-null	float64
4	FEB	110 non-null	float64
5	MAR	108 non-null	float64
6	APR	108 non-null	float64
7	MAY	109 non-null	float64
8	JUN	108 non-null	float64
9	JUL	108 non-null	float64
10	AUG	108 non-null	float64
11	SEP	107 non-null	float64
12	OCT	108 non-null	float64
13	NOV	108 non-null	float64
14	DEC	107 non-null	float64
15	ANNUAL	104 non-null	float64
16	Jan-Feb	110 non-null	float64
17	Mar-May	107 non-null	float64
18	Jun-Sep	107 non-null	float64
19	Oct-Dec	107 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)

memory usage: 17.3+ KB

#### In [201]:

```
a.plot.line(legend=None)
```

#### Out[201]:




# In [202]:

# a.plot.bar(legend=None)

# Out[202]:


# <AxesSubplot:>



#### In [203]:

#### a.plot.area(legend=None)

#### Out[203]:




# In [204]:

a.plot.hist(legend=None)

# Out[204]:

<AxesSubplot:ylabel='Frequency'>



# In [205]:

a.plot.pie(y='MAY',figsize=(8,8),labels=None,legend=None)

# Out[205]:

<AxesSubplot:ylabel='MAY'>



# set27:

# In [206]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book27.csv")
a
```

# Out[206]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9
1	111	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5
2	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8
3	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7
4	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7
92	202	ARUNACHAL PRADESH	2011	40.0	51.3	174.5	240.8	219.6	288.4	531.4	277.6	286.7
93	203	ARUNACHAL PRADESH	2012	57.8	35.8	134.2	403.4	187.4	645.8	638.9	316.0	724.9
94	204	ARUNACHAL PRADESH	2013	18.5	40.5	115.1	175.1	335.8	290.0	329.6	230.2	316.1
95	205	ARUNACHAL PRADESH	2014	19.0	101.9	80.3	86.7	299.0	415.8	392.4	599.6	343.0
96	206	ARUNACHAL PRADESH	2015	30.8	47.5	97.5	287.1	238.9	637.9	329.3	595.5	374.2
97 r	ows × 2	20 columns										

#### In [207]:

#### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 97 entries, 0 to 96
Data columns (total 20 columns):


#	Column	Noi	n-Null Cour	nt Dtype
0	index	97	non-null	int64
1	SUBDIVISION	97	non-null	object
2	YEAR	97	non-null	int64
3	JAN	96	non-null	float64
4	FEB	96	non-null	float64
5	MAR	95	non-null	float64
6	APR	97	non-null	float64
7	MAY	97	non-null	float64
8	JUN	96	non-null	float64
9	JUL	96	non-null	float64
10	AUG	97	non-null	float64
11	SEP	97	non-null	float64
12	OCT	95	non-null	float64
13	NOV	95	non-null	float64
14	DEC	95	non-null	float64
15	ANNUAL	91	non-null	float64
16	Jan-Feb	96	non-null	float64
17	Mar-May	95	non-null	float64
18	Jun-Sep	95	non-null	float64
19	Oct-Dec	94	non-null	float64
dtyp	es: float64(1	7),	int64(2),	object(1)

memory usage: 15.3+ KB

#### In [208]:

```
a.plot.line(legend=None)
```

#### Out[208]:




# In [209]:

# a.plot.bar(legend=None)

# Out[209]:


# <AxesSubplot:>



# In [210]:

# a.plot.area(legend=None)

# Out[210]:




# In [211]:

a.plot.hist(legend=None)

# Out[211]:

<AxesSubplot:ylabel='Frequency'>



# In [212]:

a.plot.pie(y='FEB',figsize=(8,8),labels=None,legend=None)

# Out[212]:

<AxesSubplot:ylabel='FEB'>



# set28:

# In [213]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book28.csv")
a
```

# Out[213]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	207	ASSAM & MEGHALAYA	1901	27.1	19.5	30.6	223.0	207.0	524.9	430.6	464.1	291.4
1	208	ASSAM & MEGHALAYA	1902	9.3	10.2	105.6	350.0	262.1	620.7	510.8	536.0	441.3
2	209	ASSAM & MEGHALAYA	1903	19.9	25.4	103.6	140.6	206.6	607.4	362.7	551.9	306.4
3	210	ASSAM & MEGHALAYA	1904	11.1	56.1	51.9	457.1	375.2	385.7	477.6	438.8	245.9
4	211	ASSAM & MEGHALAYA	1905	19.9	16.9	137.9	213.0	275.5	521.7	439.1	649.1	276.0
110	317	ASSAM & MEGHALAYA	2011	11.1	11.4	109.0	92.1	238.3	316.0	395.8	302.6	221.6
111	318	ASSAM & MEGHALAYA	2012	15.2	6.9	28.8	279.1	185.8	729.7	444.3	289.2	411.6
112	319	ASSAM & MEGHALAYA	2013	1.1	9.6	44.0	112.8	346.7	286.2	367.8	289.7	229.3
113	320	ASSAM & MEGHALAYA	2014	2.0	28.3	29.3	51.5	351.1	426.4	374.4	484.6	420.2
114	321	ASSAM & MEGHALAYA	2015	13.4	15.5	37.5	250.9	332.5	558.5	300.1	590.9	279.9

115 rows × 20 columns

4

#### In [214]:

#### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
d+vn	os: float64/1	7) $in+64(2)$ 0	hioc+(1)

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

# In [215]:

```
b=a.fillna(method='ffill')
b
```

# Out[215]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	207	ASSAM & MEGHALAYA	1901	27.1	19.5	30.6	223.0	207.0	524.9	430.6	464.1	291.4
1	208	ASSAM & MEGHALAYA	1902	9.3	10.2	105.6	350.0	262.1	620.7	510.8	536.0	441.3
2	209	ASSAM & MEGHALAYA	1903	19.9	25.4	103.6	140.6	206.6	607.4	362.7	551.9	306.4
3	210	ASSAM & MEGHALAYA	1904	11.1	56.1	51.9	457.1	375.2	385.7	477.6	438.8	245.9
4	211	ASSAM & MEGHALAYA	1905	19.9	16.9	137.9	213.0	275.5	521.7	439.1	649.1	276.0
110	317	ASSAM & MEGHALAYA	2011	11.1	11.4	109.0	92.1	238.3	316.0	395.8	302.6	221.6
111	318	ASSAM & MEGHALAYA	2012	15.2	6.9	28.8	279.1	185.8	729.7	444.3	289.2	411.6
112	319	ASSAM & MEGHALAYA	2013	1.1	9.6	44.0	112.8	346.7	286.2	367.8	289.7	229.3
113	320	ASSAM & MEGHALAYA	2014	2.0	28.3	29.3	51.5	351.1	426.4	374.4	484.6	420.2
114	321	ASSAM & MEGHALAYA	2015	13.4	15.5	37.5	250.9	332.5	558.5	300.1	590.9	279.9

115 rows × 20 columns


110 10 W5 × 20 00 dillilli

# In [216]:

# b.plot.bar(legend=None)

# Out[216]:


# <AxesSubplot:>



#### In [217]:

#### b.plot.line(legend=None)

# Out[217]:




# In [218]:

# b.plot.area(legend=None)

# Out[218]:

# <AxesSubplot:>




# In [219]:

# b.plot.hist(legend=None)

# Out[219]:

<AxesSubplot:ylabel='Frequency'>



# In [220]:

```
b.plot.pie(y='JUL',figsize=(8,8),labels=None,legend=None)
```

# Out[220]:

<AxesSubplot:ylabel='JUL'>



# set29:

# In [222]:

a=pd.read\_csv(r"C:\Users\user\Downloads\Book29.csv")

# Out[222]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	322	NAGA MANI MIZO TRIPURA	1901	11.7	18.1	29.4	206.2	124.0	443.3	331.4	466.0	304.1
1	323	NAGA MANI MIZO TRIPURA	1902	4.8	0.5	36.3	297.8	215.5	480.1	392.4	312.8	318.7
2	324	NAGA MANI MIZO TRIPURA	1903	6.5	40.5	139.8	45.5	159.9	458.6	300.2	470.6	366.1
3	325	NAGA MANI MIZO TRIPURA	1904	2.3	46.9	47.5	290.3	230.5	455.3	423.5	423.6	375.8
4	326	NAGA MANI MIZO TRIPURA	1905	9.1	35.3	306.5	161.7	193.6	339.7	450.1	429.9	320.1
110	432	NAGA MANI MIZO TRIPURA	2011	12.6	3.6	51.4	81.1	334.9	374.2	313.3	367.6	258.3
111	433	NAGA MANI MIZO TRIPURA	2012	24.5	10.2	20.3	243.5	163.5	396.2	280.1	342.7	248.7
112	434	NAGA MANI MIZO TRIPURA	2013	0.2	5.7	19.7	60.3	348.9	206.6	255.9	291.3	241.4
113	435	NAGA MANI MIZO TRIPURA	2014	1.2	21.0	25.4	49.6	192.5	268.3	295.7	372.3	300.9
114	436	NAGA MANI MIZO TRIPURA	2015	14.4	14.2	21.6	253.5	198.3	283.9	413.6	334.2	255.9

115 rows × 20 columns

#### In [223]:

#### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


Ducu	COTAMM13 (COC	ar 20 coramiis).	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)

# a.plot.line(legend=None)

memory usage: 18.1+ KB

#### Out[224]:

In [224]:




# In [225]:

# a.plot.bar(legend=None)

# Out[225]:


# <AxesSubplot:>



# In [226]:

#### a.plot.area(legend=None)

# Out[226]:




# In [227]:

a.plot.hist(legend=None)

# Out[227]:

<AxesSubplot:ylabel='Frequency'>




# In [228]:

a.plot.pie(y='MAR',figsize=(8,8),labels=None,legend=None)

# Out[228]:

<AxesSubplot:ylabel='MAR'>



set30:

# In [229]:

```
a=pd.read_csv(r"C:\Users\user\Downloads\Book30.csv")
a
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7
1	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9
2	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2
3	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6
4	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1
110	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3
111	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7
112	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0
113	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5
114	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9
115 rows × 20 columns												

115 rows × 20 columns

**←** 

#### In [230]:

#### a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):


Ducu	COTAMILIS (COC	ar 20 coramiis).	
#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2), ob	ject(1)

memory usage: 18.1+ KB

#### In [231]:

```
a.plot.line(legend=None)
```

#### Out[231]:




# In [232]:

# a.plot.area(legend=None)

# Out[232]:


# <AxesSubplot:>



# In [233]:

# a.plot.bar(legend=None)

# Out[233]:




# In [234]:

# a.plot.hist(legend=None)

# Out[234]:

<AxesSubplot:ylabel='Frequency'>




# In [235]:

a.plot.pie(y='DEC',figsize=(8,8),labels=None,legend=None)

# Out[235]:

<AxesSubplot:ylabel='DEC'>



In [ ]:			