Alert Triage Process

1. Detect Alert in Wazuh

First, the Wazuh SIEM dashboard was opened to monitor security alerts generated from the monitored systems. An alert related to multiple SSH login failures was identified, indicating possible brute-force login attempts against the server.



2. Analyze Alert Details

The alert was opened to view detailed information such as alert description, timestamp, source IP address, and severity level. The event indicated repeated SSH authentication failures coming from the IP address 192.168.127.139.



3. Classify the Alert

Based on the alert behavior, it was classified as a Brute-Force SSH Attempt. Since repeated login failures could indicate unauthorized access attempts, the alert priority was set to Medium, and the alert status was marked as Open for further investigation.

Example alert documentation:

A	B	C	D	E	F
Alert ID	Description	Source Ip	Priority	Status	
002	Bruteforce SSH atte	192.168.127.139	Medium	Open	

4. Threat Intelligence Validation (VirusTotal)

The source IP address 192.168.127.139 was searched on VirusTotal to check whether it is associated with known malicious activity or reported threats.


URL, IP address, domain or file hash
Sign in
Sign up
VIRUSTOTAL
Analyse suspicious files, domains, IPs and URLs to detect malware and other breaches, automatically share them with the security community.
FILE
URL
SEARCH
Search for a hash, domain, IP address, URL or gain additional context and threat landscape visibility with OUR THREAT INTELLIGENCE OFFERING.
192.168.127.139
Search
0
/ 94
Community Score
5 detected files communicating with this IP address
Reanalyze
More
192.168.127.139
private
Last Analysis Date
1 month ago
DETECTION
DETAILS
RELATIONS
COMMUNITY
Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.
Security vendors' analysis
Do you want to automate checks?
Abusix Clean
Acronis Clean
ADMINUSLabs Clean
AILabs (MONITORAPP) Clean
AlienVault Clean
alphaMountain.ai Clean
AlphaSOC Clean
Antiy-AVL Clean
benkow.cc Clean
BitDefender Clean
Blueliv Clean
Certego Clean

Whois Lookup

```
NetRange: 192.168.0.0 - 192.168.255.255
CIDR: 192.168.0.0/16
NetName: PRIVATE-ADDRESS-CBLK-RFC1918-IANA-RESERVED
NetHandle: NET-192-168-0-0-1
Parent: NET192 (NET-192-0-0-0-0)
NetType: IANA Special Use
Organization: Internet Assigned Numbers Authority (IANA)
RegDate: 1994-03-15
Updated: 2013-08-30
Comment: These addresses are in use by many millions of independently operated networks, which might be as small as a single computer connected to a home gateway,
and are automatically configured in hundreds of millions of devices. They are only intended for use within a private context and traffic that needs to cross the
Internet will need to use a different, unique address.
Comment: These addresses can be used by anyone without any need to coordinate with IANA or an Internet registry. The traffic from these addresses does not come
from ICANN or IANA. We are not the source of activity you may see on logs or in e-mail records. Please refer to http://www.iana.org/abuse/answers
Comment: These addresses were assigned by the IETF, the organization that develops Internet protocols, in the Best Current Practice document, RFC 1918 which can be
found at:
Comment: http://datatracker.ietf.org/doc/rfc1918
Ref: https://rdap.arin.net/registry/ip/192.168.0.0
OrgName: Internet Assigned Numbers Authority
```

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Passive DNS Replication (2)

Date resolved	Detections	Resolver	Domain
2019-11-19	0 / 94	VirusTotal	kmxctk493q.dattolocal.net
2018-06-15	0 / 94	VirusTotal	device5989521-d2edebe2-local.wd2go.com

Communicating Files (5)

Scanned	Detections	Type	Name
2025-01-06	54 / 72	Win32 EXE	hw.rar
2025-03-06	55 / 71	Win32 EXE	1059-95d5b4ac4f6ea70c98a251dbe90913c8d36336fb
2023-07-05	52 / 71	Win32 EXE	virus.exe
2022-10-10	58 / 72	Win32 EXE	9c7d16d5db54547d40bc3732469c7f4c.virus
2020-11-13	44 / 68	Win32 EXE	windows-x64-meterpreter_reverse_tcp-4444.exe

Files Referring (3)

Scanned	Detections	Type	Name
2021-05-21	1 / 69	Win32 EXE	SPiDER-TM.exe
2021-10-05	0 / 57	E-book	Network.Ethical.Hacking.and.Penetration.Testing.B09CBNT5FJ.azw3
2019-04-17	0 / 71	Win32 EXE	SPiDER-TM.exe

5.Threat Intelligence Validation (AlienVault OTX)

The same IP address was then searched in AlienVault Open Threat Exchange (OTX) to identify any threat intelligence indicators such as known attacker infrastructure, malicious campaigns, or reported security incidents.



6. Analysis Result

Both VirusTotal and AlienVault OTX returned no malicious results for the IP address. This indicates that the IP belongs to a private internal network range, commonly used in lab environments such as VMware or internal testing networks.

7 . Conclusion

Based on the investigation, the alert was determined to be a simulated brute-force activity generated within the lab environment. The alert was documented and kept open for monitoring and training purposes as part of the SOC alert triage practice.