



Typography

Font Family

- `font-sans`
- `font-serif`
- `font-mono`

Font Size

- `text-xs`
- `text-sm`
- `text-base`
- `text-lg`
- `text-xl`
- `text-2xl` → `text-9xl`

Font Weight

- `font-thin`
- `font-extralight`
- `font-light`
- `font-normal`
- `font-medium`
- `font-semibold`
- `font-bold`
- `font-extrabold`
- `font-black`

Text Alignment

- `text-left`
- `text-center`
- `text-right`
- `text-justify`
- `text-start`
- `text-end`

Line Height

- `leading-*`

Letter Spacing

- `tracking-*`

Text Transform

- `uppercase`
- `lowercase`
- `capitalize`
- `normal-case`

Text Decoration

- `underline`
- `line-through`
- `no-underline`
- `decoration-*`

Backgrounds

- `bg-*` (colors)
- `bg-gradient-to-*`

Class	Direction
<code>bg-gradient-to-r</code>	left → right
<code>bg-gradient-to-l</code>	right → left
<code>bg-gradient-to-t</code>	bottom → top
<code>bg-gradient-to-b</code>	top → bottom
<code>bg-gradient-to-tr</code>	bottom-left → top-right

- `from-color`
- `via-color`
- `to-color`
- `bg-none`
- `bg-cover`
- `bg-contain`
- `bg-center`
- `bg-top`
- `bg-bottom`
- `bg-left`
- `bg-right`
- `bg-no-repeat`
- `bg-repeat`
- `bg-[url('path of image')]`

Spacing

Margin

- `m-*`
- `m-[px]`
- `mx-*`
- `my-*`
- `mt-*`
- `mr-*`
- `mb-*`
- `ml-*`
- `ms-*` (margin-start)
- `me-*` (margin-end)

values are from 0 to 96

use `-m-*` for negative margin

Padding

- `p-*`
- `px-*`
- `py-*`
- `pt-*`
- `pr-*`
- `pb-*`
- `pl-*`
- `ps-*`
- `pe-*`

Borders

- `border`
- `border-*`
- `border-x-*`
- `border-y-*`
- `rounded`
- `rounded-*`
- `rounded-t-*`
- `rounded-b-*`
- `rounded-full`
- `border-dashed`
- `border-dotted`
- `border-double`
- `border-none`

Sizing

Width

- `w-*`
- `w-full`
- `w-screen`
- `w-fit`
- `w-min`
- `w-max`

Height

- `h-*`
- `h-full`
- `h-screen`
- `h-fit`
- `h-min`
- `h-max`

Min / Max

- `min-w-*`
- `max-w-*`
- `min-h-*`
- `max-h-*`

Display

- `block`
- `inline-block`
- `inline`
- `flex`
- `inline-flex`
- `grid`
- `inline-grid`
- `hidden`
- `contents`
- `flow-root`

Flexbox

- flex-row
- flex-col
- flex-wrap
- flex-nowrap
- justify-*
- items-*
- content-*
- self-*
- grow
- shrink
- basis-*

Grid

- grid-cols-*
- grid-rows-*
- col-span-*
- row-span-*
- col-start-*
- row-start-*
- place-items-*
- place-content-*
- place-self-*

Effects

Shadow

- `shadow`
- `shadow-sm`
- `shadow-md`
- `shadow-lg`
- `shadow-xl`
- `shadow-2xl`
- `shadow-none`

Opacity

- `opacity-*`

Blur

- `blur`
- `blur-sm`
- `blur-md`
- `blur-lg`

Backdrop

- `backdrop-blur-*`
- `backdrop-brightness-*`

Position

- `static`
- `fixed`
- `absolute`
- `relative`
- `sticky`

Inset (Position offsets)

- top-*
- right-*
- bottom-*
- left-*
- inset-*
- inset-x-*
- inset-y-*
- start-*
- end-* (logical properties added/improved in v4)

Z-Index

- z-*
- z-auto

Overflow

- overflow-auto
- overflow-hidden
- overflow-clip
- overflow-visible
- overflow-scroll
- overflow-x-*
- overflow-y-*

Interactivity

- `cursor-*`
- `pointer-events-*`
- `resize`
- `select-*`
- `scroll-smooth`
- `scroll-mt-*`

Transitions & Animation

- `transition`
- `transition-all`
- `transition-colors`
- `duration-*`
- `ease-*`
- `delay-*`
- `animate-spin`
- `animate-pulse`
- `animate-bounce`
- `animate-ping`

Responsive Variants

- `sm:*`
- `md:*`
- `lg:*`
- `xl:*`
- `2xl:*`

State Variants

- `hover:*`
- `focus:*`
- `active:*`
- `disabled:*`
- `group-hover:*`
- `peer-focus:*`
- `dark:*`