

Approximate Distance Oracles with Improved Query Time

Christian Wulff-Nilsen *

Abstract

Given an undirected graph G with m edges, n vertices, and non-negative edge weights, and given an integer $k \geq 2$, we show that a $(2k - 1)$ -approximate distance oracle for G of size $O(kn^{1+1/k})$ and with $O(\log k)$ query time can be constructed in $O(\min\{kmn^{1/k}, \sqrt{k}m + kn^{1+c/\sqrt{k}}\})$ time for some constant c . This improves the $O(k)$ query time of Thorup and Zwick. Furthermore, for any $0 < \epsilon \leq 1$, we give an oracle of size $O(kn^{1+1/k})$ that answers $((2 + \epsilon)k)$ -approximate distance queries in $O(1/\epsilon)$ time. At the cost of a k -factor in size, this improves the $128k$ approximation achieved by the constant query time oracle of Mendel and Naor and approaches the best possible tradeoff between size and stretch, implied by a widely believed girth conjecture of Erdős. We can match the $O(n^{1+1/k})$ size bound of Mendel and Naor for any constant $\epsilon > 0$ and $k = O(\log n / \log \log n)$.

*Department of Mathematics and Computer Science, University of Southern Denmark, koolooz@di.ku.dk, <http://www.imada.sdu.dk/~cwn/>.

1 Introduction

The practical need for efficient algorithms to answer shortest path (distance) queries in graphs has increased significantly over the years, in large part due to emerging GPS navigation technology and other route planning software. Classical algorithms like Dijkstra do not scale well as they may need to explore the entire graph just to answer a single query. As road maps are typically of considerable size, developing more efficient algorithms and data structures has received a great deal of attention from the research community.

A distance oracle is a data structure that answers shortest path distance queries between vertex pairs in time independent of the size of the graph. A naive way of achieving this is to precompute and store all-pairs shortest path distances in a look-up table, allowing subsequent queries to be answered in constant time. The obvious drawback is of course the huge space requirement which is quadratic in the number of vertices of the graph, as well as the long time for precomputing all-pairs shortest path distances.

It is not difficult to see that quadratic space is necessary for constant query time. It is therefore natural to consider *approximate* distance oracles where some error in the reported distances is allowed. We say that an approximate distance $\tilde{d}_G(u, v)$ between two vertices u and v in a graph G is of *stretch* $\delta \geq 1$ if $d_G(u, v) \leq \tilde{d}_G(u, v) \leq \delta d_G(u, v)$, where $d_G(u, v)$ denotes the shortest path distance in G between u and v . Awerbuch et al. [1] gave for any integer $k \geq 1$ and a graph with m edges and n vertices a data structure with stretch $64k$, space $\tilde{O}(kn^{1+1/k})$, and preprocessing $\tilde{O}(mn^{1/k})$. Its query time is $\tilde{O}(kn^{1/k})$ and therefore not independent of the size of the graph. Stretch was improved to $2k + \epsilon$ by Cohen [5] and further to $2k - 1$ by Matoušek [7].

In the seminal paper of Thorup and Zwick [14], it was shown that a data structure of size $O(kn^{1+1/k})$ can be constructed in $O(kmn^{1/k})$ time which reports shortest path distances stretched by a factor of at most $2k - 1$ in $O(k)$ time. Since its query time is independent of the size of the graph (when k is), we refer to it as an approximate distance oracle. The tradeoff between size and stretch is optimal up to a factor of k in space, assuming a widely believed and partially proved girth conjecture of Erdős [6].

Time and space in [14] are expected bounds; Roditty Thorup, and Zwick [12] gave a deterministic oracle with only a small increase in preprocessing.

Baswana and Kavitha [3] showed how to obtain $O(n^2)$ preprocessing for $k \geq 3$, an improvement for dense graphs. Subquadratic time was recently obtained for $k \geq 6$ and $m = o(n^2)$ [16]. Pătraşcu and Roditty [11] gave an oracle of size $O(n^2/\alpha^{1/3})$ and stretch 2 for a graph with $m = n^2/\alpha$ edges. Furthermore, they showed that a size $O(n^{5/3})$ oracle with multiplicative stretch 2 and additive stretch 1 exists for unweighted graphs. Baswana, Gaur, Sen, and Upadhyay [2] also gave oracles with both multiplicative and additive stretch.

Although the oracles above answer queries in time independent of the graph size, query time still depends on stretch. Mendel and Naor [8] asked the question of whether good approximate distance oracles exist with query time bounded by a universal constant. They answered this in the affirmative by giving an oracle of size $O(n^{1+1/k})$, stretch at most $128k$, query time $O(1)$ and preprocessing time $O(n^{2+1/k} \log n)$. Combining results of Naor and Tao [10] with Mendel and Naor [8] improves stretch to roughly $33k$; according to Naor and Tao, with a more careful analysis of the arguments in [8], it should be possible to further improve stretch to roughly $16k$ but not by much more. The $O(n^{2+1/k} \log n)$ preprocessing time was later improved by Mendel and Schwob [9] to $O(mn^{1/k} \log^3 n)$; for an n -point metric space, they obtain a bound of $O(n^2)$.¹

¹I thank an anonymous referee for mentioning this improvement.

| Stretch | Query time | Space | Preprocessing time | Reference |
|-------------------|------------------------------|-------------------------|---|------------|
| $2k - 1$ | $O(k)$ | $O(kn^{1+\frac{1}{k}})$ | $O(\min\{kmn^{\frac{1}{k}}, \sqrt{k}m + kn^{1+\frac{c}{\sqrt{k}}}\})$ | [14, 16] |
| $2k - 1$ | $O(\log k)$ | $O(kn^{1+\frac{1}{k}})$ | $O(\min\{kmn^{\frac{1}{k}}, \sqrt{k}m + kn^{1+\frac{c}{\sqrt{k}}}\})$ | This paper |
| $128k$ | $O(1)$ | $O(n^{1+\frac{1}{k}})$ | $O(mn^{\frac{1}{k}} \log^3 n)$ | [8, 9] |
| $(2 + \epsilon)k$ | $O(\frac{\log C}{\epsilon})$ | $O(kn^{1+\frac{1}{k}})$ | $O(kmn^{\frac{1}{k}} + kn^{1+\frac{1}{k}} \log n + mn^{\frac{1}{Ck}} \log^3 n)$ | This paper |

Table 1: Performance of distance oracles in weighted undirected graphs.

We refer the reader to the survey by Sen [13] on distance oracles as well as the related area of spanners.

Our contributions: Our first contribution is an improvement of the query time of the Thorup-Zwick oracle from $O(k)$ to $O(\log k)$ without increasing space, stretch, or preprocessing time. We achieve this by showing how to apply binary search on the bunch-structures, introduced by Thorup and Zwick. Our improved query algorithm is very simple to describe and straightforward to implement. It can easily be incorporated into our recent distance oracle [16], giving improved preprocessing.

Our second contribution is an approximate distance oracle with universally constant query time whose size is $O(kn^{1+1/k})$ and whose stretch can be made arbitrarily close to the optimal $2k - 1$ (when $k = \omega(1)$): for any positive $\epsilon \leq 1$, we give an oracle of size $O(kn^{1+1/k})$, stretch $O((2 + \epsilon)k)$, and query time $O(1/\epsilon)$. For $k = O(\log n / \log \log n)$ and constant ϵ , space can be improved to $O(n^{1+1/k})$, matching that of Mendel and Naor². To achieve this result, the main idea is to first query the Mendel-Naor oracle to get an $O(k)$ -approximate distance and then refine this estimate in $O(1/\epsilon)$ iterations using the bunch-structures of Thorup and Zwick. Our results are summarized in Table 1.

Note that we are interested in non-constant k only; if $k = O(1)$, the Thorup-Zwick oracle is optimal up to constants (assuming the girth conjecture) since it has size $O(n^{1+1/k})$, stretch $2k - 1$, and query time $O(1)$.

Organization of the paper: In Section 2, we introduce notation and give some basic definitions and results. Our oracle with $O(\log k)$ query time is presented in Section 3. This is followed by our constant time oracle in Section 4; first we present a generic algorithm in Section 4.1 that takes as input a large-stretch distance estimate and outputs a refined estimate. Some technical results are presented in Section 4.2 that will allow us to combine this generic algorithm with the Mendel-Naor oracle to form our own oracle. We describe preprocessing and query in detail in Sections 4.3 and 4.4 and we bound time and space requirements in Section 4.5. In Section 4.6, we show how to improve preprocessing compared to that in [9]. Finally, we conclude in Section 5.

2 Preliminaries

Throughout the paper, $G = (V, E)$ is an undirected connected graph with non-negative edge weights and with m edges and n vertices. For $u, v \in V$, we denote by $d_G(u, v)$ the

²This covers almost all values of k that are of interest as the Mendel-Naor oracle has $O(n)$ space requirement for $k = \Omega(\log n)$.




Figure 1: A bunch B_u in a complete Euclidean graph with $k = 3$. Black vertices belong to A_0 , grey vertices to A_1 , and white vertices to A_2 . Line segments connect u to vertices of B_u .

shortest path distance between u and v .

Sometimes we consider list representations of sets. We denote by $S[i]$ the i th entry of some chosen list representation of a set S , $i \geq 0$. For $x > 0$, $\log x$ is the base 2 logarithm of x .

The following definitions are taken from [14] and we shall use them throughout the paper. Let $k \geq 1$ be an integer and form sets A_0, \dots, A_k with $V = A_0 \supseteq A_1 \supseteq A_2 \dots \supseteq A_k = \emptyset$. For $i = 1, \dots, k-1$, set A_i is formed by picking each element of A_{i-1} independently with probability $n^{-1/k}$. Set A_i has expected size $O(n^{1-i/k})$ for $i = 0, \dots, k-1$. For each vertex u and each $i = 1, \dots, k-1$, $p_i(u)$ denotes the vertex of A_i closest to u (breaking ties arbitrarily). Define a *bunch* B_u as

$$B_u = \bigcup_{i=0}^{k-1} \{v \in A_i \setminus A_{i+1} \mid d_G(u, v) < d_G(u, p_{i+1}(u))\},$$

where we let $d_G(u, p_k(u)) = \infty$; see Figure 1.

Thorup and Zwick showed how to compute all bunches in $O(kmn^{1/k})$ time and showed that each of them has expected size $O(kn^{1/k})$ for a total of $O(kn^{1+1/k})$. The following lemma states some simple but important results about bunches.

Lemma 1. *Let $u, v \in V$ be distinct vertices and let $0 \leq i < k-1$. If $p_i(v) \notin B_u$ then $d_G(u, p_{i+1}(u)) \leq d_G(u, p_i(v))$. Furthermore, $A_{k-1} \subset B_u$. In particular, $p_{k-1}(v) \in B_u$.*

Algorithm $\text{dist}_k(u, v, i)$ in Figure 2 is identical to the query algorithm of Thorup and Zwick except that we do not initialize $i \leftarrow 0$ but allow any start value. We shall use this generalized algorithm in our analysis in the following.

3 Oracle with $O(\log k)$ Query Time

In this section, we show how to improve the $O(k)$ query time of the Thorup-Zwick oracle to $O(\log k)$. Let \mathcal{I} be the index sequence $0, \dots, k-1$. The idea is to identify $r = O(\log k)$ subsequences $(\mathcal{I}_1 = \mathcal{I}) \supset \mathcal{I}_2 \supset \dots \supset \mathcal{I}_r$ of \mathcal{I} in that order, where for $j = 2, \dots, r$, $|\mathcal{I}_j| \leq \frac{1}{2}|\mathcal{I}_{j-1}|$. Each subsequence \mathcal{I}_j has the property that dist_k applied to the beginning of

Algorithm $\text{dist}_k(u, v, i)$

1. $w \leftarrow p_i(u); j \leftarrow i$
2. while $w \notin B_v$
3. $j \leftarrow j + 1$
4. $(u, v) \leftarrow (v, u)$
5. $w \leftarrow p_j(u)$
6. return $d_G(w, u) + d_G(w, v)$

Figure 2: Answering a distance query, starting at sample level i .

it outputs a desired $(2k - 1)$ -approximate distance in $O(|\mathcal{I}_j|)$ time. We apply binary search to identify the subsequences, with each step taking constant time. The final subsequence \mathcal{I}_r has $O(\log k)$ length and dist_k is applied to it to compute a $(2k - 1)$ -distance estimate in $O(\log k)$ additional time.

In the following, we define a class of such subsequences. For vertices u and v , an index $j \in \mathcal{I}$ is (u, v) -terminal if

1. $j = k - 1$ (in which case $p_j(u) \in B_v$) or
2. $j < k - 1$ is even and either $p_j(u) \in B_v$ or $p_{j+1}(v) \in B_u$.

Note that if an index j is (u, v) -terminal, $\text{dist}_k(u, v, i)$ terminates if it reaches j or $j + 1$. We say that a subsequence $\mathcal{I}' = i_1, \dots, i_2$ of \mathcal{I} is (u, v) -feasible if

1. i_1 is even,
2. $d_G(u, p_{i_1}(u)) \leq i_1 \cdot d_G(u, v)$, and
3. i_2 is (u, v) -terminal.

The following lemma implies that dist_k answers a $(2k - 1)$ -approximate distance query for u and v when applied to a (u, v) -feasible sequence.

Lemma 2. *Let i_1, \dots, i_2 be a (u, v) -feasible subsequence. Then $\text{dist}_k(u, v, i_1)$ gives a $(2k - 1)$ -approximate uv -distance in $O(i_2 - i_1)$ time.*

Proof. The time bound follows since i_2 is (u, v) -terminal and since each iteration can be implemented to run in constant time using hash tables to represent bunches as in [14]. The stretch bound follows from the analysis of Thorup and Zwick for their query algorithm: when $p_j(u) = w \notin B_v$, we have $d_G(v, p_{j+1}(v)) \leq d_G(v, p_j(u)) \leq d_G(u, p_j(u)) + d_G(u, v)$ by Lemma 1 and the triangle inequality. Hence, each iteration of $\text{dist}_k(u, v, i_1)$ increases $d_G(w, u)$ by at most $d_G(u, v)$. Since $d_G(u, p_{i_1}(u)) \leq i_1 \cdot d_G(u, v)$, we have at termination that $d_G(u, w) + d_G(w, v) \leq 2d_G(u, w) + d_G(u, v) \leq (2(i_1 + (i_2 - i_1)) + 1)d_G(u, v) \leq (2k - 1)d_G(u, v)$. \square

Lemma 3. \mathcal{I} is (u, v) -feasible for all vertices u and v .

For each vertex u and $0 \leq i < k - 2$, define $\delta_i(u) = d_G(u, p_{i+2}(u)) - d_G(u, p_i(u))$. The following lemma allows us to binary search for a $(2k - 1)$ -approximate distance estimate of $d_G(u, v)$.

Algorithm $\text{bdist}_k(u, v, i_1, i_2)$

1. if $i_2 - i_1 \leq \log k$ then return $\text{dist}_k(u, v, i_1)$
2. let i be the middle even index in i_1, \dots, i_2
3. let j be the (precomputed) even index in $i_1, \dots, i - 2$ maximizing $\delta_j(u)$
4. if $p_j(u) \notin B_v$ and $p_{j+1}(v) \notin B_u$ then return $\text{bdist}_k(u, v, i, i_2)$
5. else return $\text{bdist}_k(u, v, i_1, j)$

Figure 3: Answering a distance query using binary search. The initial call is $\text{bdist}_k(u, v, 0, k - 1)$. For correctness of the pseudocode, we assume here that $k \geq 16$. The call in line 1 is to dist_k in Figure 2.

Lemma 4. *Let i_1, \dots, i_2 be a (u, v) -feasible sequence and let i be even, $i_1 + 2 \leq i \leq i_2 - 2$. Let j be an even index in subsequence $i_1, \dots, i - 2$ that maximizes $\delta_j(u)$. If $p_j(u) \notin B_v$ and $p_{j+1}(v) \notin B_u$ then i, \dots, i_2 is (u, v) -feasible. Otherwise, i_1, \dots, j is (u, v) -feasible.*

Proof. If $p_j(u) \in B_v$ or $p_{j+1}(v) \in B_u$ then j is (u, v) -terminal. Since i_1, \dots, i_2 is (u, v) -feasible, so is i_1, \dots, j .

Now assume that $p_j(u) \notin B_v$ and $p_{j+1}(v) \notin B_u$. Then $d_G(v, p_{j+1}(v)) \leq d_G(v, p_j(u))$ and $d_G(u, p_{j+2}(u)) \leq d_G(u, p_{j+1}(v))$ by Lemma 1. Applying the triangle inequality twice yields

$$\begin{aligned} d_G(u, p_{j+2}(u)) &\leq d_G(u, p_{j+1}(v)) \\ &\leq d_G(u, v) + d_G(v, p_{j+1}(v)) \\ &\leq d_G(u, v) + d_G(v, p_j(u)) \\ &\leq 2d_G(u, v) + d_G(u, p_j(u)) \end{aligned}$$

so $\delta_j(u) = d_G(u, p_{j+2}(u)) - d_G(u, p_j(u)) \leq 2d_G(u, v)$.

Let \mathcal{I}' be the set of even indices $i_1, i_1 + 2, i_1 + 4, \dots, i - 2$. Since i_1, \dots, i_2 is (u, v) -feasible, $d_G(u, p_{i_1}(u)) \leq i_1 \cdot d_G(u, v)$. By the choice of j ,

$$\begin{aligned} d_G(u, p_i(u)) &= d_G(u, p_{i_1}(u)) + \sum_{j' \in \mathcal{I}'} \delta_{j'}(u) \\ &\leq i_1 \cdot d_G(u, v) + |\mathcal{I}'| \max_{j' \in \mathcal{I}'} \delta_{j'}(u) \\ &= i_1 \cdot d_G(u, v) + \frac{i - i_1}{2} \delta_j(u) \\ &\leq i_1 \cdot d_G(u, v) + (i - i_1) d_G(u, v) \\ &= i \cdot d_G(u, v). \end{aligned}$$

Hence, since i_1, \dots, i_2 is (u, v) -feasible, so is i, \dots, i_2 . □

We can now show our first main result.

Theorem 1. *For an integer $k \geq 2$, a $(2k - 1)$ -approximate distance oracle of G of size $O(kn^{1+1/k})$ and $O(\log k)$ query time can be constructed in $O(\min\{kmn^{1/k}, \sqrt{k}m + kn^{1+c/\sqrt{k}}\})$ time for some constant c .*

Proof. In order for $\delta_i(u)$ -values to be defined, we assume that $k \geq 3$; the result of the theorem is already known for $k = 2$ (in fact for any constant k). We obtain bunch B_u

for each vertex u in a total of $O(kmn^{1/k})$ time using the Thorup-Zwick construction. The following additional preprocessing is done for u to determine the (u, v) -subsequences of \mathcal{I} that are needed. Let $\mathcal{I}' = i_1, \dots, i_2$ be the current sequence considered; initially, $\mathcal{I}' = \mathcal{I}$. Pick an even index i , $i_1 + 2 \leq i \leq i_2 - 2$, such that i_1, \dots, i and i, \dots, i_2 have (roughly) the same size and find an even index j in $i_1, \dots, i - 2$ which maximizes $\delta_j(u)$. Then recurse on subsequences i_1, \dots, j and i, \dots, i_2 . The recursion stops when a sequence of length at most $\log k$ is reached. Below we show that these indices j can be identified in $O(k)$ time which is $O(kn)$ over all u .

Now, to answer a distance query for vertices u and v , we do binary search on sequences $\mathcal{I}' = i_1, \dots, i_2$ generated; see Figure 3. We start the search with $\mathcal{I}' = \mathcal{I}$ and check if both $p_j(u) \notin B_v$ and $p_{j+1}(v) \notin B_u$. If so, we continue the search on subsequence i, \dots, i_2 . Otherwise, we continue the search on i_1, \dots, j . We stop when reaching a sequence of length at most $\log k$. By Lemmas 3 and 4, this subsequence is (u, v) -feasible. Applying dist_k to it outputs a $(2k - 1)$ -approximate distance estimate of $d_G(u, v)$ by Lemma 2.

Binary search takes $O(\log k)$ time. Since we end up with a (u, v) -feasible sequence of length at most $\log k$, dist_k applied to it takes $O(\log k)$ time. Hence, query time is $O(\log k)$.

The oracle in [16] with $O(\sqrt{km} + kn^{1+c/\sqrt{k}})$ preprocessing time also constructs bunches and applies linear search in these to answer distance queries in $O(k)$ time. Our binary search algorithm can immediately be plugged in instead.

It remains to bound, for each vertex u , the time to identify the indices j . Since sequence lengths are reduced by a factor of at least two in each recursive step, simple linear searches will give all the indices in a total of $O(k \log k)$ time. In the following, we improve this to $O(k)$.

Let us call a subsequence of \mathcal{I} *canonical* if it is obtained during the following procedure: start with the subsequence \mathcal{I}' of \mathcal{I} consisting of the even indices. Then find an index $i \in \mathcal{I}'$ that partitions \mathcal{I}' into two (roughly) equal-size subsequences (both containing i), and recurse on each of them; the recursion stops when a subsequence consisting of two indices is obtained. We keep a binary tree \mathcal{T} reflecting the recursion, where each node of \mathcal{T} is associated with the canonical subsequence generated at that step in the recursion. From this procedure, we identify (the endpoints of) all canonical subsequences in $O(k)$ time. A bottom-up $O(k)$ time algorithm in \mathcal{T} can then identify, for each canonical subsequence $\mathcal{I}' = i_1, i_1 + 2, \dots, i_2$, an index $j = j(\mathcal{I}')$ in $i_1, i_1 + 2, \dots, i_2 - 2$ that maximizes $\delta_j(u)$.

Now consider a (not necessarily canonical) subsequence $\mathcal{I}' = i_1, i_1 + 2, \dots, i_2$ of \mathcal{I} with indices $i_1 < i_2$ even. We can find $O(\log k)$ canonical subsequences whose union is \mathcal{I}' as follows: let ℓ_1 and ℓ_2 be the leaves of \mathcal{T} associated with canonical subsequences $i_1, i_1 + 2$ and $i_2 - 2, i_2$, respectively. Let P be the path in \mathcal{T} from the parent of ℓ_1 to the parent of ℓ_2 and let X be the set of nodes in $\mathcal{T} \setminus P$ having a parent in P . Then it is easy to see that the $O(\log k)$ canonical subsequences associated with nodes in X have \mathcal{I}' as their union. It follows that finding the desired index j for \mathcal{I}' takes $O(\log k)$ time as it can be found among the j -indices for canonical subsequences associated with nodes in X .

In our preprocessing for vertex u , we only need to find j -indices for $O(k/\log k)$ subsequences since the recursion stops when a subsequence of length at most $\log k$ is found. Total preprocessing for u is thus $O(k)$, as desired. \square

Algorithm refine_dist $_{\alpha, \epsilon}(u, v, \tilde{d}_{uv})$

1. $d_u \leftarrow \tilde{d}_{uv}$
2. $i_u \leftarrow \text{even}_u(d_u)$
3. if not refine_further(u, v, i_u) then return d_u
4. $i \leftarrow 0$
5. while refine_further(u, v, i_u) and $i \leq \lceil \log(2\alpha) / \log(1 + \epsilon) \rceil$
6. $d_u \leftarrow d_u / (1 + \epsilon)$
7. $i_u \leftarrow \text{even}_u(d_u)$
8. $i \leftarrow i + 1$
9. $i'_u \leftarrow \text{even}_u(d_u(1 + \epsilon))$
10. if $i'_u \geq 2$ then
11. let j be an even index in $0, \dots, i'_u - 2$ maximizing δ_j
12. if $p_j(u) \in B_v$ then return $d_G(u, p_j(u)) + d_G(v, p_j(u))$
13. if $p_{j+1}(v) \in B_u$ then return $d_G(u, p_{j+1}(v)) + d_G(v, p_{j+1}(v))$
14. if $p_{i'_u}(u) \in B_v$ then return $d_G(u, p_{i'_u}(u)) + d_G(v, p_{i'_u}(u))$
15. else return $d_G(u, p_{i'_u+1}(v)) + d_G(v, p_{i'_u+1}(v))$

Algorithm refine_further(u, v, i_u)

1. if $i_u \geq 2$ then
2. let j be an even index in $0, \dots, i_u - 2$ maximizing δ_j
3. if $p_j(u) \in B_v$ or $p_{j+1}(v) \in B_u$ then return **true**
4. if $p_{i_u}(u) \in B_v$ or $p_{i_u+1}(v) \in B_u$ then return **true**
5. else return **false**

Figure 4: Algorithm refine_dist takes as input an αk -approximate uv -distance \tilde{d}_{uv} and outputs a $(2(1 + \epsilon)k - 1)$ -approximate uv -distance.

4 Oracle with Constant Query Time

Let $0 < \epsilon \leq \frac{1}{2}$ be given. In this section, we show how to achieve stretch $2(1 + \epsilon)k - 1$, query time $O(1/\log(1 + \epsilon)) = O(1/\epsilon)^3$, and space $O(kn^{1+1/k})$. Initially, we aim for a preprocessing bound of $O(n^{2+1/k} \log n)$, matching that in [8]. In Section 4.6, we improve this to the bound stated in Table 1.

We start with a generic algorithm, refine_dist, to refine a distance estimate. Later we will show how to combine this with the Mendel-Naor oracle. We shall assume that $1/\log(1 + \epsilon) = o(\log k)$ since otherwise, the oracle of the previous section can be applied.

4.1 A generic algorithm

For a vertex u and a non-negative value d_u , we define $\text{even}_u(d_u)$ as the largest even index i_u such that $d_G(u, p_{i_u}(u)) \leq d_u$.

Pseudocode of refine_dist can be found in Figure 4. It takes as input an αk -approximate

³Let $x = 1/\epsilon \geq 2$. Since \ln is concave, $\ln(1 + \epsilon) = \ln(x + 1) - \ln x > \frac{\partial}{\partial x} \ln(x + 1) = 1/(x + 1) \geq \frac{2}{3}\epsilon$, which implies $1/\log(1 + \epsilon) = O(1/\epsilon)$.

uv -distance \tilde{d}_{uv} and outputs a $(2(1 + \epsilon)k - 1)$ -approximate uv -distance. In line 3, it calls subroutine `refine_further` which checks a condition similar to that in Lemma 4 to determine whether the initial estimate \tilde{d}_{uv} is already a good enough approximation. If so, `refine_dist` outputs this distance in line 3. Otherwise, it repeatedly refines the initial estimate in the while loop in lines 5–8. In each iteration, the estimate is reduced by a factor of $(1 + \epsilon)$ and `refine_further` is called to determine whether we can refine the estimate further. If not, the while-loop ends and the refined estimate is output in lines 12–15. The while-loop also terminates after roughly $\log \alpha/\epsilon$ iterations since then the refined estimate is small enough as the initial estimate is an αk -approximate uv -distance. With the Mendel-Naor oracle, we can pick $\alpha = 128$, giving only $O(1/\epsilon)$ iterations. We will implement `refine_dist` so that each iteration takes $O(1)$ time, giving the desired $O(1/\epsilon)$ query time.

The following lemma shows that `refine_dist` outputs the stretch we are aiming for.

Lemma 5. *For $k \geq 4$, $\alpha \geq 1$, and $\epsilon > 0$, algorithm `refine_dist` $_{\alpha, \epsilon}(u, v, \tilde{d}_{uv})$ outputs a $(2(1 + \epsilon)k - 1)$ -approximate uv -distance if \tilde{d}_{uv} is an αk -approximate uv -distance.*

Proof. Initially, $d_G(u, v) \leq \tilde{d}_{uv} = d_u$. If the test in line 3 of `refine_dist` succeeds, i.e., if algorithm `refine_further` returns **false**, then since the test in line 3 of that algorithm fails, a telescoping sums argument similar to that in the proof of Lemma 4 implies $d_G(u, p_{i_u}(u)) \leq i_u \cdot d_G(u, v)$. Since also line 4 fails, we have $d_G(u, p_{i_u+2}(u)) - d_G(u, p_{i_u}(u)) \leq 2d_G(u, v)$. Hence $d_G(u, v) \leq d_u < d_G(u, p_{i_u+2}(u)) \leq (i_u + 2)d_G(u, v) \leq (k - 1)d_G(u, v)$ (note that $i_u + 2 \leq k - 1$ since $p_{i_u+1}(v) \notin B_u$ which implies $i_u + 1 < k - 1$ by Lemma 1). In the following, we can thus assume that the test in line 3 of `refine_dist` fails.

We know that `refine_further` (u, v, i'_u) returns **true** since i'_u is the value of i_u in the iteration before the last. Hence, if a distance is returned in line 15, $p_{i'_u+1}(v) \in B_u$. In particular, all distances returned are at least $d_G(u, v)$.

Assume first that the while-loop ended because `refine_further` (u, v, i_u) returned **false**. Observing the following string of inequalities in lines 10 to 15 will help us in the following:

$$d_G(u, p_{i_u}(u)) \leq d_u < d_G(u, p_{i_u+2}(u)) \leq d_G(u, p_{i'_u}(u)) \leq d_u(1 + \epsilon).$$

We have $d_u < d_G(u, p_{i_u+2}(u)) \leq (i_u + 2)d_G(u, v)$. If lines 11 to 13 are executed then $d_G(u, p_j(u)) < d_G(u, p_{i'_u}(u)) \leq d_u(1 + \epsilon) < (1 + \epsilon)(i_u + 2)d_G(u, v)$. Thus, if $p_j(u) \in B_v$, a value of at most

$$\begin{aligned} 2d_G(u, p_j(u)) + d_G(u, v) &< (2(1 + \epsilon)(i_u + 2) + 1)d_G(u, v) \\ &\leq (2(1 + \epsilon)(k - 1) + 1)d_G(u, v) \\ &< (2(1 + \epsilon)k - 1)d_G(u, v) \end{aligned}$$

is returned in line 12. If $p_j(u) \notin B_v$ and $p_{j+1}(v) \in B_u$, Lemma 1 gives $j + 1 \leq k - 1$ and

$$d_G(v, p_{j+1}(v)) \leq d_G(v, p_j(u)) \leq d_G(u, v) + d_G(u, p_j(u)) < ((1 + \epsilon)(i_u + 2) + 1)d_G(u, v).$$

Furthermore, since $p_{j+1}(v) \in B_u$ and $j + 1 < i'_u$, we have

$$d_G(u, p_{j+1}(v)) \leq d_G(u, p_{j+2}(u)) \leq d_G(u, p_{i'_u}(u)) \leq d_u(1 + \epsilon) < (1 + \epsilon)(i_u + 2)d_G(u, v).$$

Hence, a value of less than

$$(2(1 + \epsilon)(i_u + 2) + 1)d_G(u, v) \leq (2(1 + \epsilon)(k - 1) + 1)d_G(u, v) < (2(1 + \epsilon)k - 1)d_G(u, v)$$

is returned in line 13. The same argument as for line 12 with i'_u instead of j shows that the desired distance estimate is output in line 14. If we reach line 15, $p_{i'_u}(u) \notin B_v$ and (as already observed) $p_{i'_u+1}(v) \in B_u$. Then $i_u + 2 \leq i'_u \leq k - 2$ and

$$\begin{aligned}
d_G(v, p_{i'_u+1}(v)) &\leq d_G(v, p_{i'_u}(u)) \\
&\leq d_G(u, v) + d_G(u, p_{i'_u}(u)) \\
&\leq d_G(u, v) + d_u(1 + \epsilon) \\
&< ((1 + \epsilon)(i_u + 2) + 1)d_G(u, v) \\
&\leq ((1 + \epsilon)(k - 2) + 1)d_G(u, v) \\
&< ((1 + \epsilon)k - 1)d_G(u, v)
\end{aligned}$$

so a value of at most

$$2d_G(v, p_{i'_u+1}(v)) + d_G(u, v) < (2((1 + \epsilon)k - 1) + 1)d_G(u, v) = (2(1 + \epsilon)k - 1)d_G(u, v)$$

is returned in line 15.

Now assume that the while-loop ended with `refine_further`(u, v, i_u) returning **true**. Then $i = \lceil \log(2\alpha) / \log(1 + \epsilon) \rceil$ iterations have been executed so the final value of d_u is at most $\alpha k \cdot d_G(u, v) / (1 + \epsilon)^i \leq \frac{k}{2} \cdot d_G(u, v)$. If the algorithm returns a value in line 12 then this value is at most $2d_G(u, p_j(u)) + d_G(u, v) < 2d_u(1 + \epsilon) + d_G(u, v) \leq ((1 + \epsilon)k + 1)d_G(u, v)$. If $p_j(u) \notin B_v$ and $p_{j+1}(v) \in B_u$ then $d_G(v, p_{j+1}(v)) \leq d_G(v, p_j(u)) \leq d_G(u, v) + d_G(u, p_j(u)) < d_G(u, v) + d_u(1 + \epsilon)$ so a value of at most $2d_G(v, p_{j+1}(v)) + d_G(u, v) < 2d_u(1 + \epsilon) + 3d_G(u, v) \leq ((1 + \epsilon)k + 3)d_G(u, v)$ is returned in line 13. Since $k \geq 4$, this gives the desired estimate. A similar argument gives the same estimate for lines 14 and 15. This completes the proof. \square

4.2 Combining with the Mendel-Naor oracle

Our oracle will query that of Mendel and Naor for a distance estimate and then give it as input to an efficient implementation of `refine_dist`. It is worth pointing out that any oracle with universally constant query time and $O(k)$ stretch can be used as a black box and not just that in [8]; the only requirement is that the number of distinct distances it can output is not too big; see details below.

We will keep a sorted list of values such that for any distance query, the list contains the $O(1/\log(1 + \epsilon))$ d_u -values found in `refine_dist` as consecutive entries. We linearly traverse the list to identify these entries some of which point to i_u -indices needed by `refine_dist`. These pointers together with some additional preprocessing allow us to execute each iteration of the while-loop in $O(1)$ time.

We will ensure the property that the elements of the list are spaced by a factor of at least $1 + \epsilon$. For this we need a new definition. Let S be a non-empty set of real numbers and let $\epsilon > 0$ be given. Define the ϵ -comb of S to be the set S_ϵ of real numbers obtained by the iterative algorithm `comb` $_\epsilon(S)$ in Figure 5. Lemmas 6 and 8 below show that the ϵ -comb of a certain superset of the set of all distances that can be output by the Mendel-Naor oracle has the above property while not containing too many elements.

Lemma 6. *Let S_ϵ be the ϵ -comb of a set S . Then*

1. *for any $s \in S$, there is a unique $s' \in S_\epsilon$ such that $s \leq s' < (1 + \epsilon)s$,*
2. *any two elements of S_ϵ differ by a factor of at least $1 + \epsilon$, and*

Algorithm $\text{comb}_\epsilon(S)$

1. let s_{\max} be the largest element of S
2. $S_\epsilon \leftarrow \{s_{\max}\}; S' \leftarrow S \setminus \{s_{\max}\}$
3. while $S' \neq \emptyset$
4. let s_1 be the largest element of S' and let s_2 be the smallest element of S_ϵ
5. $s \leftarrow \min\{s_1, s_2/(1+\epsilon)\}$
6. $S_\epsilon \leftarrow S_\epsilon \cup \{s\}$
7. remove all the elements from S' that have value at least s
8. return S_ϵ

Figure 5: Algorithm that outputs the ϵ -comb S_ϵ of a non-empty set S of real values.

3. $|S_\epsilon| \leq |S|$.

Proof. To show the first part, define $s^{(i)}$ to be the element s found in the i th iteration of the while-loop. Define $s_1^{(i)}$ and $s_2^{(i)}$ similarly. Now, let $s \in S$ be given. Since $s_{\max} \in S_\epsilon$, there is an element of S_ϵ which is at least s . Let s_{\min} be the smallest such element and suppose for the sake of contradiction that $s_{\min} \geq (1+\epsilon)s$. Let i be the iteration in which s_{\min} is added to S_ϵ . Since $s < s^{(i)}$, $s = s^{(j)}$ for some $j \geq i+1$ so $s \leq s_1^{(i+1)}$. After line 7 has been executed, every element of S' is strictly smaller than $s^{(i)} = s_{\min}$. Thus, $s \leq s_1^{(i+1)} < s_{\min}$. Since also $s_2^{(i+1)} = s^{(i)} = s_{\min} \geq (1+\epsilon)s$, it follows that $s \leq s^{(i+1)} < s_{\min}$. But $s^{(i+1)} \in S_\epsilon$, contradicting the choice of s_{\min} .

We have shown that $s \leq s_{\min} \leq (1+\epsilon)s$. To show uniqueness, let s' be the first element added to S_ϵ for which $s \leq s' < (1+\epsilon)s$. Assume for the sake of contradiction that $s' \neq s_{\min}$. Then s_{\min} was added in a later iteration than s' so $s \leq s_{\min} = s^{(i)} \leq s_2^{(i)}/(1+\epsilon) \leq s'/(1+\epsilon) < s$, a contradiction. Thus, $s' = s_{\min}$, showing uniqueness.

The second part of the lemma holds since in line 5, s_2 is the smallest element of S_ϵ and the next element s to be added to this set satisfies $s \leq s_2/(1+\epsilon)$.

The third part of the lemma follows since in line 2, $|S_\epsilon| = 1$ and $S' = |S| - 1$ and since at least one element (namely s_1) is removed from S' in line 7 after an element has been added to S_ϵ . \square

For any vertices u and v , denote by $d_{MN}(u, v)$ the uv -distance estimate output by the Mendel-Naor oracle and let $\alpha_{MN}k$ be the stretch achieved by the oracle, i.e., $\alpha_{MN} = 128$. Let $\mathcal{D}_{MN} = \{d_{MN}(u, v) | u, v \in V\}$ be the set of all distances that the oracle can output.

Lemma 7. $|\mathcal{D}_{MN}| = O(n^{1+1/k})$.

Proof. The Mendel-Naor oracle stores trees representing certain ultrametrics. Each tree node is labelled with a distance and each approximate distance output by the Mendel-Naor oracle is one such label. Hence, since the oracle has size $O(n^{1+1/k})$, so has \mathcal{D}_{MN} . \square

Lemma 8. For each $d \in \mathcal{D}_{MN}$, let $\mathcal{D}_d = \{d/(1+\epsilon)^i | 0 \leq i \leq \lceil \log(2\alpha_{MN}(1+\epsilon))/\log(1+\epsilon) \rceil\}$ and let \mathcal{D}_ϵ be the ϵ -comb of $\cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d$. Then for each $d \in \mathcal{D}_{MN}$, there exists a unique $d' \in \mathcal{D}_\epsilon$ such that $d \leq d' \leq d(1+\epsilon)$ and $d'/(1+\epsilon)^i \in \mathcal{D}_\epsilon$ for $0 \leq i \leq \lceil \log(2\alpha_{MN}(1+\epsilon))/\log(1+\epsilon) \rceil$. Also, $|\mathcal{D}_\epsilon| = O(n^{1+1/k}/\log(1+\epsilon))$.

Proof. The existence and uniqueness of d' follows from $\mathcal{D}_{MN} \subset \cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d$ and from part 1 of Lemma 6. Define $d_i = d/(1+\epsilon)^i$ and $d'_i = d'/(1+\epsilon)^i$. We use induction on




Figure 6: Sets $\cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d$, \mathcal{D}_ϵ , S_u , and P_u (ordered by increasing value from left to right) as well as the map τ_{S_u} restricted to the subset $\mathcal{D}_\epsilon(u)$ (white points) of \mathcal{D}_ϵ . Elements of $\cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d$ represented by long line segments are those belonging to \mathcal{D}_{MN} . For clarity, elements of each set \mathcal{D}_d from Lemma 8 are evenly spaced in the figure.

$i \geq 0$ to show that $d'_i \in \mathcal{D}_\epsilon$. The base case $i = 0$ has been shown since $d'_0 = d'$ so assume $0 < i \leq \lceil \log(2\alpha_{MN}(1+\epsilon))/\log(1+\epsilon) \rceil$ and that $d'_{i-1} \in \mathcal{D}_\epsilon$. Consider the iteration of $\text{comb}_\epsilon(\cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d)$ following that in which d_{i-1} was added to S_ϵ . Here, $s_1 \geq d_{i-1}$ since $d_{i-1} \in S'$ and so $s_2 = d'_{i-1} = d'_i(1+\epsilon) \leq d_{i-1}(1+\epsilon) \leq s_1(1+\epsilon)$, giving $s = \min\{s_1, s_2/(1+\epsilon)\} = s_2/(1+\epsilon) = d'_i$ which is added to S_ϵ in line 6. Hence, $d'_i \in \mathcal{D}_\epsilon$, completing the induction step.

For the last part of the lemma, since $\log(2\alpha_{MN}(1+\epsilon))/\log(1+\epsilon) = O(1/\log(1+\epsilon))$, Lemma 7 and part 3 of Lemma 6 give

$$|\mathcal{D}_\epsilon| \leq \sum_{d \in \mathcal{D}_{MN}} |\mathcal{D}_d| = O(|\mathcal{D}_{MN}|/\log(1+\epsilon)) = O(n^{1+1/k}/\log(1+\epsilon)).$$

□

As mentioned earlier, certain elements of the ϵ -comb in Lemma 8 contain pointers to i_u -indices. These pointers are defined by the following type of map. For a set S of real values with smallest element s_{\min} , define $\tau_S : [s_{\min}, \infty) \rightarrow S$ by $\tau_S(x) = \max\{s \in S | s \leq x\}$.

Lemma 9. *Let S be a set of real values with smallest element s_{\min} and let $x, y \in [s_{\min}, \infty)$. If $s_1 < s_2$ are consecutive elements in S then $\tau_S(x) = \tau_S(y) = s_1$ iff $x, y \in [s_1, s_2)$.*

4.3 Preprocessing

We are now ready to give an efficient implementation of algorithm `refine_dist`. We construct the Mendel-Naor oracle and obtain the set \mathcal{D}_{MN} . For each vertex u , we construct bunch B_u and the set P_u of values $d_G(u, v)$ for each $v \in B_u$. We represent P_u as a list sorted by increasing value. Furthermore, we find a set S_u of real values as follows. For each index $i \in \{0, \dots, |P_u| - 2\}$ of P_u , subdivide interval $[P_u[i], P_u[i+1]]$ into four even-length subintervals. We denote by \mathcal{I}_u the set of these subintervals over all i and form the set S_u of all their endpoints. We obtain the ϵ -comb \mathcal{D}_ϵ as defined in Lemma 8 and represent it as a sorted list. Then we form a set $\mathcal{D}_\epsilon(u)$ of those $d \in \mathcal{D}_\epsilon$ for which d is either the smallest or the largest element that τ_{S_u} maps to $\tau_{S_u}(d)$; see Figure 6. With each $d \in \mathcal{D}_\epsilon(u)$, we associate the largest even index $i_u(d)$ such that $d_G(u, p_{i_u(d)}(u)) \leq \tau_{S_u}(d)$. For all $d \in \mathcal{D}_\epsilon \setminus \mathcal{D}_\epsilon(u)$, we leave $i_u(d)$ undefined.

4.4 Query

To answer an approximate uv -distance query, we first obtain the Mendel-Naor estimate $d_{MN}(u, v)$ and identify the smallest element \tilde{d}_{uv} of \mathcal{D}_ϵ which is at least $d_{MN}(u, v)$. This

element is the input to $\text{refine_dist}_{\alpha, \epsilon}$ where $\alpha = (1 + \epsilon)\alpha_{MN}$. By Lemma 8, \tilde{d}_{uv} is an αk -approximate distance so the output will be a $(2(1 + \epsilon)k - 1)$ -approximate distance.

It follows from Lemma 8 and part 2 of Lemma 6 that all values of d_u in refine_dist are consecutive and start from \tilde{d}_{uv} in \mathcal{D}_ϵ . Linearly traversing the list from \tilde{d}_{uv} thus corresponds to updating d_u in the while-loop.

We also need to maintain even index i_u . Assume for now that for the initial d_u , index $i_u(d_u)$ is defined. Then the initial i_u is $i_u(d_u)$. As d_u is updated in the while-loop, at some point it may happen that $i_u(d_u)$ is undefined. Let d'_u be the last value encountered in the linear traversal such that $i_u(d'_u)$ is defined. Then d'_u is the largest element in \mathcal{D}_ϵ that τ_{S_u} maps to $\tau_{S_u}(d'_u)$ and d_u is larger than the smallest such element. Hence, $\tau_{S_u}(d_u) = \tau_{S_u}(d'_u)$ and it follows from Lemma 9 that i_u need not be updated from the value it had when d'_u was encountered. Thus, maintaining i_u is easy, assuming its initial value can be identified.

What if $i_u(d_u)$ is undefined for the initial d_u ? Then we move down the list \mathcal{D}_ϵ until we find an index $i_u(d'_u)$ that is defined. By Lemma 9, this index is the initial value of i_u and we are done. The problem with this approach is that we may need to traverse a large part of the list before the index can be found. We can only afford to traverse $O(1/\log(1 + \epsilon))$ entries of \mathcal{D}_ϵ . The following lemma shows that if the search has not identified an index $i_u(d_u)$ after a small number of steps then our oracle can output twice the distance value in the final entry considered.

Lemma 10. *For vertices u and v , let j be the index of \mathcal{D}_ϵ such that $\mathcal{D}_\epsilon[j] = \tilde{d}_{uv}$. Assume that $j_{\min} = j - \lceil \log(2\alpha_{MN}) / \log(1 + \epsilon) \rceil$ is an index of \mathcal{D}_ϵ such that $i_u(\mathcal{D}_\epsilon[j'])$ and $i_v(\mathcal{D}_\epsilon[j'])$ are undefined for all $j_{\min} \leq j' \leq j$. Then $d_G(u, v) \leq 2\mathcal{D}_\epsilon[j_{\min}] \leq (1 + \epsilon)k \cdot d_G(u, v)$.*

Proof. We have $d_G(u, v) \leq \mathcal{D}_\epsilon[j] \leq (1 + \epsilon)\alpha_{MN}k \cdot d_G(u, v)$. For each index $j' > 0$ of \mathcal{D}_ϵ , $\mathcal{D}_\epsilon[j' - 1] = \mathcal{D}_\epsilon[j'] / (1 + \epsilon)$ by Lemma 8 and part 2 of Lemma 6. Thus,

$$\mathcal{D}_\epsilon[j_{\min}] = \frac{\mathcal{D}_\epsilon[j]}{(1 + \epsilon)^{j - j_{\min}}} \leq \frac{(1 + \epsilon)\alpha_{MN}k}{(1 + \epsilon)^{\log(2\alpha_{MN})/\log(1 + \epsilon)}} d_G(u, v) = \frac{(1 + \epsilon)k}{2} d_G(u, v),$$

showing the second inequality of the lemma.

To show the first inequality, let $I \in \mathcal{I}_u$ be the interval containing $\mathcal{D}_\epsilon[j]$. Then it follows from Lemma 9 that $\mathcal{D}_\epsilon[j'] \in I$ for every j' satisfying the condition in the lemma. Recalling our assumption $\epsilon \leq \frac{1}{2} < 1 - 1/\alpha_{MN}$, we get $(1 + \epsilon)^{j - j_{\min}} \geq 2\alpha_{MN} > 2/(1 - \epsilon)$ so

$$\mathcal{D}_\epsilon[j] - \mathcal{D}_\epsilon[j_{\min}] = \left(1 - \frac{1}{(1 + \epsilon)^{j - j_{\min}}}\right) \mathcal{D}_\epsilon[j] > \left(1 - \frac{1 - \epsilon}{2}\right) \mathcal{D}_\epsilon[j] > \frac{1}{2} d_G(u, v)$$

and since $\mathcal{D}_\epsilon[j], \mathcal{D}_\epsilon[j_{\min}] \in I$, I must have length $> \frac{1}{2} d_G(u, v)$. Let j_u be the index of P_u such that interval $I_u = [P_u[j_u], P_u[j_u + 1]]$ contains I . Since I is one of four consecutive subintervals of I_u of even length, I_u has length $> 2d_G(u, v)$. Also, $P_u[j_u] \leq \mathcal{D}_\epsilon[j_{\min}]$.

Similarly, there is an index j_v of P_v such that $I_v = [P_v[j_v], P_v[j_v + 1]]$ has length $> 2d_G(u, v)$ and $P_v[j_v] \leq \mathcal{D}_\epsilon[j_{\min}]$.

Let j be the final index of $\text{dist}_k(u, v, 0)$ (corresponding to a uv -query to the Thorup-Zwick oracle). Assume it is even (the odd case is handled in a similar manner). Then $d_G(u, p_{j'+2}(u)) - d_G(u, p_{j'}(u)) \leq 2d_G(u, v)$ for all even $j' \leq j - 2$ (using an observation similar to that in the proof of Lemma 4). By the above, $P_u[j_u] \geq d_G(u, p_j(u))$. We also have $d_G(v, p_{j'+2}(v)) - d_G(v, p_{j'}(v)) \leq 2d_G(u, v)$ for all odd $j' \leq j - 3$ so again by the above, $P_v[j_v] \geq d_G(v, p_{j-1}(v))$. Finally, since $p_{j-1}(v) \notin B_u$,

$$\begin{aligned} d_G(v, p_j(u)) &\leq d_G(u, v) + d_G(u, p_j(u)) \\ &\leq d_G(u, v) + d_G(u, p_{j-1}(v)) \\ &\leq 2d_G(u, v) + d_G(v, p_{j-1}(v)). \end{aligned}$$

Thus, $d_G(v, p_j(u)) - d_G(v, p_{j-1}(v)) \leq 2d_G(u, v)$ and since $p_j(u) \in B_v$ we have $d_G(v, p_j(u)) \in P_v$. Also, $d_G(v, p_{j-1}(v)) \in P_v$ so since $P_v[j_v] \geq d_G(v, p_{j-1}(v))$, we get $P_v[j_v] \geq d_G(v, p_j(u))$. We can now conclude the proof with the first inequality of the lemma:

$$d_G(u, v) \leq d_G(u, p_j(u)) + d_G(v, p_j(u)) \leq P_u[j_u] + P_v[j_v] \leq 2\mathcal{D}_\epsilon[j_{\min}].$$

□

4.5 Running time and space

We now bound the time and space of our oracle.

Preprocessing: Constructing the Mendel-Naor oracle takes $O(n^{2+1/k} \log n)$ time and requires $O(n^{1+1/k})$ space. Traversing the nodes of the trees kept by the oracle identifies all distances in time proportional to their number which by Lemma 7 is $O(n^{1+1/k})$. Sorting them to get the list representation of \mathcal{D}_{MN} then takes $O(n^{1+1/k} \log n)$ time.

Forming a sorted list of the values from $\cup_{d \in \mathcal{D}_{MN}} \mathcal{D}_d$ in Lemma 8 can be done in $O((|\mathcal{D}_{MN}|/\log(1+\epsilon)) \log n) = O(\frac{1}{\epsilon} n^{1+1/k} \log n)$ time and requires $O(\frac{1}{\epsilon} n^{1+1/k})$ space. Clearly, when the input to comb_ϵ is given as a sorted list, the algorithm can be implemented to run in time linear in the length of the list. Thus, computing a sorted list of the values of \mathcal{D}_ϵ can be done in $O(\frac{1}{\epsilon} n^{1+1/k} \log n)$ time.

By the analysis of Thorup and Zwick, forming bunches B_u takes $O(kmn^{1/k})$ time. Since these bunches have total size $O(kn^{1+1/k})$, sorted lists P_u can be found in $O(kn^{1+1/k} \log n)$ time. Sets S_u can be found within the same time bound.

Forming $\mathcal{D}_\epsilon(u)$ -sets can be done by two linear traversals of the sorted list L of values from $\mathcal{D}_\epsilon \cup \bigcup_{u \in V} S_u$. The first traversal visits elements in decreasing order. Whenever we encounter a d from a set S_u , let d' be the previous visited element of S_u ($d' = \infty$ if no such element exists) and let d'' be the latest visited element of \mathcal{D}_ϵ . If $d \leq d'' < d'$, d'' is the smallest element of \mathcal{D}_ϵ that τ_{S_u} maps to $\tau_{S_u}(d'') = d$ so we add d'' to $\mathcal{D}_\epsilon(u)$. Otherwise we do nothing as τ_{S_u} maps no element of \mathcal{D}_ϵ to d . The second traversal visits elements in increasing order. When we encounter a $d \in S_u$, let d' be the predecessor of d in S_u ($d' = -\infty$ if no such element exists) and let d'' be the latest visited element of \mathcal{D}_ϵ . Then, assuming $d' \leq d'' < d$, d'' is the largest element that τ_{S_u} maps to $\tau_{S_u}(d'') = d'$ and so we add d'' to $\mathcal{D}_\epsilon(u)$. Together, these two traversals form all $\mathcal{D}_\epsilon(u)$ -sets in time $O(|\mathcal{D}_\epsilon| + \sum_{u \in V} |S_u|)$.

Since each element of each set S_u is associated with at most two elements of $\mathcal{D}_\epsilon(u)$, we get a space bound of $O(kn^{1+1/k})$ for sets $\mathcal{D}_\epsilon(u)$. In the two traversals, we can easily identify $i_u(d)$, $d \in \mathcal{D}_\epsilon(u)$, without an asymptotic increase in time. We represent each of these index maps as hash functions in the same way as bunches B_u are represented in the Thorup-Zwick oracle. These hash functions do not increase space.

Query: To answer a uv -query, we need an efficient implementation of algorithm `refine_dist`. The while-loop consists of $O(1/\epsilon)$ iterations. Sub-routine `refine_further` can be implemented to run in constant time assuming we have precomputed, for each u and each even index $i_u \geq 2$, the even index j in $0, \dots, i_u - 2$ that maximizes δ_j . This preprocessing can easily be done in $O(kn)$ time. It then follows that `refine_dist` runs in $O(1/\epsilon)$ time and we can conclude with our second main result.

Theorem 2. *For any integer $k \geq 1$ and any $0 < \epsilon \leq 1$, a $((2+\epsilon)k)$ -approximate distance oracle of G of size $O(kn^{1+1/k})$ and query time $O(1/\epsilon)$ can be constructed in $O(n^{2+1/k} \log n)$ time. For $k = O(\log n / \log \log n)$ and constant ϵ , space can be improved to $O(n^{1+1/k})$.*

Proof. We may assume that $k \geq 4$ since otherwise we can apply the Thorup-Zwick oracle or our $O(\log k)$ query time oracle. Apply Lemma 5 and Lemma 10 with $\epsilon' = \frac{1}{2}\epsilon \leq \frac{1}{2}$ instead of ϵ . Then we get stretch $(2 + \epsilon)k$, size $O(kn^{1+1/k})$, and query time $O(1/\epsilon)$. This shows the first part of the theorem.

To show the second part, apply the first part with $\epsilon_1 = \frac{1}{2}\epsilon$ instead of ϵ and $k' = k(1 + \epsilon_2)$ instead of k , where $\epsilon_2 = \epsilon/(4 + \epsilon)$ (we assume here for simplicity that $k(1 + \epsilon_2)$ is an integer). Then $(2 + \epsilon_1)k' = (2 + \epsilon)k$ so we get the desired stretch. Size is $O(k'n^{1+1/k'}) = O(kn^{1+1/k'})$. Letting $\epsilon_3 = \epsilon_2/(1 + \epsilon_2)$, we have $1/k' = (1 - \epsilon_3)/k$ so we get size $O(n^{1+1/k})$ if $kn^{-\epsilon_3/k} \leq 1$, i.e., if $k \log k \leq \epsilon_3 \log n$. The latter holds when $k = O(\log n / \log \log n)$. \square

4.6 Faster preprocessing

In this subsection, we show how to improve the $O(n^{2+1/k} \log n)$ preprocessing bound in Theorem 2. First, we can replace the Mendel-Naor oracle with that of Mendel and Schwob [9]. This follows since the latter also uses ultrametric representations of approximate shortest path distances so the proof of Lemma 7 still holds. This modification alone gives a preprocessing bound of $O(mn^{1/k} \log^3 n)$.

Next, observe that our result holds for any $O(k)$ -approximate distance $d_{MN}(u, v)$ output and not just for $\alpha_{MN} = 128$. More precisely, let $C > 1$ be an integer. If $d_{MN}(u, v)$ has stretch Ck then it follows from our analysis that this estimate can be refined to $(2 + \epsilon)k$ in $O(\log C/\epsilon)$ iterations and we get preprocessing time $O(mn^{1/(Ck)} \log^3 n)$ and query time $O(\log C/\epsilon)$. In addition to this, we need to construct bunches and form sorted lists P_u . As shown earlier, this can be done in $O(kmn^{1/k} + kn^{1+1/k} \log n)$ time. Combining this with the above gives the following improvement in preprocessing over that in Theorem 2.

Theorem 3. *For any integers $k \geq 3$ and $C \geq 2$ and any $0 < \epsilon \leq 1$, a $((2 + \epsilon)k)$ -approximate distance oracle of G of size $O(kn^{1+1/k})$ and query time $O(\log C/\epsilon)$ can be constructed in $O(kmn^{1/k} + kn^{1+1/k} \log n + mn^{1/(Ck)} \log^3 n)$ time. For $k = O(\log n / \log \log n)$ and constant ϵ , space can be improved to $O(n^{1+1/k})$.*

5 Concluding Remarks

We gave a size $O(kn^{1+1/k})$ oracle with $O(\log k)$ query time for stretch $(2k - 1)$ -distances, improving the $O(k)$ query time of Thorup and Zwick. Furthermore, for any positive $\epsilon \leq 1$, we gave an oracle with stretch $(2 + \epsilon)k$ which answers distance queries in $O(1/\epsilon)$ time. This improves the result of Mendel and Naor which answers stretch $128k$ -distances in $O(1)$ time.

For the first oracle, can we go beyond the $O(\log k)$ query bound? And can space be improved to $O(n^{1+1/k})$? For the second oracle, can stretch be improved to $2k - 1$ while keeping $O(1)$ query time? To our knowledge, the oracle of Mendel and Naor cannot be used to produce approximate shortest paths, only distances. Our second oracle then has the same drawback (due to Lemma 10). What can be done to deal with this?

Acknowledgments

I thank anonymous referees for their comments and remarks that helped improve the presentation of the paper.

References

- [1] B. Awerbuch, B. Berger, L. Cowen, and D. Peleg. Near-linear time construction of sparse neighborhood covers. *SIAM J. Comput.*, Vol. 28, No. 1, pp. 263–277, 1998.
- [2] S. Baswana, A. Gaur, S. Sen, and J. Upadhyay. Distance oracles for unweighted graphs: Breaking the quadratic barrier with constant additive error. In *Proc. 35th International Colloquium on Automata, Languages and Programming (ICALP)*, pp. 609–621, 2008.
- [3] S. Baswana and T. Kavitha. Faster Algorithms for All-Pairs Approximate Shortest Paths in Undirected Graphs. *SIAM J. Comput.*, Vol. 39, No. 7, pp. 2865–2896, 2010.
- [4] S. Baswana and S. Sen. A Simple and Linear Time Randomized Algorithm for Computing Sparse Spanners in Weighted Graphs. *Random Structures & Algorithms*, 30 (2007), pp. 532–563.
- [5] E. Cohen. Fast algorithms for constructing t -spanners and paths with stretch t . *SIAM J. Comput.*, Vol. 28, No. 1, pp. 210–236, 1998.
- [6] P. Erdős. Extremal problems in graph theory. In *Theory of Graphs and its Applications (Proc. Sympos. Smolenice, 1963)*, Czechoslovak Acad. Sci., Prague, 1964, pp. 29–36.
- [7] J. Matoušek. On the distortion required for embedding finite metric spaces into normed spaces. *Isr. J. Math.* 93, pp. 333–344, 1996.
- [8] M. Mendel and A. Naor. Ramsey partitions and proximity data structures. *Journal of the European Mathematical Society*, 9(2): 253–275, 2007. See also FOCS’06.
- [9] M. Mendel and C. Schwob. Fast C-K-R Partitions of Sparse Graphs. *Chicago J. Theoretical Comp. Sci.*, 2009 (2), pp. 1–18.
- [10] A. Naor and T. Tao. Scale-Oblivious Metric Fragmentation and the Nonlinear Dvoretzky Theorem. *arXiv: 1003.4013v1 [math.MG]*, 2010.
- [11] M. Pătraşcu and L. Roditty. Distance Oracles Beyond the Thorup-Zwick Bound. In *Proc. 51st Annual IEEE Symposium on Foundations of Computer Science (FOCS)*, pp. 815–823, 2010.
- [12] L. Roditty, M. Thorup, and U. Zwick. Deterministic constructions of approximate distance oracles and spanners. L. Caires et al. (Eds.): *ICALP 2005*, LNCS 3580, pp. 661–672, 2005.
- [13] S. Sen. Approximating Shortest Paths in Graphs. S. Das and R. Uehara (Eds.): *WALCOM 2009*, LNCS 5431, pp. 32–43, 2009.
- [14] M. Thorup and U. Zwick. Approximate Distance Oracles. *J. Assoc. Comput. Mach.*, 52 (2005), pp. 1–24.
- [15] M. Thorup and U. Zwick. Spanners and emulators with sublinear distance errors. In *Proc. 17th ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pp. 802–809, 2006.

- [16] C. Wulff-Nilsen. Approximate Distance Oracles with Improved Preprocessing Time. In Proc. 23rd ACM-SIAM Symposium on Discrete Algorithms (SODA), pp. 202–208, 2012.
- [17] U. Zwick. All-pairs shortest paths using bridging sets and rectangular matrix multiplication. J. Assoc. Comput. Mach., 49 (2002), pp. 289–317.