

Assignment 1: Explore new tool and programming language combinations in the HTML application shared by Sudarshan. For example, such as Playwright with JavaScript, Playwright with TypeScript, Selenium with Java, etc. After exploring the combinations, generate the corresponding JSONL file.

Prompt Used:

Act as a Test Architect who is attending course from an institute on Gen AI and is preparing a study material for learning as well as job search. From the attached transcript and the reference screenshot prepare notes.

[STRICTLY] Do not miss anything from the transcript and the reference screenshot

[STRICTLY] Append all the reference screenshots to the notes

[MANDATORY] After every topic add a Go Deeper Section. In that section, analyse and research from Web and your knowledge and add it in the Go Deeper section. Make sure this should also covers interview content also

[MANDATORY] All the screenshots are in order, nothing to reorder, just match it with transcript and add accordingly

[MANDATORY] In Go Deeper section, add diagrams, screenshots, images, examples etc wherever required


[MANDATORY] Attached is the earlier document. Prepare it in the same format

[MANDATORY] Along with reference screenshot and transcript, I have also attached other files. Read it, analyse, take snap and add it to the relevant topic

Persona: Act as a Senior test architect and review whatever the notes is prepared

Output: Give me the document in both HTML and Word Doc

Added Selenium Typescript option



JsonL details for selenium Typescript functionality. Checked only one DOM file for Login feature

```

1  {
2    "messages": [
3      {
4        "role": "system",
5        "content": "You are an expert in generating Selenium TypeScript page object classes using provided DOM information. Use selenium-webdriver TypeScript conventions with By locators, async methods returning Promises, and"
6      },
7      {
8        "role": "user",
9        "content": "Given the following DOM structure:\n<html>\n<html>\n<input class=\"inputLogin\" type=\"text\" id=\"username\" name=\"USERNAME\" size=\"50\">\n<input class=\"inputLogin\" type=\"password\" id=\"password\">\n\n"
10     },
11     {
12       "role": "assistant",
13       "content": "import { WebDriver, By } from 'selenium-webdriver';\n\nexport class GeneratedPage {\n  private readonly driver: WebDriver;\n  private usernameInput = By.id('username');\n  private passwordInput ="
14     },
15     {
16       "role": "system",
17       "content": "You are an expert in generating Selenium TypeScript page object classes using provided DOM information. Use selenium-webdriver TypeScript conventions with By locators, async methods returning Promises, and"
18     }
19   ]
20 }

```

Assignment 2: Enhance the HTML application by adding a new feature that would be useful to you. For example, add a new combination of automation tool and programming language using the assistance of GitHub Copilot. Once the enhancement is complete, generate the JSONL file reflecting the new combination.

Part 1: Added JsonL formatter

Prompt used:

Now enhance the same HTML file. Add a new tab "JsonL formatter" in the "Output" section, next to "Format Ref"

[MANDATORY] Make sure the UI part like font color etc should make the "Format Ref" tab


[MANDATORY] Add a icon of "jl" in "JsonL formatter" tab just like "i" in "Format Ref" tab

[MANDATORY] When I click on the "JsonL formatter" tab, I should be seeing the json structured output for the jsonL files that is available in "Output" tab

[MANDATORY] the json structure count should match with the jsonL data

[Mandatory] refer this link <https://jsonl.co/jsonl-formatter> for functionality part

Ask me any questions if needed and proceed only on my approval



Part 2: Added dragger and modified the jsonL formatter for minimizing and maximizing the blocks

Prompt Used:

Modify a little bit by adding 2 more functionality

1. for the jsonL formatted output, i should be the option to maximise and minimise EACH blocks (it can be array or object), similar to what we see in notepad++ (attached notepad++ screenshot for your reference).

Once the click on "-" icon the content should collapse and again when i click on "+" the content should expand

2. Add a dragger in between Input and Output, so that I can minimise/maximise the Input section or Output section accordingly

JSONL Training Data Converter for Fine tuning LLM

LLM Fine-tuning Dataset Builder - 7 Frameworks

v1.8 - Browser-based

INPUT

Configure framework, prompts & training entries

1 SELECT FRAMEWORK & LANGUAGE

SELENIUM
Java

SELENIUM
C#

SELENIUM
Python

SELENIUM
TypeScript

PLAYWRIGHT
Java

PLAYWRIGHT
TypeScript

PLAYWRIGHT
C#

PLAYWRIGHT
Python

2 PROMPT CONFIGURATION

DEFAULT

3 ADD TRAINING DATA

+ Single Entry

Batch Upload

After clicking **Add Entry**, the entry is saved and a per-entry download button appears automatically in the **Downloads** tab on the right. Leave **Page Object Code** blank to auto-generate it from the HTML using the selected framework's template.

HTML DOM required

Paste your HTML DOM here ...

Page Object Code optional — auto-generated from HTML, if left blank

Paste page object code — or click Load Sample Template ...

Load Sample Template

OUTPUT

Review your dataset & export files

4 Output

5 Downloads

6 Format Ref

7 Jsonl Formatter

0 entries in dataset

Min 10 required for fine-tuning

FRAMEWORK

LANGUAGE

No framework selected -- choose one on the left

Live Preview (last 3 entries)

// Entries appear here as you add them ...

Clear All Entries

JSONL Training Data Converter for Fine tuning LLM

LLM Fine-tuning Dataset Builder - 7 Frameworks

v1.8 - Browser-based

1 ADD TRAINING DATA

+ Single Entry

Batch Upload

Files need **HTML** at minimum. If the framework code marker/section is missing, code is auto-generated from the HTML using the currently selected framework's template. Turn on **Auto-download batch** in the **Downloads** tab if you also want the full JSONL saved automatically after processing.

UPLOAD .TXT FILES (10+ RECOMMENDED)

Click or drag .txt files

Select 10 or more training files

OR

UPLOAD A .ZIP OF .TXT FILES

Click or drag a .zip file

All .txt files inside will be extracted and parsed

rynumberpage: .txt

MyLeadsPage.txt

OrderEntryHeaderPage.txt

UploadPage.txt

ViewLeadPage.txt

Process Batch

Clear

OUTPUT

Review your dataset & export files

4 Output

5 Downloads

6 Format Ref

7 Jsonl Formatter

JSONL FORMATTER

Pretty-prints every JSONL record in your current dataset — the same data shown in the Output tab. 100% in your browser, nothing is uploaded.

10 records formatted

All 10 records valid matches JSONL line count

Options

Indent 2 spaces 4 spaces Tab

Compact (minify)

Sort keys

Formatted Output

Refresh

Copy

record 1

```
[
  {
    "messages": [
      {
        "role": "system",
        "content": "You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java convention"
      },
      {
        "role": "assistant",
        "content": "import com.microsoft.playwright.Page;\nimport com.microsoft.playwright.Locator;\n\npublic class GeneratedPage {\n    private final"
      }
    ]
  }
]
```

record 2