

Text to Audio

POST

https://api.groq.com/openai/v1/audio/speech

Send

Docs Params Authorization Headers 13 Body Scripts Tests Settings

Cookie

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ GraphQL

JSON

Schema

Beautify

```
1 {
2   "model": "canopylabs/orpheus-v1-english",
3   "input": "[Cheerful] vanakkam. I am a language model created by Groq. I am here to help you with any questions you may have. How
4     can I assist you today?",
5   "voice": "diana",
6   "response_format": "wav"
7 }
```

Body Cookies 1 Headers 21 Test Results

200 OK • 1.57 s • 402.04 KB • Save Response

Hex Preview Visualize

0:08 / 0:08

Multilingual

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 11 Body Scripts Tests Settings

Cookies

☐ none
 ☐ form-data
 ☐ x-www-form-urlencoded
 ☒ raw
 ☐ binary
 ☐ GraphQL
 ☐ JSON

Schema Beautify

```

1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are an API Specialist. Always respond in the same language as the user."
7     },
8     {
9       "role": "user",
10      "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."
11     }
12   ]
13 }

```

Body Cookies 1 Headers 21 Test Results

200 OK • 4.13 s • 2.21 KB • Save Response

{ JSON Preview Visualize

```

1 {
2   "id": "chatcmpl-bca04879-0fbb-46d1-abb0-1115abc409f4",
3   "object": "chat.completion",
4   "created": 1781802262,
5   "model": "llama-3.3-70b-versatile",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "API (பயன்பாட்டு சேவை இடைமுகம்) என்பது இரண்டு மென்பொருள் அமைப்புகளுக்கு இடையே தகவல்தொடர்பு செய்ய
        மென்பொருள் இடைமுகமாகும். ஒரு API-ஐ பயன்படுத்துவதற்கு, பின்வரும் படிகளைப் பின்பற்றவும்:\n\n1. **API ஆவணங்களைப்
        படிக்கவும்**: API-ஐப் பயன்படுத்துவதற்கு முன், அதன் ஆவணங்களைப் படிக்கவும். இதில் API என்ட்பாயிண்ட்கள், பரப்புகள்,
        வடிவங்கள் மற்றும் பிற முக்கிய விவரங்கள் அடங்கும்.\n\n2. **API கீ பெறுங்கள்**: பல APIகள் ஒரு API கீ தேவை. இது ஒரு
        சிறிய குறியீடு ஆகும், அது உங்கள் அப்பலிகேஷனை அடையாளம் காண உதவுகிறது.\n\n3. **API என்ட்பாயிண்ட்களை அழைக்க
        என்ட்பாயிண்ட்கள் அடிப்படையில் URLகள் ஆகும், அவை உங்களுக்கு தேவையான தரவுகளை மீட்டெடுக்க அனுமதிக்கின்றன. நீங்கள்
        HTTP கோரிக்கையை (GET, POST, PUT, DELETE) அனுப்பி இந்த என்ட்பாயிண்ட்களை அழைக்க முடியும்.\n\n4. **தரவுகளை பார்சு
        செய்யவும்**: API உங்களுக்கு தரவுகளை திரும்பப் பெறும்போது, அவற்றை பார்சு செய்ய வேண்டும். பெரும்பாலும், தரவுகள் JSON
        அல்லது XML போன்ற ஒரு வடிவத்தில் இருக்கும்.\n\n5. **தரவுகளைப் பயன்படுத்தவும்**: ஒருமுறை நீங்கள் தரவுகளைப் பார்சு
        செய்தவுடன், நீங்கள் அவற்றை உங்கள் சொந்த அப்பலிகேஷனில் பயன்படுத்த முடியும்.\n\nஇந்த படிகள் பொதுவானவை, மேலும்
        API சற்று வித்தியாசமாக இருக்கலாம். எனவே, நீங்கள் எதைப் பயன்படுத்தினாலும், அதன் ஆவணங்களைக் கவனமாகப் படிக்க

```

API test cases from Swagger code

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 11 Body Scripts Tests Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

Schema Beautify

```
4 {
5   "role": "system",
6   "content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API
7   schema-driven test generation."
8 },
9 {
10  "role": "user",
11  "content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.\nMANDATORY RULES:\n1) Generate ONLY
12  Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use
13  meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use
14  reusable base URI setup.\n7) Cover CRUD operations for Pet resource.\n8) Add assertions for status code and important response
15  fields.\n9) Keep the code clean, executable, and production-style.\n10) Do NOT use placeholder comments.\nC - CONTEXT\nThe
16  code will be used by QA engineers for API automation practice using Swagger Petstore.\nP - PERSONA\nYou are a Senior API Test
17  Automation Architect creating enterprise-style reusable Rest Assured automation code.\nO - OUTPUT\nReturn ONLY executable
18  Java code with:\n- One test class\n- @BeforeClass setup\n- Test methods for createPet, getPetById, updatePet, deletePet\n-
19  Request body creation\n- Response validation\nRules:\n- No markdown fences\n- No explanation text\n- No assumptions outside
20  Swagger Petstore Pet API\n- Use business-readable method names\nTARGET API:\nSwagger Petstore\nResource: Pet\nOperations
21  required:\n- Add a new pet\n- Find pet by ID\n- Update an existing pet\n- Delete a pet"
```

Body Cookies 1 Headers 21 Test Results

200 OK • 2.45 s • 2.6 KB Save Response

{ JSON Preview Visualize

```
6 "choices": [
7   {
8     "index": 0,
9     "message": {
10      "role": "assistant",
11      "content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;\nimport io.restassured.response.
12      Response;\nimport org.testng.Assert;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;
13      \nimport java.util.Random;\nimport static org.hamcrest.Matchers.*;\n\npublic class PetStoreCrudTests {\n\n    private
14      static final String BASE_URI = \"https://petstore.swagger.io/v2/\";\n    private static long petId;\n    private
15      static final String INITIAL_PET_NAME = \"Rex\";\n    private static final String UPDATED_PET_NAME = \"Max\";\n
16      private static final String PET_STATUS = \"available\";\n\n    @BeforeClass\n    public void setUp() {\n
17      RestAssured.baseURI = BASE_URI;\n        petId = new Random().nextLong() & Long.MAX_VALUE; // ensure positive\n    }
18      \n\n    @Test\n    public void createPet() {\n        String requestBody = String.format(\"{\n
19      \"id\":%d,\"name\":\"%s\",\"photoUrls\":[\"http://example.com/photo.jpg\"],
20      \"status\":\"%s\"}\",\n        petId, INITIAL_PET_NAME, PET_STATUS);\n        Response response =
21      RestAssured.given()\n        .contentType(ContentType.JSON)\n        .body(requestBody)
22      \n        .when()\n        .post(\"/pet/\")\n        .then()\n        .statusCode(200)
23      \n        .body(\"id\", equalTo((int) petId))\n        .body(\"name\", equalTo(INITIAL_PET_NAME))
24      \n        .body(\"status\", equalTo(PET_STATUS))\n        .extract()\n        .response();
```

Image From Text

POST S03-GenerateAPITr GenAI-June-HomeAs POST S09- TextFromIma POST S02- MultiLingual POST S01-Text to Audio GET https://console.gri + No environment

GenAI-June-HomeAssignment > S09- TextFromImage-base64 Save Share

POST https://api.groq.com/openai/v1/chat/completions Send

Docs Params Authorization Headers 11 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```

1 {
2   "model": "meta-llama/llama-4-scout-17b-16e-instruct",
3   "messages": [
4     {
5       "role": "user",
6       "content": [
7         {
8           "type": "text",
9           "text": "This is a image. Extract and return only the text exactly as shown, preserving case."
10        },
11        {
12          "type": "image_url",
13          "image_url": {
14            "url": "data:image/png;base64,{{base64_img}}"
15          }
16        }
17      ]
18    }
19  ]
20 }

```

Body Cookies 1 Headers 20 Test Results 200 OK • 516 ms • 1.03 KB Save Response

{ } JSON Preview Visualize

```

1 {
2   "id": "chatcmpl-514d7ac1-02df-4f41-b828-9e33f8d32938",
3   "object": "chat.completion",
4   "created": 1781802140,
5   "model": "meta-llama/llama-4-scout-17b-16e-instruct",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "Testleaf\nAlways Ahead"
12      },
13       "logprobs": null,
14       "finish_reason": "stop"
15     }
16   ],
17   "usage": {
18     "queue_time": 0.378505267,
19     "prompt_tokens": 1047,
20     "prompt_time": 0.078787985

```