DrAww AliEn [Board4All]

tender@localhost Data Dictionary

2/22/2021

Table of contents

enc	der@loca	alhost	5
1.	New m	odule	6
2.	Other .		7
2	2.1. Tabl	es	7
	2.1.1.	Table: aanwijzing	7
	2.1.2.	Table: aanwijzing_lanjutan	7
	2.1.3.	Table: adendum_aanwijzing	8
	2.1.4.	Table: adendum_aanwijzing_lanjutan	8
	2.1.5.	Table: bank_basts	9
	2.1.6.	Table: bentuk_penawarans	10
	2.1.7.	Table: bentuk_penwaran_lainnyas	11
	2.1.8.	Table: berita_acara_penetapan_pemenangs	11
	2.1.9.	Table: bertia_acara_serah_terimas	12
	2.1.10.	Table: data_bank_basts	12
	2.1.11.	Table: dokumen_berita_penetapan_pemenangs	13
	2.1.12.	Table: dokumen_inboxes	13
	2.1.13.	Table: failed_jobs	14
	2.1.14.	Table: files	. 14
	2.1.15.	Table: inboxes	16
	2.1.16.	Table: jadwal_update_histories	17
	2.1.17.	Table: jenis_klasifikasis	18
	2.1.18.	Table: jobs	18
	2.1.19.	Table: masa_berlakus	18
	2.1.20.	Table: master_jenis_kontrak	19
	2.1.21.	Table: master_jenis_pengadaan	19
	2.1.22.	Table: master_kualifikasi	. 20
	2.1.23.	Table: master_metode_dokumen	. 20
	2.1.24.	Table: master_metode_evaluasi	. 20
	2.1.25.	Table: master_metode_pemilihan	. 21
	2.1.26.	Table: master_replies	21
	2.1.27.	Table: master_reply_pelaksanaans	22
	2.1.28.	Table: master_tender_klasifikasis	.23
	2.1.29.	Table: migrations	. 23
	2.1.30.	Table: model_has_permissions	. 23
	2.1.31.	Table: model_has_roles	.24
	2.1.32.	Table: nilai_basts	. 24
	2.1.33.	Table: notifications	25
	2.1.34.	Table: password_resets	25
	2.1.35.	Table: pelaksanaan_pemberi_penjelasans	. 25
	2.1.36.	Table: penawaran_adm_lainnyas	. 26
	2.1.37.	Table: penawaran_harga_lainnyas	. 26
	2.1.38.	Table: penawaran_teknis_lainnyas	. 26
	2.1.39.	Table: penawarans	27
	2.1.40.	Table: permissions	. 27
	2.1.41.	Table: rekap_pengulangan_tender	. 28

2.1.42.	. Table: reply_inboxes	28
2.1.43.	. Table: role_has_permissions	29
2.1.44.	. Table: roles	29
2.1.45.	. Table: sanggah	30
2.1.46.	. Table: sanggah_evaluasi	31
2.1.47.	. Table: spbbjs	31
2.1.48.	. Table: syarat_kualifikasi_lainnyas	32
2.1.49.	. Table: syarats	32
2.1.50.	. Table: tanggapan_sanggah	32
2.1.51.	Table: tanggapan_sanggah_evaluasi	33
2.1.52.	. Table: tender_berita_acara	34
2.1.53.	. Table: tender_berita_acara_adm	34
2.1.54.	. Table: tender_berita_acara_dokumen_pq	35
2.1.55.	. Table: tender_berita_acara_harga	35
2.1.56.	. Table: tender_berita_acara_pertanyaan	36
2.1.57.	. Table: tender_berita_acara_pertanyaan_replies	37
2.1.58.	. Table: tender_dokumen_pemilihan	37
2.1.59.	. Table: tender_draf_kontrak	38
2.1.60.	. Table: tender_draf_kontrak_lainnya	38
2.1.61.	Table: tender_hps	39
2.1.62.	. Table: tender_izin_prinsip	39
2.1.63.	. Table: tender_kak	40
2.1.64.	. Table: tender_masa_penawaran	40
2.1.65.	. Table: tender_panitia	41
2.1.66.	. Table: tender_pembuatan_jadwal	41
2.1.67.	. Table: tender_penawaran	43
2.1.68.	. Table: tender_penawaran_dokumen	44
2.1.69.	. Table: tender_penawaran_harga	45
2.1.70.	. Table: tender_permohonan	46
2.1.71.	Table: tender_persetujuan	48
2.1.72.	. Table: tender_pq	49
2.1.73.	. Table: tender_pr	50
2.1.74.	. Table: tender_ps_check	50
2.1.75.	. Table: tender_startegi_pengadaan	51
2.1.76.	. Table: tender_status	52
2.1.77.	. Table: tender_syarat_kualifikasi	52
2.1.78.	. Table: tender_vendor	53
2.1.79.	. Table: upload_dokumen_pqs	54
2.1.80.	. Table: users	54
2.2. Vie	ws	55
2.2.1.	View: rekap_realisasi_tender	55
2.2.2.	View: tender_realisasi_chart_4	56
2.2.3.	View: tender_rekap_chart	56
2.2.4.	View: tender_rekap_chart_tanggal_pengumuman	56

Legend

- **?** Primary key
- Primary key disabled
- **%** User-defined primary key
- **?** Unique key
- ¶ Unique key disabled
- 1 User-defined unique key
- ★ Active trigger
- Disabled trigger
- → Many to one relation
- ➤ User-defined many to one relation
- → One to many relation
- ✓ User-defined one to many relation
- One to one relation
- User-defined one to one relation
- →@ Input
- @ Output
- Input/Output
- Uses dependency
- User-defined uses dependency
- Used by dependency
- User-defined used by dependency

tender@localhost

1. New module

2. Other

2.1. Tables

2.1.1. Table: aanwijzing

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	level	unsigned bigint(20, 0)	Default: 0
	bab	varchar(255)	Nullable
	created_by	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	
	nama_dokumen	varchar(255)	Nullable
	reply_to	unsigned bigint(20, 0)	Default: 0
	file_aanwijzing_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
>	files	aanwijzing.file_aanwijzing_id = files.id	aanwijzing_file_aanwijzing_id_foreign
>	tender_permohonan	<pre>aanwijzing.tender_id = tender_permohonan.id</pre>	aanwijzing_tender_id_foreign

Unique keys

Columns	Name / Description
💡 id	PRIMARY

2.1.2. Table: aanwijzing_lanjutan

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	level	unsigned bigint(20, 0)	Default: 0
	bab	varchar(255)	Nullable
	created_by	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	
	nama_dokumen	varchar(255)	Nullable

	Name	Data type	Description / Attributes
	reply_to	unsigned bigint(20, 0)	Default: 0
	file_aanwijzing_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
>	files	aanwijzing_lanjutan.file_aanwijzing_id = files.id	aanwijzing_lanjutan_file_aanwijzing_id_foreign
>	tender_permohonan	<pre>aanwijzing_lanjutan.tender_id = tender_permohonan.id</pre>	aanwijzing_lanjutan_tender_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.3. Table: adendum_aanwijzing

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	file_adendum_id	unsigned bigint(20, 0)	Default: 0 References: files
	file_ba_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	files	adendum_aanwijzing.file_adendum_id = files.id	adendum_aanwijzing_file_adendum_id_foreign
>	files	adendum_aanwijzing.file_ba_id = files.id	adendum_aanwijzing_file_ba_id_foreign
>	tender_permohonan	<pre>adendum_aanwijzing.tender_id = tender_permohonan.id</pre>	adendum_aanwijzing_tender_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.4. Table: adendum_aanwijzing_lanjutan

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	file_adendum_id	unsigned bigint(20, 0)	Default: 0 References: files
	file_ba_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	files	adendum_aanwijzing_lanjutan.file_ade ndum_id = files.id	adendum_aanwijzing_lanjutan_file_adendum_id_foreign
>	files	adendum_aanwijzing_lanjutan.file_ba_i d = files.id	adendum_aanwijzing_lanjutan_file_ba_id_foreign
>	tender_permohonan	adendum_aanwijzing_lanjutan.tender_i d = tender_permohonan.id	adendum_aanwijzing_lanjutan_tender_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.5. Table: bank_basts

Columns

	Name	Data type	Description / Attributes	
1	id	unsigned bigint(20, 0)	Identity / Auto increment	
	bast_id	unsigned bigint(20, 0)	Default: 0 References: bertia_acara_serah_terimas	
	nama_bank	varchar(255)		
	no_rek	varchar(255)		
	atas_nama	varchar(255)		
	created_at	timestamp	Nullable	
	updated_at	timestamp	Nullable	

	Table	Join	Title / Name / Description
>	bertia_acara_serah_terimas	bank_basts.bast_id = bertia_acara_serah_terimas.id	bank_basts_bast_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.6. Table: bentuk_penawarans

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	masa_berlaku	varchar(255)	Nullable
	penawaran	varchar(255)	Nullable
	surat_berlaku_penawaran	unsigned bigint(20, 0)	Default: 0
	surat_kuasa	unsigned bigint(20, 0)	Default: 0
	surat_pernyataan_kesanggupan_ker ja	unsigned bigint(20, 0)	Default: 0
	surat_pernyataan_kebenaran	unsigned bigint(20, 0)	Default: 0
	spesifikasi_teknis	varchar(255)	Nullable
	jadwal	varchar(255)	Nullable
	brosur	varchar(255)	Nullable
	jaminan_purna_jual	varchar(255)	Nullable
	ansurasi	varchar(255)	Nullable
	tenaga_teknis	varchar(255)	Nullable
	rekapitulasi_tkdn	varchar(255)	Nullable
	dokumen_dkh	varchar(255)	Nullable
	analisis_harga_satuan	varchar(255)	Nullable
	analisis_renumerasi	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	tender_permohonan	bentuk_penawarans.tender_id = tender_permohonan.id	bentuk_penawarans_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	bentuk_penwaran_lainnyas	bentuk_penawarans.id = bentuk_penwaran_lainnyas.penawaran_id	bentuk_penwaran_lainnyas_penawaran_id_foreign
\rightarrow	master_tender_klasifikasis	bentuk_penawarans.id = master_tender_klasifikasis.syaratkualifik asi_id	master_tender_klasifikasis_syaratkualifikasi_id_foreign

	Table	Join	Title / Name / Description
→	syarat_kualifikasi_lainnyas	bentuk_penawarans.id = syarat_kualifikasi_lainnyas.syaratkualifik asi_id	syarat_kualifikasi_lainnyas_syaratkualifikasi_id_foreign
\rightarrow	syarats	bentuk_penawarans.id = syarats.syaratkualifikasi_id	syarats_syaratkualifikasi_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.7. Table: bentuk_penwaran_lainnyas

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: bentuk_penawarans
	tambah_lainnya	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

		Table	Join	Title / Name / Description
3	→	bentuk_penawarans	bentuk_penwaran_lainnyas.penawaran _id = bentuk_penawarans.id	bentuk_penwaran_lainnyas_penawaran_id_foreign

Unique keys

	Columns	Name / Description
1	? id	PRIMARY

2.1.8. Table: berita_acara_penetapan_pemenangs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	dok_berita_acara	unsigned bigint(20, 0)	References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	- files	berita_acara_penetapan_pemenangs.d ok_berita_acara = files.id	berita_acara_penetapan_pemenangs_dok_berita_acara_foreign

	Table	Join	Title / Name / Description	
—	tender_permohonan	berita_acara_penetapan_pemenangs.t ender_id = tender_permohonan.id	berita_acara_penetapan_pemenangs_tender_id_foreign	

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.9. Table: bertia_acara_serah_terimas

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	nomor	varchar(255)	Nullable
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable
	nilai	varchar(255)	Nullable
	vendor_id	unsigned bigint(20, 0)	Default: 0

Links to

	Table	Join	Title / Name / Description
-	files	bertia_acara_serah_terimas .dokumen_i d = files.id	bertia_acara_serah_terimas_dokumen_id_foreign
—	tender_permohonan	bertia_acara_serah_terimas.tender_id = tender_permohonan.id	bertia_acara_serah_terimas_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	bank_basts	bertia_acara_serah_terimas.id = bank_basts.bast_id	bank_basts_bast_id_foreign
→	data_bank_basts	bertia_acara_serah_terimas.id = data_bank_basts.bast_id	data_bank_basts_bast_id_foreign
→	nilai_basts	bertia_acara_serah_terimas.id = nilai_basts.bast_id	nilai_basts_bast_id_foreign
→	spbbjs	bertia_acara_serah_terimas.id = spbbjs.bast_id	spbbjs_bast_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.10. Table: data_bank_basts

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	bast_id	unsigned bigint(20, 0)	Default: 0 References: bertia_acara_serah_terimas
	data_bank	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	bertia_acara_serah_terimas	data_bank_basts.bast_id = bertia_acara_serah_terimas.id	data_bank_basts_bast_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.11. Table: dokumen_berita_penetapan_pemenangs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	dokumen_id	unsigned bigint(20, 0)	References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	files	dokumen_berita_penetapan_pemenan gs.dokumen_id = files.id	dokumen_berita_penetapan_pemenangs_dokumen_id_foreign
—	tender_permohonan	dokumen_berita_penetapan_pemenan gs.tender_id = tender_permohonan.id	dokumen_berita_penetapan_pemenangs_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.12. Table: dokumen_inboxes

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment

	Name	Data type	Description / Attributes
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	inbox_id	unsigned bigint(20, 0)	Default: 0 References: inboxes
	from_id	unsigned bigint(20, 0)	Default: 0 References: users
	to_id	unsigned bigint(20, 0)	Default: 0 References: users
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable
	reply_status	unsigned bigint(20, 0)	Default: 0

	Table	Join	Title / Name / Description
—	files	dokumen_inboxes.dokumen_id = files.id	dokumen_inboxes_dokumen_id_foreign
-	inboxes	dokumen_inboxes.inbox_id = inboxes.id	dokumen_inboxes_inbox_id_foreign
—	users	dokumen_inboxes.from_id = users.id	dokumen_inboxes_from_id_foreign
—	users	dokumen_inboxes.to_id = users.id	dokumen_inboxes_to_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.13. Table: failed_jobs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	connection	text	
	queue	text	
	payload	longtext	
	exception	longtext	
	failed_at	timestamp	Default: CURRENT_TIMESTAMP

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.14. Table: files

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	name	varchar(255)	Nullable
	address	varchar(255)	Nullable
	path	varchar(255)	Nullable
	folder	varchar(255)	Nullable
	token	varchar(255)	Nullable
	created_by	unsigned bigint(20, 0)	
	updated_by	unsigned bigint(20, 0)	
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Linked from

	Table	Join	Title / Name / Description
\rightarrow	aanwijzing	files.id = aanwijzing.file_aanwijzing_id	aanwijzing_file_aanwijzing_id_foreign
\rightarrow	aanwijzing_lanjutan	files.id = aanwijzing_lanjutan.file_aanwijzing_id	aanwijzing_lanjutan_file_aanwijzing_id_foreign
\rightarrow	adendum_aanwijzing	files.id = adendum_aanwijzing.file_adendum_id	adendum_aanwijzing_file_adendum_id_foreign
\rightarrow	adendum_aanwijzing	files.id = adendum_aanwijzing.file_ba_id	adendum_aanwijzing_file_ba_id_foreign
\rightarrow	adendum_aanwijzing_lanjutan	files.id = adendum_aanwijzing_lanjutan.file_ade ndum_id	adendum_aanwijzing_lanjutan_file_adendum_id_foreign
\rightarrow	adendum_aanwijzing_lanjutan	files.id = adendum_aanwijzing_lanjutan.file_ba_i d	adendum_aanwijzing_lanjutan_file_ba_id_foreign
\rightarrow	berita_acara_penetapan_pemenang s	files.id = berita_acara_penetapan_pemenangs.d ok_berita_acara	berita_acara_penetapan_pemenangs_dok_berita_acara_foreign
\rightarrow	bertia_acara_serah_terimas	files.id = bertia_acara_serah_terimas.dokumen_i d	bertia_acara_serah_terimas_dokumen_id_foreign
\rightarrow	dokumen_berita_penetapan_peme nangs	files.id = dokumen_berita_penetapan_pemenan gs.dokumen_id	dokumen_berita_penetapan_pemenangs_dokumen_id_foreign
\rightarrow	dokumen_inboxes	files.id = dokumen_inboxes.dokumen_id	dokumen_inboxes_dokumen_id_foreign
\rightarrow	master_replies	files.id = master_replies.dokumen_id	master_replies_dokumen_id_foreign
\rightarrow	master_reply_pelaksanaans	files.id = master_reply_pelaksanaans.dokumen_i d	master_reply_pelaksanaans_dokumen_id_foreign
\rightarrow	pelaksanaan_pemberi_penjelasans	files.id = pelaksanaan_pemberi_penjelasans.dok umen_id	pelaksanaan_pemberi_penjelasans_dokumen_id_foreign
\rightarrow	sanggah	files.id = sanggah.file_id	sanggah_file_id_foreign

	Table	Join	Title / Name / Description
\rightarrow	sanggah_evaluasi	files.id = sanggah_evaluasi.file_id	sanggah_evaluasi_file_id_foreign
→	tender_berita_acara	files.id = tender_berita_acara.dokumen_id	tender_berita_acara_dokumen_id_foreign
\rightarrow	tender_berita_acara_adm	files.id = tender_berita_acara_adm.file_ba_id	tender_berita_acara_adm_file_ba_id_foreign
→	tender_berita_acara_dokumen_pq	files.id = tender_berita_acara_dokumen_pq.file_ba_id	tender_berita_acara_dokumen_pq_file_ba_id_foreign
\rightarrow	tender_berita_acara_harga	files.id = tender_berita_acara_harga.file_ba_id	tender_berita_acara_harga_file_ba_id_foreign
→	tender_berita_acara_pertanyaan	files.id = tender_berita_acara_pertanyaan.doku men_id	tender_berita_acara_pertanyaan_dokumen_id_foreign
→	tender_berita_acara_pertanyaan_re plies	files.id = tender_berita_acara_pertanyaan_replie s.dokumen_id	tender_berita_acara_pertanyaan_replies_dokumen_id_foreign
→	tender_dokumen_pemilihan	files.id = tender_dokumen_pemilihan.dokumen _id	tender_dokumen_pemilihan_dokumen_id_foreign
\rightarrow	tender_draf_kontrak	files.id = tender_draf_kontrak.file_kkk_id	tender_draf_kontrak_file_kkk_id_foreign
\rightarrow	tender_draf_kontrak	files.id = tender_draf_kontrak.file_kontrak_id	tender_draf_kontrak_file_kontrak_id_foreign
\rightarrow	tender_draf_kontrak	files.id = tender_draf_kontrak.file_kuk_id	tender_draf_kontrak_file_kuk_id_foreign
\rightarrow	tender_izin_prinsip	files.id = tender_izin_prinsip.file_id	tender_izin_prinsip_file_id_foreign
\rightarrow	tender_kak	files.id = tender_kak.file_kak_id	tender_kak_file_kak_id_foreign
→	tender_penawaran_dokumen	files.id = tender_penawaran_dokumen.file_id	tender_penawaran_dokumen_file_id_foreign
→	tender_permohonan	files.id = tender_permohonan.dokumen_permohonan	tender_permohonan_dokumen_permohonan_foreign
\rightarrow	tender_pq	files.id = tender_pq.file_pq_id	tender_pq_file_pq_id_foreign

	Columns	Name / Description
P	id	PRIMARY

2.1.15. Table: inboxes

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	from_id	unsigned bigint(20, 0)	Default: 0 References: users
	to_id	unsigned bigint(20, 0)	Default: 0 References: users
	msg	varchar(255)	Nullable

	Name	Data type	Description / Attributes
	subject	varchar(255)	Nullable
	is_reply	varchar(255)	Default: 0
	parent_id	varchar(255)	Default: 0
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable
	is_delete	unsigned bigint(20, 0)	Nullable Default: 0

	Table	Join	Title / Name / Description
\rightarrow	users	inboxes.from_id = users.id	inboxes_from_id_foreign
\rightarrow	users	inboxes.to_id = users.id	inboxes_to_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	dokumen_inboxes	<pre>inboxes.id = dokumen_inboxes.inbox_id</pre>	dokumen_inboxes_inbox_id_foreign
\rightarrow	reply_inboxes	inboxes.id = reply_inboxes.inbox_id	reply_inboxes_inbox_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.16. Table: jadwal_update_histories

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	keterangan	varchar(255)	Nullable
	data	varchar(255)	Nullable
	create_by	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable
	data_json	json	Nullable

	Table	Join	Title / Name / Description
>	tender_permohonan	jadwal_update_histories.tender_id = tender_permohonan.id	jadwal_update_histories_tender_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.17. Table: jenis_klasifikasis

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0
	syaratkualifikasi_id	unsigned bigint(20, 0)	Default: 0
	type_syaratkualifikasi	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.18. Table: jobs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	queue	varchar(255)	
	payload	longtext	
	attempts	unsigned tinyint(3, 0)	
	reserved_at	unsigned int(10, 0)	Nullable
	available_at	unsigned int(10, 0)	
	created_at	unsigned int(10, 0)	

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.19. Table: masa_berlakus

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	name_masa_berlaku	varchar(255)	

	Name	Data type	Description / Attributes
	dokumen_masa_berlaku	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
-	tender_permohonan	masa_berlakus.tender_id = tender_permohonan.id	masa_berlakus_tender_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.20. Table: master_jenis_kontrak

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0
	jenis	varchar(255)	
	konsultasi	unsigned int(10, 0)	Default: 0
	non_konsultasi	unsigned int(10, 0)	Default: 0
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.21. Table: master_jenis_pengadaan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	jenis_pengadaan	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Linked from

		Table	Join	Title / Name / Description
-	→	tender_startegi_pengadaan	master_jenis_pengadaan.id = tender_startegi_pengadaan.jenis_pengadaan_id	tender_startegi_pengadaan_jenis_pengadaan_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.22. Table: master_kualifikasi

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	kualifikasi	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Linked from

	Table	Join	Title / Name / Description
→	tender_startegi_pengadaan	master_kualifikasi.id = tender_startegi_pengadaan.kualifikasi_i d	tender_startegi_pengadaan_kualifikasi_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.23. Table: master_metode_dokumen

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penyimpanan_dokumen	varchar(255)	
	only_tender	unsigned int(10, 0)	Default: 0
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Linked from

	Table	Join	Title / Name / Description
-	→ master_metode_evaluasi	master_metode_dokumen.id = master_metode_evaluasi.metode_dok umen_id	master_metode_evaluasi_metode_dokumen_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.24. Table: master_metode_evaluasi

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	metode_evaluasi	varchar(255)	
	metode_dokumen_id	unsigned bigint(20, 0)	Default: 0 References: master_metode_dokumen
	is_konsultansi	unsigned int(10, 0)	Default: 0
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	master_metode_dokumen	master_metode_evaluasi.metode_dok umen_id = master_metode_dokumen.id	master_metode_evaluasi_metode_dokumen_id_foreign

Linked from

	Table	Join	Title / Name / Description
-	tender_startegi_pengadaan	master_metode_evaluasi.id = tender_startegi_pengadaan.metode_e valuasi_id	tender_startegi_pengadaan_metode_evaluasi_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.25. Table: master_metode_pemilihan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	metode_pemilihan	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Linked from

		Table	Join	Title / Name / Description
-	→	tender_startegi_pengadaan	master_metode_pemilihan.id = tender_startegi_pengadaan.metode_p emilihan_id	tender_startegi_pengadaan_metode_pemilihan_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.26. Table: master_replies

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	name_doc	varchar(255)	
	bab	varchar(255)	
	uraian	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	files	master_replies.dokumen_id = files.id	master_replies_dokumen_id_foreign
—	tender_permohonan	master_replies.tender_id = tender_permohonan.id	master_replies_tender_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.27. Table: master_reply_pelaksanaans

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	name_doc	varchar(255)	
	bab	varchar(255)	
	uraian	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	files	master_reply_pelaksanaans.dokumen_i d = files.id	master_reply_pelaksanaans_dokumen_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.28. Table: master_tender_klasifikasis

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	syaratkualifikasi_id	unsigned bigint(20, 0)	Default: 0 References: bentuk_penawarans
	klasifikasi_jenis	varchar(255)	Nullable
	klasifikasi_deskripsi	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	- I pentijk penawarans	master_tender_klasifikasis.syaratkualifik asi_id = bentuk_penawarans.id	master_tender_klasifikasis_syaratkualifikasi_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.29. Table: migrations

Columns

	Name	Data type	Description / Attributes
1	id	unsigned int(10, 0)	Identity / Auto increment
	migration	varchar(255)	
	batch	int(10, 0)	

Unique keys

Columns	Name / Description
💡 id	PRIMARY

2.1.30. Table: model_has_permissions

Columns

	Name	Data type	Description / Attributes
1	permission_id	unsigned bigint(20, 0)	References: permissions
1	model_type	varchar(255)	
1	model_id	unsigned bigint(20, 0)	

	Table	Join	Title / Name / Description
-	permissions	model_has_permissions.permission_id = permissions.id	model_has_permissions_permission_id_foreign

	Columns	Name / Description
Ŷ	permission_id, model_type, model_id	PRIMARY

2.1.31. Table: model_has_roles

Columns

	Name	Data type	Description / Attributes
1	role_id	unsigned bigint(20, 0)	References: roles
1	model_type	varchar(255)	
1	model_id	unsigned bigint(20, 0)	

Links to

	Table	Join	Title / Name / Description
>	roles	model_has_roles.role_id = roles.id	model_has_roles_role_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	role_id, model_type, model_id	PRIMARY

2.1.32. Table: nilai_basts

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	bast_id	unsigned bigint(20, 0)	Default: 0 References: bertia_acara_serah_terimas
	nama_pengguna_barang	varchar(255)	
	unit_kerja	varchar(255)	
	nama_perusahaan	varchar(255)	
	nama_orang	varchar(255)	
	jabatan	varchar(255)	
	hari	varchar(255)	
	tgl_kontrak	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

		Table	Join	Title / Name / Description
3	→	bertia_acara_serah_terimas	nilai_basts.bast_id = bertia_acara_serah_terimas.id	nilai_basts_bast_id_foreign

	Columns	Name / Description
P	id	PRIMARY

2.1.33. Table: notifications

Columns

	Name	Data type	Description / Attributes
1	id	char(36)	
	type	varchar(255)	
	notifiable_type	varchar(255)	
	notifiable_id	unsigned bigint(20, 0)	
	data	text	
	read_at	timestamp	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.34. Table: password_resets

Columns

	Name	Data type	Description / Attributes
	email	varchar(255)	
	token	varchar(255)	
	created_at	timestamp	Nullable

2.1.35. Table: pelaksanaan_pemberi_penjelasans

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

		Table	Join	Title / Name / Description
>	—	files	pelaksanaan_pemberi_penjelasans.dok umen_id = files.id	pelaksanaan_pemberi_penjelasans_dokumen_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.36. Table: penawaran_adm_lainnyas

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: tender_syarat_kualifikasi
	name_adm	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
—	tender_syarat_kualifikasi	penawaran_adm_lainnyas.penawaran_ id = tender_syarat_kualifikasi.id	penawaran_adm_lainnyas_penawaran_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.37. Table: penawaran_harga_lainnyas

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: tender_syarat_kualifikasi
	name_harga	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	tender_syarat_kualifikasi	penawaran_harga_lainnyas.penawaran _id = tender_syarat_kualifikasi.id	penawaran_harga_lainnyas_penawaran_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.38. Table: penawaran_teknis_lainnyas

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: tender_syarat_kualifikasi
	name_teknis	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	tender_syarat_kualifikasi	penawaran_teknis_lainnyas.penawaran _id = tender_syarat_kualifikasi.id	penawaran_teknis_lainnyas_penawaran_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.39. Table: penawarans

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	name_penawarans	varchar(255)	
	dokumen_penawaran	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	tender_permohonan	<pre>penawarans.tender_id = tender_permohonan.id</pre>	penawarans_tender_id_foreign

Unique keys

	Columns	Name / Description
•	id	PRIMARY

2.1.40. Table: permissions

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	name	varchar(255)	

	Name	Data type	Description / Attributes
	guard_name	varchar(255)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Linked from

	Table	Join	Title / Name / Description
→	model_has_permissions	permissions.id = model_has_permissions.permission_id	model_has_permissions_permission_id_foreign
→	role_has_permissions	<pre>permissions.id = role_has_permissions.permission_id</pre>	role_has_permissions_permission_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.41. Table: rekap_pengulangan_tender

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	table_name	varchar(255)	Nullable
	data	json	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
>	tender_permohonan	rekap_pengulangan_tender.tender_id = tender_permohonan.id	rekap_pengulangan_tender_tender_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.42. Table: reply_inboxes

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	from_id	unsigned bigint(20, 0)	Default: 0 References: users
	to_id	unsigned bigint(20, 0)	Default: 0 References: users

	Name	Data type	Description / Attributes
	inbox_id	unsigned bigint(20, 0)	Default: 0 References: inboxes
	msg	varchar(255)	Nullable
	subject	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable
	is_delete	unsigned bigint(20, 0)	Nullable Default: 0

	Table	Join	Title / Name / Description
>	inboxes	reply_inboxes.inbox_id = inboxes.id	reply_inboxes_inbox_id_foreign
>	users	reply_inboxes.from_id = users.id	reply_inboxes_from_id_foreign
>	users	reply_inboxes.to_id = users.id	reply_inboxes_to_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.43. Table: role_has_permissions

Columns

	Name	Data type	Description / Attributes
1	permission_id	unsigned bigint(20, 0)	References: permissions
1	role_id	unsigned bigint(20, 0)	References: roles

Links to

	Table	Join	Title / Name / Description
—	permissions	role_has_permissions.permission_id = permissions.id	role_has_permissions_permission_id_foreign
→	roles	role_has_permissions.role_id = roles.id	role_has_permissions_role_id_foreign

Unique keys

	Columns	Name / Description
?	permission_id, role_id	PRIMARY

2.1.44. Table: roles

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	name	varchar(255)	
	guard_name	varchar(255)	
	created_at	timestamp	Nullable

	Name	Data type	Description / Attributes
	updated_at	timestamp	Nullable

Linked from

	Table	Join	Title / Name / Description
\rightarrow	model_has_roles	roles.id = model_has_roles.role_id	model_has_roles_role_id_foreign
\rightarrow	role_has_permissions	roles.id = role_has_permissions.role_id	role_has_permissions_role_id_foreign

Unique keys

Co	blumns	Name / Description
💡 id	PRIMA	RY

2.1.45. Table: sanggah

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	level	unsigned bigint(20, 0)	Default: 0
	bab	varchar(255)	Nullable
	created_by	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	
	nama_dokumen	varchar(255)	Nullable
	reply_to	unsigned bigint(20, 0)	Default: 0
	file_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
>	files	sanggah.file_id = files.id	sanggah_file_id_foreign
>	tender_permohonan	<pre>sanggah.tender_id = tender_permohonan.id</pre>	sanggah_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	tanggapan_sanggah	sanggah.id = tanggapan_sanggah.sanggah_evaluasi _id	tanggapan_sanggah_sanggah_evaluasi_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.46. Table: sanggah_evaluasi

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	level	unsigned bigint(20, 0)	Default: 0
	bab	varchar(255)	Nullable
	created_by	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	
	nama_dokumen	varchar(255)	Nullable
	reply_to	unsigned bigint(20, 0)	Default: 0
	file_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
>	files	sanggah_evaluasi.file_id = files.id	sanggah_evaluasi_file_id_foreign
—	tender_permohonan	sanggah_evaluasi.tender_id = tender_permohonan.id	sanggah_evaluasi_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.47. Table: spbbjs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	bast_id	unsigned bigint(20, 0)	Default: 0 References: bertia_acara_serah_terimas
	dokumen_spbbj	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	bertia_acara_serah_terimas	<pre>spbbjs.bast_id = bertia_acara_serah_terimas.id</pre>	spbbjs_bast_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.48. Table: syarat_kualifikasi_lainnyas

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	syaratkualifikasi_id	unsigned bigint(20, 0)	Default: 0 References: bentuk_penawarans
	lainnya	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	bentuk_penawarans	syarat_kualifikasi_lainnyas.syaratkualifik asi_id = bentuk_penawarans.id	syarat_kualifikasi_lainnyas_syaratkualifikasi_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.49. Table: syarats

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	syaratkualifikasi_id	unsigned bigint(20, 0)	Default: 0 References: bentuk_penawarans
	syarat	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

		Table	Join	Title / Name / Description
>	-	bentuk_penawarans	<pre>syarats.syaratkualifikasi_id = bentuk_penawarans.id</pre>	syarats_syaratkualifikasi_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.50. Table: tanggapan_sanggah

	Name	Data type	Description / Attributes		
1	id	unsigned bigint(20, 0)	Identity / Auto increment		
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan		
	sanggah_evaluasi_id	unsigned bigint(20, 0)	Default: 0 References: sanggah		
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users		
	panitia_id	unsigned bigint(20, 0)	Default: 0 References: users		
	status	unsigned bigint(20, 0)	Default: 0		
	uraian	varchar(255)	Nullable		
	created_at	timestamp	Nullable		
	updated_at	timestamp	Nullable		

Links to

	Table	Join	Title / Name / Description
>	sanggah	tanggapan_sanggah.sanggah_evaluasi _id = sanggah.id	tanggapan_sanggah_sanggah_evaluasi_id_foreign
>	tender_permohonan	tanggapan_sanggah.tender_id = tender_permohonan.id	tanggapan_sanggah_tender_id_foreign
>	users	tanggapan_sanggah.panitia_id = users.id	tanggapan_sanggah_panitia_id_foreign
>	users	tanggapan_sanggah.vendor_id = users.id	tanggapan_sanggah_vendor_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.51. Table: tanggapan_sanggah_evaluasi

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	sanggah_evaluasi_id	unsigned bigint(20, 0)	Default: 0
	vendor_id	unsigned bigint(20, 0)	Default: 0
	panitia_id	unsigned bigint(20, 0)	Default: 0 References: users
	status	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	Nullable
	created_at	timestamp	Nullable

	Name	Data type	Description / Attributes
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	tender_permohonan	tanggapan_sanggah_evaluasi.tender_i d = tender_permohonan.id	tanggapan_sanggah_evaluasi_tender_id_foreign
>	users	tanggapan_sanggah_evaluasi.panitia_i d = users.id	tanggapan_sanggah_evaluasi_panitia_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.52. Table: tender_berita_acara

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
—	files	tender_berita_acara.dokumen_id = files.id	tender_berita_acara_dokumen_id_foreign
—	tender_permohonan	tender_berita_acara.tender_id = tender_permohonan.id	tender_berita_acara_tender_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.53. Table: tender_berita_acara_adm

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	file_ba_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable

	Name	Data type	Description / Attributes
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	files	tender_berita_acara_adm.file_ba_id = files.id	tender_berita_acara_adm_file_ba_id_foreign
>	tender_permohonan	tender_berita_acara_adm.tender_id = tender_permohonan.id	tender_berita_acara_adm_tender_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.54. Table: tender_berita_acara_dokumen_pq

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	file_ba_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
—	files	tender_berita_acara_dokumen_pq.file_ ba_id = files.id	tender_berita_acara_dokumen_pq_file_ba_id_foreign
—	tender_permohonan	tender_berita_acara_dokumen_pq.ten der_id = tender_permohonan.id	tender_berita_acara_dokumen_pq_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.55. Table: tender_berita_acara_harga

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	file_ba_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Nullable

	Name	Data type	Description / Attributes
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
—	files	tender_berita_acara_harga.file_ba_id = files.id	tender_berita_acara_harga_file_ba_id_foreign
—	tender_permohonan	tender_berita_acara_harga.tender_id = tender_permohonan.id	tender_berita_acara_harga_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.56. Table: tender_berita_acara_pertanyaan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	name_doc	varchar(255)	
	bab	varchar(255)	
	uraian	text	
	created_by_role	varchar(255)	
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
>	files	tender_berita_acara_pertanyaan.doku men_id = files.id	tender_berita_acara_pertanyaan_dokumen_id_foreign
>	tender_permohonan	tender_berita_acara_pertanyaan.tende r_id = tender_permohonan.id	tender_berita_acara_pertanyaan_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	tender_berita_acara_pertanyaan_re plies	tender_berita_acara_pertanyaan.id = tender_berita_acara_pertanyaan_replie s.pertanyaan_id	tender_berita_acara_pertanyaan_replies_pertanyaan_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.57. Table: tender_berita_acara_pertanyaan_replies

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	pertanyaan_id	unsigned bigint(20, 0)	Default: 0 References: tender_berita_acara_pertanyaan
	dokumen_id	unsigned bigint(20, 0)	Default: 0 References: files
	name_doc	varchar(255)	
	bab	varchar(255)	
	uraian	text	
	created_by_role	varchar(255)	
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
-	files	tender_berita_acara_pertanyaan_replie s.dokumen_id = files.id	tender_berita_acara_pertanyaan_replies_dokumen_id_foreign
-	tender_berita_acara_pertanyaan	tender_berita_acara_pertanyaan_replie s.pertanyaan_id = tender_berita_acara_pertanyaan.id	tender_berita_acara_pertanyaan_replies_pertanyaan_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.58. Table: tender_dokumen_pemilihan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	name	varchar(255)	Nullable
	dokumen_id	unsigned bigint(20, 0)	Nullable References: files
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

		Table	Join	Title / Name / Description
3	—	files	tender_dokumen_pemilihan.dokumen _id = files.id	tender_dokumen_pemilihan_dokumen_id_foreign

		Table	Join	Title / Name / Description
)	-	tender_permohonan	tender_dokumen_pemilihan.tender_id = tender_permohonan.id	tender_dokumen_pemilihan_tender_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.59. Table: tender_draf_kontrak

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	jenis_kontrak	unsigned bigint(20, 0)	Nullable
	file_kontrak_id	unsigned bigint(20, 0)	Default: 0 References: files
	file_kuk_id	unsigned bigint(20, 0)	Default: 0 References: files
	file_kkk_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
>	files	tender_draf_kontrak.file_kkk_id = files.id	tender_draf_kontrak_file_kkk_id_foreign
>	files	tender_draf_kontrak.file_kontrak_id = files.id	tender_draf_kontrak_file_kontrak_id_foreign
>	files	tender_draf_kontrak.file_kuk_id = files.id	tender_draf_kontrak_file_kuk_id_foreign
—	tender_permohonan	tender_draf_kontrak.tender_id = tender_permohonan.id	tender_draf_kontrak_tender_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.60. Table: tender_draf_kontrak_lainnya

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	draf_id	unsigned bigint(20, 0)	Default: 0
	nama	varchar(255)	Nullable

	Name	Data type	Description / Attributes
	file_id	unsigned bigint(20, 0)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.61. Table: tender_hps

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	level	unsigned int(10, 0)	Default: 0
	parent_id	unsigned bigint(20, 0)	Default: 0
	uraian	varchar(255)	Nullable
	satuan	varchar(255)	Nullable
	value	varchar(255)	Nullable
	harga_satuan	varchar(255)	Nullable
	jumlah	varchar(255)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
—	tender_permohonan	tender_hps.tender_id = tender_permohonan.id	tender_hps_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
-	tender_penawaran_harga	tender_hps.id = tender_penawaran_harga.hps_id	tender_penawaran_harga_hps_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.62. Table: tender_izin_prinsip

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment

	Name	Data type	Description / Attributes
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	no_izin	varchar(255)	Nullable
	tanggal_izin	varchar(255)	Nullable
	nilai	varchar(255)	Default: 0
	file_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
\rightarrow	files	tender_izin_prinsip.file_id = files.id	tender_izin_prinsip_file_id_foreign
>	tender_permohonan	tender_izin_prinsip.tender_id = tender_permohonan.id	tender_izin_prinsip_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.63. Table: tender_kak

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	nama	varchar(255)	Nullable
	file_kak_id	unsigned bigint(20, 0)	Default: 0 References: files
	created_at	timestamp	Default : CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
\rightarrow	files	tender_kak.file_kak_id = files.id	tender_kak_file_kak_id_foreign
-	tender_permohonan	tender_kak.tender_id = tender_permohonan.id	tender_kak_tender_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.64. Table: tender_masa_penawaran

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	hari	int(10, 0)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	tender_permohonan	tender_masa_penawaran.tender_id = tender_permohonan.id	tender_masa_penawaran_tender_id_foreign

Unique keys

Columns	Name / Description
💡 id	PRIMARY

2.1.65. Table: tender_panitia

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	panitia_id	unsigned bigint(20, 0)	Default: 0 References: users
	status	unsigned bigint(20, 0)	Default: 0
	keterangan	text	Nullable
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
-	tender_permohonan	tender_panitia.tender_id = tender_permohonan.id	tender_panitia_tender_id_foreign
—	users	tender_panitia.panitia_id = users.id	tender_panitia_panitia_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.66. Table: tender_pembuatan_jadwal

		Name	Data type	Description / Attributes
	1	id	unsigned bigint(20, 0)	Identity / Auto increment
181		tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
		pengumuman_undangan_mulai	varchar(255)	Nullable
		pengumuman_undangan_selesai	varchar(255)	Nullable
		pendaftaran_dokumen_mulai	varchar(255)	Nullable
		pendaftaran_dokumen_selesai	varchar(255)	Nullable
		pemberian_penjelasan_mulai	varchar(255)	Nullable
		pemberian_penjelasan_selesai	varchar(255)	Nullable
181		pemasukan_dokumen_kualifikasi_m ulai	varchar(255)	Nullable
		pemasukan_dokumen_kualifikasi_se lesai	varchar(255)	Nullable
		pembukaan_dokumen_kualifikasi_m ulai	varchar(255)	Nullable
181		pembukaan_dokumen_kualifikasi_s elesai	varchar(255)	Nullable
		evaluasi_dokumen_kualifikasi_mulai	varchar(255)	Nullable
		evaluasi_dokumen_kualifikasi_selesa i	varchar(255)	Nullable
		pemasukan_dokumen_penawaran_ mulai	varchar(255)	Nullable
		pemasukan_dokumen_penawaran_ selesai	varchar(255)	Nullable
		pembukaan_dokumen_adm_mulai	varchar(255)	Nullable
		pembukaan_dokumen_adm_selesai	varchar(255)	Nullable
		evaluasi_dokumen_adm_mulai	varchar(255)	Nullable
		evaluasi_dokumen_adm_selesai	varchar(255)	Nullable
		pengumuman_evaluasi_adm_mulai	varchar(255)	Nullable
		pengumuman_evaluasi_adm_selesa i	varchar(255)	Nullable
		sanggah_evaluasi_mulai	varchar(255)	Nullable
		sanggah_evaluasi_selesai	varchar(255)	Nullable
		pemberian_penjelasan_sanggah_m ulai	varchar(255)	Nullable
		pemberian_penjelasan_sanggah_sel esai	varchar(255)	Nullable
		pemasukan_dokumen_harga_mulai	varchar(255)	Nullable
		pemasukan_dokumen_harga_selesa i	varchar(255)	Nullable
		pembukaan_harga_mulai	varchar(255)	Nullable
		pembukaan_harga_selesai	varchar(255)	Nullable

	Name	Data type	Description / Attributes
	evaluasi_penawaran_harga_mulai	varchar(255)	Nullable
	evaluasi_penawaran_harga_selesai	varchar(255)	Nullable
	penetapan_pemenang_mulai	varchar(255)	Nullable
	penetapan_pemenang_selesai	varchar(255)	Nullable
	pengumuman_pemenang_mulai	varchar(255)	Nullable
	pengumuman_pemenang_selesai	varchar(255)	Nullable
	sanggah_mulai	varchar(255)	Nullable
	sanggah_selesai	varchar(255)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	tender_permohonan	tender_pembuatan_jadwal.tender_id = tender_permohonan.id	tender_pembuatan_jadwal_tender_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.67. Table: tender_penawaran

	Name	Data type	Description / Attributes
Ŷ	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users
	harga_total	unsigned bigint(20, 0)	Default: 0
	harga_tawar	unsigned bigint(20, 0)	Default: 0
	harga_negosiasi	bigint(19, 0)	Default: 0
	is_evaluated	tinyint(3, 0)	Default: 0
	evaluated_by	unsigned bigint(20, 0)	Default: 0 References: users
	evaluated_at	timestamp	Default: CURRENT_TIMESTAMP
	lolos_administrasi	tinyint(3, 0)	Default: 0
	lolos_teknis	tinyint(3, 0)	Default: 0
	lolos_harga	tinyint(3, 0)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP
	rangki	unsigned bigint(20, 0)	Default: 0

	Table	Join	Title / Name / Description
>	tender_permohonan	tender_penawaran.tender_id = tender_permohonan.id	tender_penawaran_tender_id_foreign
>	users	tender_penawaran.evaluated_by = users.id	tender_penawaran_evaluated_by_foreign
>	users	tender_penawaran.vendor_id = users.id	tender_penawaran_vendor_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	tender_penawaran_dokumen	tender_penawaran.id = tender_penawaran_dokumen.penawaran_an_id	tender_penawaran_dokumen_penawaran_id_foreign
→	tender_penawaran_harga	tender_penawaran.id = tender_penawaran_harga.penawaran_i d	tender_penawaran_harga_penawaran_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.68. Table: tender_penawaran_dokumen

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: tender_penawaran
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users
	tipe	varchar(255)	
	nama_dokumen	varchar(255)	
	file_id	unsigned bigint(20, 0)	Default: 0 References: files
	is_evaluated	tinyint(3, 0)	Default: 0
	evaluated_by	unsigned bigint(20, 0)	Default: 0 References: users
	lolos_evaluasi	tinyint(3, 0)	Nullable
	alasan	varchar(255)	Nullable
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
-	files	tender_penawaran_dokumen.file_id = files.id	tender_penawaran_dokumen_file_id_foreign
—	tender_penawaran	tender_penawaran_dokumen.penawar an_id = tender_penawaran.id	tender_penawaran_dokumen_penawaran_id_foreign
-	tender_permohonan	tender_penawaran_dokumen.tender_i d = tender_permohonan.id	tender_penawaran_dokumen_tender_id_foreign
\rightarrow	users	tender_penawaran_dokumen.evaluate d_by = users.id	tender_penawaran_dokumen_evaluated_by_foreign
—	users	tender_penawaran_dokumen.vendor_i d = users.id	tender_penawaran_dokumen_vendor_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.69. Table: tender_penawaran_harga

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	penawaran_id	unsigned bigint(20, 0)	Default: 0 References: tender_penawaran
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users
	hps_id	unsigned bigint(20, 0)	Default: 0 References: tender_hps
	harga_satuan	unsigned bigint(20, 0)	Default: 0
	jumlah	unsigned bigint(20, 0)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
>	tender_hps	tender_penawaran_harga.hps_id = tender_hps.id	tender_penawaran_harga_hps_id_foreign
>	tender_penawaran	tender_penawaran_harga.penawaran_i d = tender_penawaran.id	tender_penawaran_harga_penawaran_id_foreign
>	tender_permohonan	tender_penawaran_harga.tender_id = tender_permohonan.id	tender_penawaran_harga_tender_id_foreign
>	users	tender_penawaran_harga.vendor_id = users.id	tender_penawaran_harga_vendor_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.70. Table: tender_permohonan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	user_id	unsigned bigint(20, 0)	References: users
	kode_tender	varchar(255)	Nullable
	rup_id	varchar(255)	
	rup_json	json	Nullable
	nama_paket	varchar(255)	Nullable
	uraian_paket	varchar(255)	Nullable
	nilai	varchar(255)	Nullable
	jenis_pengadaan	unsigned bigint(20, 0)	Default: 0
	jenis_kontrak	unsigned bigint(20, 0)	Default: 0
	izin_prinsip	unsigned bigint(20, 0)	Default: 0
	nomor_permohonan	varchar(255)	Nullable
	tanggal_permohonan	varchar(255)	Nullable
	tanggal_pelaksanaan	varchar(255)	Nullable
	status	unsigned bigint(20, 0)	Default: 0 References: tender_status
	hps_submit	varchar(255)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP
	created_by	varchar(255)	Nullable
	updated_by	varchar(255)	Nullable
	lokasi_pekerjaan	varchar(255)	Nullable
	pemilihan_pb	varchar(255)	
	dokumen_permohonan	unsigned bigint(20, 0)	Default: 0 References: files

	Table	Join	Title / Name / Description
-	files	tender_permohonan.dokumen_permo honan = files.id	tender_permohonan_dokumen_permohonan_foreign
—	tender_status	tender_permohonan.status = tender_status.id	tender_permohonan_status_foreign
>	users	tender_permohonan.user_id = users.id	tender_permohonan_user_id_foreign

Linked from

	Table	Join	Title / Name / Description
\rightarrow	aanwijzing	tender_permohonan.id = aanwijzing.tender_id	aanwijzing_tender_id_foreign
\rightarrow	aanwijzing_lanjutan	tender_permohonan.id = aanwijzing_lanjutan.tender_id	aanwijzing_lanjutan_tender_id_foreign
\rightarrow	adendum_aanwijzing	tender_permohonan.id = adendum_aanwijzing.tender_id	adendum_aanwijzing_tender_id_foreign
\rightarrow	adendum_aanwijzing_lanjutan	tender_permohonan.id = adendum_aanwijzing_lanjutan.tender_i d	adendum_aanwijzing_lanjutan_tender_id_foreign
\rightarrow	bentuk_penawarans	tender_permohonan.id = bentuk_penawarans.tender_id	bentuk_penawarans_tender_id_foreign
\rightarrow	berita_acara_penetapan_pemenang s	tender_permohonan.id = berita_acara_penetapan_pemenangs.t ender_id	berita_acara_penetapan_pemenangs_tender_id_foreign
\rightarrow	bertia_acara_serah_terimas	tender_permohonan.id = bertia_acara_serah_terimas.tender_id	bertia_acara_serah_terimas_tender_id_foreign
\rightarrow	dokumen_berita_penetapan_peme nangs	tender_permohonan.id = dokumen_berita_penetapan_pemenan gs.tender_id	dokumen_berita_penetapan_pemenangs_tender_id_foreign
\rightarrow	jadwal_update_histories	tender_permohonan.id = jadwal_update_histories.tender_id	jadwal_update_histories_tender_id_foreign
\rightarrow	masa_berlakus	tender_permohonan.id = masa_berlakus.tender_id	masa_berlakus_tender_id_foreign
\rightarrow	master_replies	tender_permohonan.id = master_replies.tender_id	master_replies_tender_id_foreign
\rightarrow	penawarans	tender_permohonan.id = penawarans.tender_id	penawarans_tender_id_foreign
\rightarrow	rekap_pengulangan_tender	tender_permohonan.id = rekap_pengulangan_tender.tender_id	rekap_pengulangan_tender_tender_id_foreign
\rightarrow	sanggah	tender_permohonan.id = sanggah.tender_id	sanggah_tender_id_foreign
\rightarrow	sanggah_evaluasi	tender_permohonan.id = sanggah_evaluasi.tender_id	sanggah_evaluasi_tender_id_foreign
\rightarrow	tanggapan_sanggah	tender_permohonan.id = tanggapan_sanggah.tender_id	tanggapan_sanggah_tender_id_foreign
\rightarrow	tanggapan_sanggah_evaluasi	tender_permohonan.id = tanggapan_sanggah_evaluasi.tender_i d	tanggapan_sanggah_evaluasi_tender_id_foreign
\rightarrow	tender_berita_acara	tender_permohonan.id = tender_berita_acara.tender_id	tender_berita_acara_tender_id_foreign
\rightarrow	tender_berita_acara_adm	tender_permohonan.id = tender_berita_acara_adm.tender_id	tender_berita_acara_adm_tender_id_foreign
\rightarrow	tender_berita_acara_dokumen_pq	tender_permohonan.id = tender_berita_acara_dokumen_pq.ten der_id	tender_berita_acara_dokumen_pq_tender_id_foreign
\rightarrow	tender_berita_acara_harga	tender_permohonan.id = tender_berita_acara_harga.tender_id	tender_berita_acara_harga_tender_id_foreign

	Table	Join	Title / Name / Description
→	tender_berita_acara_pertanyaan	tender_permohonan.id = tender_berita_acara_pertanyaan.tende r_id	tender_berita_acara_pertanyaan_tender_id_foreign
\rightarrow	tender_dokumen_pemilihan	tender_permohonan.id = tender_dokumen_pemilihan.tender_id	tender_dokumen_pemilihan_tender_id_foreign
\rightarrow	tender_draf_kontrak	tender_permohonan.id = tender_draf_kontrak.tender_id	tender_draf_kontrak_tender_id_foreign
\rightarrow	tender_hps	tender_permohonan.id = tender_hps.tender_id	tender_hps_tender_id_foreign
\rightarrow	tender_izin_prinsip	tender_permohonan.id = tender_izin_prinsip.tender_id	tender_izin_prinsip_tender_id_foreign
\rightarrow	tender_kak	tender_permohonan.id = tender_kak.tender_id	tender_kak_tender_id_foreign
\rightarrow	tender_masa_penawaran	tender_permohonan.id = tender_masa_penawaran.tender_id	tender_masa_penawaran_tender_id_foreign
\rightarrow	tender_panitia	tender_permohonan.id = tender_panitia.tender_id	tender_panitia_tender_id_foreign
\rightarrow	tender_pembuatan_jadwal	tender_permohonan.id = tender_pembuatan_jadwal.tender_id	tender_pembuatan_jadwal_tender_id_foreign
\rightarrow	tender_penawaran	tender_permohonan.id = tender_penawaran.tender_id	tender_penawaran_tender_id_foreign
→	tender_penawaran_dokumen	tender_permohonan.id = tender_penawaran_dokumen.tender_i d	tender_penawaran_dokumen_tender_id_foreign
\rightarrow	tender_penawaran_harga	tender_permohonan.id = tender_penawaran_harga.tender_id	tender_penawaran_harga_tender_id_foreign
\rightarrow	tender_persetujuan	tender_permohonan.id = tender_persetujuan.tender_id	tender_persetujuan_tender_id_foreign
\rightarrow	tender_pq	tender_permohonan.id = tender_pq.tender_id	tender_pq_tender_id_foreign
→	tender_pr	tender_permohonan.id = tender_pr.tender_id	tender_pr_tender_id_foreign
→	tender_ps_check	tender_permohonan.id = tender_ps_check.tender_id	tender_ps_check_tender_id_foreign
\rightarrow	tender_startegi_pengadaan	tender_permohonan.id = tender_startegi_pengadaan.tender_id	tender_startegi_pengadaan_tender_id_foreign
→	tender_syarat_kualifikasi	tender_permohonan.id = tender_syarat_kualifikasi.tender_id	tender_syarat_kualifikasi_tender_id_foreign
\rightarrow	tender_vendor	tender_permohonan.id = tender_vendor.tender_id	tender_vendor_tender_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.71. Table: tender_persetujuan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	panitia_id	unsigned bigint(20, 0)	Default: 0 References: users
	status	unsigned bigint(20, 0)	Default: 0
	keterangan	unsigned bigint(20, 0)	Nullable
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Links to

	Table	Join	Title / Name / Description
-	tender_permohonan	tender_persetujuan.tender_id = tender_permohonan.id	tender_persetujuan_tender_id_foreign
>	users	tender_persetujuan.panitia_id = users.id	tender_persetujuan_panitia_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.72. Table: tender_pq

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users
	file_pq_id	unsigned bigint(20, 0)	Default: 0 References: files
	nama_dokumen	varchar(255)	
	is_evaluated	tinyint(3, 0)	Default: 0
	lolos_evaluasi	tinyint(3, 0)	Nullable
	alasan	varchar(255)	Nullable
	evaluated_by	unsigned bigint(20, 0)	Default: 0
	evaluated_at	timestamp	Default: CURRENT_TIMESTAMP
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
—	files	tender_pq.file_pq_id = files.id	tender_pq_file_pq_id_foreign
-	tender_permohonan	tender_pq.tender_id = tender_permohonan.id	tender_pq_tender_id_foreign
—	users	tender_pq.vendor_id = users.id	tender_pq_vendor_id_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.73. Table: tender_pr

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	no_pr	varchar(255)	Nullable
	tanggal_pr	varchar(255)	Nullable
	file_pr_id	unsigned bigint(20, 0)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Links to

	Table	Join	Title / Name / Description
-	tender_permohonan	tender_pr.tender_id = tender_permohonan.id	tender_pr_tender_id_foreign

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.74. Table: tender_ps_check

	Name	Data type	Description / Attributes		
1	id	unsigned bigint(20, 0)	Identity / Auto increment		
	tender_id	unsigned bigint(20, 0)	References: tender_permohonan		
	permohonan_detail_pengajuan	unsigned int(10, 0)	Default: 0		
	permohonan_izin_prinsip	unsigned int(10, 0)	Default: 0		
	permohonan_pemilihan	unsigned int(10, 0)	Default: 0		
	pr	unsigned int(10, 0)	Default: 0		
	hps	unsigned int(10, 0)	Default: 0		

	Name	Data type	Description / Attributes
	kontrak	unsigned int(10, 0)	Default: 0
	kak	unsigned int(10, 0)	Default: 0
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

	Table	Join	Title / Name / Description
>	tender_permohonan	tender_ps_check.tender_id = tender_permohonan.id	tender_ps_check_tender_id_foreign

Unique keys

	Columns	Name / Description
9	id	PRIMARY

2.1.75. Table: tender_startegi_pengadaan

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	metode_pemilihan_id	unsigned bigint(20, 0)	References: master_metode_pemilihan
	jenis_pengadaan_id	unsigned bigint(20, 0)	References: master_jenis_pengadaan
	kualifikasi_id	unsigned bigint(20, 0)	References: master_kualifikasi
	metode_evaluasi_id	unsigned bigint(20, 0)	References: master_metode_evaluasi
	penyampaian_dokumen_id	unsigned bigint(20, 0)	
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
-	master_jenis_pengadaan	tender_startegi_pengadaan.jenis_peng adaan_id = master_jenis_pengadaan.id	tender_startegi_pengadaan_jenis_pengadaan_id_foreign
-	master_kualifikasi	tender_startegi_pengadaan.kualifikasi_ id = master_kualifikasi.id	tender_startegi_pengadaan_kualifikasi_id_foreign
-	master_metode_evaluasi	tender_startegi_pengadaan.metode_e valuasi_id = master_metode_evaluasi.id	tender_startegi_pengadaan_metode_evaluasi_id_foreign
-	master_metode_pemilihan	tender_startegi_pengadaan.metode_p emilihan_id = master_metode_pemilihan.id	tender_startegi_pengadaan_metode_pemilihan_id_foreign
-	tender_permohonan	tender_startegi_pengadaan.tender_id = tender_permohonan.id	tender_startegi_pengadaan_tender_id_foreign

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.76. Table: tender_status

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	status	varchar(255)	
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Linked from

	Table	Join	Title / Name / Description
→	tender_permohonan	tender_status.id = tender_permohonan.status	tender_permohonan_status_foreign

Unique keys

	Columns	Name / Description
P	id	PRIMARY

2.1.77. Table: tender_syarat_kualifikasi

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan
	kualifikasi_usaha	varchar(255)	Nullable
	прwр	varchar(255)	Nullable
	pajak_thn	varchar(255)	Nullable
	pajak_thn_text	varchar(255)	Nullable
	pengawasan_pengadilan	varchar(255)	Nullable
	tdk_msk_daftar_hitam	varchar(255)	Nullable
	pengalaman_kerja	varchar(255)	Nullable
	pengalaman_kerja_text	varchar(255)	Nullable
	tenaga_ahli	varchar(255)	Nullable
	tenaga_ahli_text	varchar(255)	Nullable
	tenaga_teknis	varchar(255)	Nullable
	tenaga_teknis_text	varchar(255)	Nullable
	perlalatan_teknis	varchar(255)	Nullable
	perlalatan_teknis_text	varchar(255)	Nullable

	Name	Data type	Description / Attributes
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

	Table	Join	Title / Name / Description
>	tender_permohonan	tender_syarat_kualifikasi.tender_id = tender_permohonan.id	tender_syarat_kualifikasi_tender_id_foreign

Linked from

	Table	Join	Title / Name / Description
→	penawaran_adm_lainnyas	tender_syarat_kualifikasi.id = penawaran_adm_lainnyas.penawaran_i d	penawaran_adm_lainnyas_penawaran_id_foreign
→	penawaran_harga_lainnyas	tender_syarat_kualifikasi.id = penawaran_harga_lainnyas.penawaran_id	penawaran_harga_lainnyas_penawaran_id_foreign
→	penawaran_teknis_lainnyas	tender_syarat_kualifikasi.id = penawaran_teknis_lainnyas.penawaran_id	penawaran_teknis_lainnyas_penawaran_id_foreign

Unique keys

	Columns	Name / Description
Ŷ	id	PRIMARY

2.1.78. Table: tender_vendor

Columns

	Name	Data type	Description / Attributes		
1	id	unsigned bigint(20, 0)	Identity / Auto increment		
	tender_id	unsigned bigint(20, 0)	Default: 0 References: tender_permohonan		
	vendor_id	unsigned bigint(20, 0)	Default: 0 References: users		
	undangan	unsigned bigint(20, 0)	Default: 0		
	konfirmasi	unsigned bigint(20, 0)	Default: 0		
	created_at	timestamp	Default: CURRENT_TIMESTAMP		
	updated_at	timestamp	Default : CURRENT_TIMESTAMP		

	Table	Join	Title / Name / Description
>	tender_permohonan	tender_vendor.tender_id = tender_permohonan.id	tender_vendor_tender_id_foreign
>	users	tender_vendor.vendor_id = users.id	tender_vendor_id_foreign

	Columns	Name / Description
P	id	PRIMARY

2.1.79. Table: upload_dokumen_pqs

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	created_at	timestamp	Nullable
	updated_at	timestamp	Nullable

Unique keys

	Columns	Name / Description
?	id	PRIMARY

2.1.80. Table: users

Columns

	Name	Data type	Description / Attributes
1	id	unsigned bigint(20, 0)	Identity / Auto increment
	name	varchar(255)	
1	username	varchar(255)	
	email	varchar(255)	
	email_verified_at	timestamp	Nullable
	password	varchar(255)	
	unit	varchar(255)	Nullable
	posisi	varchar(255)	Nullable
	vendor_id	unsigned bigint(20, 0)	Default: 0
	vendor_pkp_status	unsigned bigint(20, 0)	Default: 0
	vendor_json	json	Nullable
	remember_token	varchar(100)	Nullable
	created_at	timestamp	Default: CURRENT_TIMESTAMP
	updated_at	timestamp	Default: CURRENT_TIMESTAMP

Linked from

	Table	Join	Title / Name / Description	
\prec	dokumen_inboxes	users.id = dokumen_inboxes.from_id	dokumen_inboxes_from_id_foreign	
\rightarrow	dokumen_inboxes		dokumen_inboxes_to_id_foreign	
\rightarrow	inboxes	users.id = inboxes.from_id	inboxes_from_id_foreign	
\rightarrow	inboxes	users.id = inboxes.to_id	inboxes_to_id_foreign	
\rightarrow	reply_inboxes	users.id = reply_inboxes.from_id	reply_inboxes_from_id_foreign	

	Table	Join	Title / Name / Description
\rightarrow	reply_inboxes	users.id = reply_inboxes.to_id	reply_inboxes_to_id_foreign
\rightarrow	tanggapan_sanggah	users.id = tanggapan_sanggah.panitia_id	tanggapan_sanggah_panitia_id_foreign
\rightarrow	tanggapan_sanggah	users.id = tanggapan_sanggah.vendor_id	tanggapan_sanggah_vendor_id_foreign
\rightarrow	tanggapan_sanggah_evaluasi	users.id = tanggapan_sanggah_evaluasi.panitia_i d	tanggapan_sanggah_evaluasi_panitia_id_foreign
\rightarrow	tender_panitia	users.id = tender_panitia.panitia_id	tender_panitia_panitia_id_foreign
\rightarrow	tender_penawaran	users.id = tender_penawaran.evaluated_by	tender_penawaran_evaluated_by_foreign
→	tender_penawaran	<pre>users.id = tender_penawaran.vendor_id</pre>	tender_penawaran_vendor_id_foreign
→	tender_penawaran_dokumen	users.id = tender_penawaran_dokumen.evaluate d_by	tender_penawaran_dokumen_evaluated_by_foreign
→	tender_penawaran_dokumen	users.id = tender_penawaran_dokumen.vendor_i	tender_penawaran_dokumen_vendor_id_foreign
\rightarrow	tender_penawaran_harga	users.id = tender_penawaran_harga.vendor_id	tender_penawaran_harga_vendor_id_foreign
\rightarrow	tender_permohonan	<pre>users.id = tender_permohonan.user_id</pre>	tender_permohonan_user_id_foreign
\rightarrow	tender_persetujuan	users.id = tender_persetujuan.panitia_id	tender_persetujuan_panitia_id_foreign
\rightarrow	tender_pq	users.id = tender_pq.vendor_id	tender_pq_vendor_id_foreign
\rightarrow	tender_vendor	users.id = tender_vendor.vendor_id	tender_vendor_vendor_id_foreign

_	41.1.17.			
	Columns	Name / Description		
9	id	PRIMARY		
9	username	users_username_unique		

2.2. Views

2.2.1. View: rekap_realisasi_tender

VIEW

	Name	Data type	Description / Attributes
	id	unsigned bigint(20, 0)	Default: 0
	kode_tender	varchar(255)	Nullable
	nama_paket	varchar(255)	Nullable
	kode_rup	longtext	Nullable
	nilai_rup	longtext	Nullable
	paket_rup	longtext	Nullable

	Name	Data type	Description / Attributes
	nilai_hps	double(23)	Nullable
	basts_id	unsigned bigint(20, 0)	Nullable Default: 0
	nomor_berita_acara	varchar(255)	Nullable
	nilai_kontrak	varchar(255)	Nullable
	nama_pengguna_barang	varchar(255)	Nullable
	unit_kerja	varchar(255)	Nullable
	nama_pemenang	varchar(255)	Nullable
	nama_penandatangan	varchar(255)	Nullable
	jabatan	varchar(255)	Nullable
	tgl_kontrak	varchar(255)	Nullable

2.2.2. View: tender_realisasi_chart_4

VIEW

Columns

	Name	Data type	Description / Attributes
	tahun	varchar(4)	Nullable
	bulan	varchar(2)	Nullable
	tender_id	unsigned bigint(20, 0)	Default: 0
	hps	double(23)	Nullable
	kontrak	double(23)	Nullable
	total_pagu	longtext	Nullable

2.2.3. View: tender_rekap_chart

VIEW

Columns

	Name	Data type	Description / Attributes
	tahun	int(10, 0)	Nullable
	baru	decimal(45, 0)	Nullable
	berjalan	decimal(45, 0)	Nullable
	selesai	decimal(45, 0)	Nullable

2.2.4. View: tender_rekap_chart_tanggal_pengumuman

VIEW

	Name	Data type	Description / Attributes
	pengumuman_undangan	varchar(255)	Nullable
	baru	decimal(45, 0)	Nullable
	berjalan	decimal(45, 0)	Nullable

	Name	Data type	Description / Attributes
	selesai	decimal(45, 0)	Nullable