

# Spring API

## Overview

Api testing

## Tags

### Appointment

The Appointment APIs

### Vehicle

The Vehicle APIs

### MechanicalAction

The MechanicalAction APIs

### Place

The Place APIs

### Garage

The Garage APIs

### Emails

The emails APIs

### OpenDay

The OpenDay APIs

## Paths

### ***GET*** **/api/vehicles/{id}** Retrieve a Vehicle by Id

Get a Vehicle object by specifying its id. The response is Vehicle object.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***PUT* /api/vehicles/{id}** Updates an existing vehicle

Updates an existing vehicle. The response is the updated Vehicle object.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***DELETE* /api/vehicles/{id}** Deletes a vehicle

Deletes a vehicle.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## **GET** /api/opendays/{id} Retrieve a OpenDay by Id

Get a OpenDay object by specifying its id. The response is OpenDay object.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **PUT** /api/opendays/{id} Updates an existing open day

Updates an existing open day. The response is the updated OpenDay object.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **DELETE** /api/opendays/{id} Deletes a open day

Deletes a open day.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## GET /api/mechanicalActions/{id} Retrieve a MechanicalAction by Id

Get a MechanicalAction object by specifying its id. The response is MechanicalAction object.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## PUT /api/mechanicalActions/{id} Updates an existing mechanicalAction

Updates an existing mechanicalAction. The response is the updated MechanicalAction object.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## ***DELETE* /api/mechanicalActions/{id} Deletes a mechanicalAction**

Deletes a mechanicalAction.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## ***GET* /api/garages/{id} Retrieve a Garage by Id**

Get a Garage object by specifying its id. The response is Garage object.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links

Code	Description	Links
404	Not Found	No Links

## **PUT /api/garages/{id}** Updates an existing garage

Updates an existing garage. The response is the updated Garage object.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **DELETE /api/garages/{id}** Deletes a garage

Deletes a garage.

### Parameters

Type	Name	Description	Schema
path	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## **GET /api/appointments/{id}** Retrieve a Appointment by Id

Get a Appointment object by specifying its id. The response is Appointment object.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **PUT** /api/appointments/{id} Updates an existing appointment

Updates an existing appointment. The response is the updated Appointment object.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **DELETE** /api/appointments/{id} Deletes a appointment

Deletes a appointment.

#### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## **PUT** /api/appointments/vote/{id} Modify vote

Modify vote

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## **DELETE** /api/appointments/vote/{id} Delete vote

Delete vote

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## **GET** /api/vehicles Retrieve all Vehicles

Get all Vehicles objects. The response is a list of Vehicles objects.

### Responses



Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **POST** /api/vehicles Create a new vehicle

Creates a new vehicle. The response is the created Vehicle object.

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/user/changePassword

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/opendays Retrieve all OpenDays

Get all OpenDays objects. The response is a list of OpenDays objects.

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links

Code	Description	Links
404	Not Found	No Links

## **POST** /api/opendays Create a new open day

Creates a new open day. The response is the created OpenDay object.

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/opendays/filterDays Retrieve a OpenDay by Garage Id and Days

Get a OpenDay object by specifying its garage id and days. The response is OpenDay object.

### Parameters

Type	Name	Description	Schema
query	sortDirection <i>optional</i>		string
query	size <i>optional</i>		integer (int32)
query	sortField <i>optional</i>		string
query	page <i>optional</i>		integer (int32)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **GET /api/mechanicalActions** Retrieve all MechanicalActions

Get all MechanicalActions objects. The response is a list of MechanicalActions objects.

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST /api/mechanicalActions** Create a new mechanicalAction

Creates a new mechanicalAction. The response is the created MechanicalAction object.

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET /api/garages** Retrieve all Garages

Get all Garages objects. The response is a list of Garages objects.

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/garages Create a new garage

Creates a new garage. The response is the created Garage object.

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **POST** /api/auth/signup

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/auth/refreshToken

### Parameters

Type	Name	Description	Schema
query	refreshToken <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/auth/recoveryPassword

### Parameters

Type	Name	Description	Schema
query	email <i>required</i>		string

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/auth/login

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## POST /api/auth/creaUtenteIniziale

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/appointments Retrieve all Appointments

Get all Appointments objects. The response is a list of Appointments objects.

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/appointments Create a new appointment

Creates a new appointment. The response is the created Appointment object.

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/appointments/{appointmentId}/state/{status} Update the appointment state

Update the appointment state. The response is the updated Appointment object. The status can be CONFIRMED, FINISHED, REJECTED

### Parameters

Type	Name	Description	Schema
path	<b>appointmentId</b> <i>required</i>		string
path	<b>status</b> <i>required</i>		string

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **POST** /api/appointments/vote Vote appointment

Vote appointment

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## ***POST* /api/appointments/customAppointment Handle custom technical evaluation**

Handle custom technical evaluation. The response is a list of Appointments objects.

### *Responses*

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***POST* /api/appointments/availableTimeSlots Retrieve all available Appointments**

Get all available Appointments objects. The response is a list of Appointments objects.

### *Responses*

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***GET* /api/vehicles/user/{id} Retrieve a list of Vehicles by User Id**

Get a list of Vehicles objects by specifying its user id. The response is a list of Vehicle objects.

### *Parameters*

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## GET /api/user/me

#### Parameters

Type	Name	Description	Schema
<b>query</b>	<b>userPrincipal</b> <i>required</i>		<a href="#">UserPrincipal</a>

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/public/test

#### Responses

Code	Description	Links
200	OK	No Links

## GET /api/public/testRemoveFromCalendar

#### Responses

Code	Description	Links
200	OK	No Links



## **GET** /api/public/testAddToCalendar

### Responses

Code	Description	Links
200	OK	No Links

## **GET** /api/public/populate

### Responses

Code	Description	Links
200	OK	No Links

## **GET** /api/places Retrieve all Places

Get all Places objects. The response is a list of Places objects.

### Parameters

Type	Name	Description	Schema
query	size <i>optional</i>		integer (int32)
query	page <i>optional</i>		integer (int32)

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET** /api/places/{id} Retrieve a Place by Id

Get a Place object by specifying its id. The response is Place object.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***DELETE* /api/places/{id} Deletes a place**

Deletes a place.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK	No Links
404	Not Found	No Links

## ***GET* /api/places/findPlaceByRegionStartsWith Get the place by region starts with the specified string**

Get the place by region starts with the specified string

### Parameters

Type	Name	Description	Schema
<b>query</b>	<b>region</b> <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links

Code	Description	Links
404	Not Found	No Links

## **GET /api/places/findPlaceByProvinceStartsWith** Get the place by province starts with the specified string

Get the place by province starts with the specified string

### Parameters

Type	Name	Description	Schema
query	<b>province</b> <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET /api/places/findPlaceByMunicipalityStartsWith** Get the place by municipality starts with the specified string

Get the place by municipality starts with the specified string

### Parameters

Type	Name	Description	Schema
query	<b>municipality</b> <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links

Code	Description	Links
404	Not Found	No Links

## **GET /api/opendays/garage/{id}** Retrieve a OpenDay by Garage Id

Get a OpenDay object by specifying its garage id. The response is OpenDay object.

### Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## **GET /api/garages/findGarageByPlaceRegionStartsWith** Retrieve Garages by region starts with

Get the garages by place region starts with. The response is a list of garages by region starts with.

### Parameters

Type	Name	Description	Schema
query	region <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET** /api/garages/findGarageByPlaceProvinceStartsWith Retrieve Garages by province starts with

Get the garages by place province starts with. The response is a list of garages by province starts with.

### Parameters

Type	Name	Description	Schema
query	province <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET** /api/garages/findGarageByPlaceMunicipalityStartsWith Retrieve Garages by municipality starts with

Get the garages by place municipality starts with. The response is a list of garages by municipality starts with.

### Parameters

Type	Name	Description	Schema
query	municipality <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
500	Internal Server Error	No Links
404	Not Found	No Links

## **GET** `/api/emails/sendNewAppointmentMail/{appointmentId}` Email the customer with the just created appointment details .

### Parameters

Type	Name	Description	Schema
path	appointment Id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **GET** `/api/emails/sendFinishedAppointmentData/{appointmentId}` Email the customer with the finished appointment details

### Parameters

Type	Name	Description	Schema
path	appointment Id <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK	No Links

## **GET** `/api/emails/sendDeletedAppointmentData/{appointmentId}` Email the customer with the deleted appointment details

### Parameters

Type	Name	Description	Schema
path	appointment Id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## GET

**/api/emails/sendCustomAppointmentRejectedMail/{appointmentId}** Email the customer with the appointment details for the appointment rejection.

#### Parameters

Type	Name	Description	Schema
path	appointment Id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## GET

**/api/emails/sendCustomAppointmentApprovedMail/{appointmentId}** Email the customer with the appointment details for the appointment confirmation.

#### Parameters

Type	Name	Description	Schema
path	appointment Id <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## GET /api/auth/tokenResetPassword

### Parameters

Type	Name	Description	Schema
query	token <i>required</i>		string

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/auth/session

### Parameters

Type	Name	Description	Schema
query	userPrincipal <i>required</i>		<a href="#">UserPrincipal</a>

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/appointments/myappointments Retrieve all Appointments by user principal

Get all Appointments objects by user principal. The response is a list of Appointments objects.

### Parameters

Type	Name	Description	Schema
query	userPrincipal <i>required</i>		<a href="#">UserPrincipal</a>

### Responses



Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

## ***GET* /api/appointments/appointmentsUser/{id} Retrieve all Appointments by user id**

Get all Appointments objects by user id. The response is a list of Appointments objects.

### Parameters

Type	Name	Description	Schema
<b>path</b>	<b>id</b> <i>required</i>		integer (int64)

### Responses

Code	Description	Links
500	Internal Server Error	No Links
200	OK  <i>Content</i> <b>application/json</b>	No Links
404	Not Found	No Links

# Components

## Schemas

### VehicleDto

#### Properties

Name	Description	Schema
plate <i>optional</i>	Unique identifier of the Vehicle.	string
model <i>optional</i>	Model of the Vehicle.	string
brand <i>optional</i>	Brand of the Vehicle.	string
year <i>optional</i>	Year of the Vehicle.	integer (int32)

Name	Description	Schema
fuel <i>optional</i>	Fuel of the Vehicle.	string
isActive <i>optional</i>	Is the Vehicle active.	boolean
userId <i>optional</i>	User id of the Vehicle.	integer (int64)

## Appointment

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
openDay <i>optional</i>		<a href="#">OpenDay</a>
mechanicalAction <i>optional</i>		<a href="#">MechanicalAction</a>
comment <i>optional</i>		string
vehicle <i>optional</i>		<a href="#">Vehicle</a>
status <i>optional</i>		enum (AWAITING_APPROVAL, FINISHED, CONFIRMED, REJECTED)
externalTime <i>optional</i>		<a href="#">TimePeriod</a>
internalTime <i>optional</i>		<a href="#">TimePeriod</a>
price <i>optional</i>		number (double)
idCalendarEvent <i>optional</i>		string
votes <i>optional</i>		< <a href="#">Vote</a> > array
isMechanicalActionCustom <i>optional</i>		boolean
startTime <i>optional</i>		<a href="#">LocalTime</a>

## DayPlan

### Properties

Name	Description	Schema
workingHours <i>optional</i>		<a href="#">TimePeriod</a>
breaks <i>optional</i>	The list of breaks	< <a href="#">TimePeriod</a> > array

## Garage

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string
place <i>optional</i>		<a href="#">Place</a>
address <i>optional</i>		string
cap <i>optional</i>		string
linkGoogleMap s <i>optional</i>		string
latitude <i>optional</i>		number (double)
longitude <i>optional</i>		number (double)
phone <i>optional</i>		string
email <i>optional</i>		string
website <i>optional</i>		string
logo <i>optional</i>		string
openDay <i>optional</i>		< <a href="#">OpenDay</a> > array
votes <i>optional</i>		< <a href="#">Vote</a> > array

## LocalTime

### Properties

Name	Description	Schema
hour <i>optional</i>		integer (int32)

Name	Description	Schema
minute <i>optional</i>		integer (int32)
second <i>optional</i>		integer (int32)
nano <i>optional</i>		integer (int32)

## LocalTimeWrapper

The end time

*Properties*

Name	Description	Schema
hour <i>optional</i>		integer (int32)
minute <i>optional</i>		integer (int32)
second <i>optional</i>		integer (int32)
nano <i>optional</i>		integer (int32)

## MechanicalAction

*Properties*

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string
description <i>optional</i>		string
price <i>optional</i>		number (double)
isActive <i>optional</i>		boolean

Name	Description			Schema
internalDuration optional	Properties			object
	Name	Description	Schema	
	seconds optional		integer (int64)	
	nano optional		integer (int32)	
	negative optional		boolean	
	zero optional		boolean	
	units optional		< object > array	
externalDuration optional	Properties			object
	Name	Description	Schema	
	seconds optional		integer (int64)	
	nano optional		integer (int32)	
	negative optional		boolean	
	zero optional		boolean	
	units optional		< object > array	

## OpenDay

### Properties

Name	Description	Schema
id optional		integer (int64)
garage optional		<a href="#">Garage</a>
date optional		string (date)
maxParallelAppointments optional		integer (int32)
appointments optional		< <a href="#">Appointment</a> > array

Name	Description	Schema
workPlan <i>optional</i>		<a href="#">DayPlan</a>

## Place

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
istat <i>optional</i>		integer (int32)
municipality <i>optional</i>		string
province <i>optional</i>		string
region <i>optional</i>		string
garage <i>optional</i>		< <a href="#">Garage</a> > array

## SimpleGrantedAuthority

### Properties

Name	Description	Schema
authority <i>optional</i>		string

## TimePeriod

The list of breaks

### Properties

Name	Description	Schema
start <i>optional</i>		<a href="#">LocalTimeWrapper</a>
end <i>optional</i>		<a href="#">LocalTimeWrapper</a>

## User

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)

Name	Description	Schema
name <i>optional</i>		string
email <i>optional</i>		string
imageUrl <i>optional</i>		string
emailVerified <i>optional</i>		boolean
provider <i>required</i>		enum (local,facebook,google,github)
providerId <i>optional</i>		string
votes <i>optional</i>	<i>unique items</i>	< <a href="#">Vote</a> > array
vehicle <i>optional</i>		< <a href="#">Vehicle</a> > array
authorities <i>optional</i>		< <a href="#">SimpleGrantedAuthority</a> > array

## Vehicle

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
plate <i>optional</i>		string
model <i>optional</i>		string
brand <i>optional</i>		string
year <i>optional</i>		integer (int32)
fuel <i>optional</i>		string
isActive <i>optional</i>		boolean
user <i>optional</i>		<a href="#">User</a>
reservation <i>optional</i>		< <a href="#">Appointment</a> > array

## Vote

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
rating <i>optional</i>		integer (int32)
comment <i>optional</i>		string
user <i>optional</i>		<a href="#">User</a>
garage <i>optional</i>		<a href="#">Garage</a>
appointment <i>optional</i>		<a href="#">Appointment</a>

## OpenDayDto

### Properties

Name	Description	Schema
garageId <i>optional</i>	The garage id	integer (int64)
date <i>optional</i>	The date of the open day	string (date)
maxParallelAppointments <i>optional</i>	The max number of parallel appointments	integer (int32)
workPlan <i>optional</i>		<a href="#">DayPlan</a>

## DurationWrapper

The external duration of the action

### Properties

Name	Description	Schema
hours <i>optional</i>		integer (int32)
minutes <i>optional</i>		integer (int32)

## MechanicalActionDto

### Properties

Name	Description	Schema
name <i>optional</i>	The name of the action	string
description <i>optional</i>	The description of the action	string



Name	Description	Schema
price <i>optional</i>	The price of the action	number (double)
isActive <i>optional</i>	If it is active or not	boolean
internalDuration <i>optional</i>		<a href="#">DurationWrapper</a>
externalDuration <i>optional</i>		<a href="#">DurationWrapper</a>

## GarageDto

### Properties

Name	Description	Schema
name <i>required</i>	The garage name	string
placeId <i>required</i>	The linked Place	integer (int64)
address <i>required</i>	The address of the garage	string
cap <i>required</i>	The CAP of the garage address	string
linkGoogleMaps <i>required</i>	Link to Google Maps position	string
latitude <i>required</i>	The latitude of the garage	number (double)
longitude <i>required</i>	The longitude of the garage	number (double)
phone <i>required</i>	The phone number of the garage	string
email <i>required</i>	The email of the garage	string
website <i>optional</i>	The website of the garage	string
logo <i>optional</i>	The logo of the garage	string

## AppointmentDto

### Properties

Name	Description	Schema
openDayId <i>optional</i>	The open day id	integer (int64)
mechanicalActionId <i>optional</i>	The mechanical action id	integer (int64)

Name	Description	Schema
comment <i>optional</i>	The comment	string
vehicleId <i>optional</i>	The vehicle id	integer (int64)
timeSlotSelected <i>optional</i>		<a href="#">TimePeriod</a>
status <i>optional</i>	The status of the appointment	string
isMechanicalActionCustom <i>optional</i>	Is mechanical action custom	boolean

## AppointmentVote

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
rating <i>optional</i>	<b>Maximum:</b> 5 <b>Minimum:</b> 0	integer (int32)
comment <i>optional</i>		string
appointmentId <i>optional</i>		integer (int64)

## GrantedAuthority

### Properties

Name	Description	Schema
authority <i>optional</i>		string

## UserPrincipal

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
email <i>optional</i>		string
password <i>optional</i>		string

Name	Description	Schema
authorities <i>optional</i>		< <a href="#">GrantedAuthority</a> > array
attributes <i>optional</i>		object
name <i>optional</i>		string
enabled <i>optional</i>		boolean
username <i>optional</i>		string
accountNonExpired <i>optional</i>		boolean
credentialsNonExpired <i>optional</i>		boolean
accountNonLocked <i>optional</i>		boolean

## FilterDay

### Properties

Name	Description	Schema
dateFrom <i>optional</i>		string (date)
dateTo <i>optional</i>		string (date)
garageId <i>optional</i>		integer (int64)

## SignUpRequestDto

### Properties

Name	Description	Schema
name <i>required</i>		string
email <i>required</i>		string
password <i>required</i>		string

## LoginRequestDto

### Properties

Name	Description	Schema
email <i>required</i>		string
password <i>required</i>		string

## AuthResponseDto

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
email <i>optional</i>		string
name <i>optional</i>		string
role <i>optional</i>		< <a href="#">Role</a> > array
token <i>optional</i>		string
refreshToken <i>optional</i>		string
duration <i>optional</i>		string

## Role

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string

## CustomAppointmentEvaluation

### Properties

Name	Description	Schema
appointmentId <i>optional</i>	The id of the appointment	integer (int64)
internalTime <i>optional</i>		<a href="#">TimePeriod</a>
externalTime <i>optional</i>		<a href="#">TimePeriod</a>

Name	Description	Schema
price <i>optional</i>	The price of the appointment	number (double)
approved <i>optional</i>		boolean

## AppointmentSearchDto

### Properties

Name	Description	Schema
opendayId <i>optional</i>		integer (int64)
mechanicalActionId <i>optional</i>		integer (int64)
externalTimeslot <i>optional</i>		boolean