

The logo consists of the word "FLUKE" in a bold, black, sans-serif font, followed by a registered trademark symbol (®). It is centered within a solid yellow rectangular background.

Date:

Author:

Company Title

Summary:

Table of Contents

IR_00013.IS2	3
IR_00012.IS2	4
IR_00011.IS2	5
IR_00010.IS2	6
IR_00007.IS2	7
IR_00006.IS2	8
IR_00005.IS2	9
IR_00004.IS2	10




Image Info

Name	IR_00013.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	32.16 °C to 48.19 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:51:49 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	39.0 °C	39.0 °C	39.0 °C	1.00	20.5 °C	0.00	
P0	38.0 °C	38.0 °C	38.0 °C	1.00	20.5 °C	0.00	
P1	32.8 °C	32.8 °C	32.8 °C	1.00	20.5 °C	0.00	
P2	40.0 °C	40.0 °C	40.0 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00012.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	26.78 °C to 30.61 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:51:38 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	27.7 °C	27.7 °C	27.7 °C	1.00	20.5 °C	0.00	
P0	29.2 °C	29.2 °C	29.2 °C	1.00	20.5 °C	0.00	
P1	28.8 °C	28.8 °C	28.8 °C	1.00	20.5 °C	0.00	
P2	29.0 °C	29.0 °C	29.0 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00011.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	28.52 °C to 47.12 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:51:22 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	33.3 °C	33.3 °C	33.3 °C	1.00	20.5 °C	0.00	
P0	29.1 °C	29.1 °C	29.1 °C	1.00	20.5 °C	0.00	
P1	28.7 °C	28.7 °C	28.7 °C	1.00	20.5 °C	0.00	
P2	29.3 °C	29.3 °C	29.3 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00010.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	28.13 °C to 34.59 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:51:13 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	32.5 °C	32.5 °C	32.5 °C	1.00	20.5 °C	0.00	
P0	30.5 °C	30.5 °C	30.5 °C	1.00	20.5 °C	0.00	
P1	28.5 °C	28.5 °C	28.5 °C	1.00	20.5 °C	0.00	
P2	28.8 °C	28.8 °C	28.8 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00007.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	27.77 °C to 34.65 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:50:17 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	31.7 °C	31.7 °C	31.7 °C	1.00	20.5 °C	0.00	
P0	32.2 °C	32.2 °C	32.2 °C	1.00	20.5 °C	0.00	
P1	31.1 °C	31.1 °C	31.1 °C	1.00	20.5 °C	0.00	
P2	30.8 °C	30.8 °C	30.8 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00006.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	29.60 °C to 35.67 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:50:09 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	30.9 °C	30.9 °C	30.9 °C	1.00	20.5 °C	0.00	
P0	34.6 °C	34.6 °C	34.6 °C	1.00	20.5 °C	0.00	
P1	32.0 °C	32.0 °C	32.0 °C	1.00	20.5 °C	0.00	
P2	30.5 °C	30.5 °C	30.5 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00005.IS2
Emissivity	1.00
Background Temperature	20.50 °C
Calibration Range	-20.00 °C to 80.00 °C
Image Range	28.10 °C to 34.89 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:50:00 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	32.1 °C	32.1 °C	32.1 °C	1.00	20.5 °C	0.00	
P0	30.0 °C	30.0 °C	30.0 °C	1.00	20.5 °C	0.00	
P1	28.3 °C	28.3 °C	28.3 °C	1.00	20.5 °C	0.00	
P2	33.1 °C	33.1 °C	33.1 °C	1.00	20.5 °C	0.00	




Image Info

Name	IR_00004.IS2
Emissivity	1.00
Background Temperature	20.5 °C
Calibration Range	-20.0 °C to 80.0 °C
Image Range	27.3 °C to 31.6 °C
IR Sensor Size	260X195
Camera Serial Number	TiS65-16121347
DSP Version	6.0.86
Image Time	15/12/2018 19:49:50 PM
Secondary Readings	

Marker Info

Marker Name	Maximum	Minimum	Average	Emissivity	BG Temp	Std.Dev	Delta-T
Centerpoint	30.8 °C	30.8 °C	30.8 °C	1.00	20.5 °C	0.00	
P0	30.0 °C	30.0 °C	30.0 °C	1.00	20.5 °C	0.00	
P1	28.6 °C	28.6 °C	28.6 °C	1.00	20.5 °C	0.00	
P2	29.2 °C	29.2 °C	29.2 °C	1.00	20.5 °C	0.00	

Summary: