



University of
New Hampshire



FORECASTING THE IMPACTS OF MARINE HEATWAVES ON HABITAT- FORMING INVERTEBRATE SPECIES


Andrew R. Villeneuve¹, Easton R. White¹

¹*Department of Biological Sciences, University
of New Hampshire, USA*

One Ocean Science Congress
4 June 2025
Marine Biodiversity Observation and Monitoring
Session T3-6




**ONE OCEAN
SCIENCE
CONGRESS**
NICE FRANCE 3-6 June 2025



Predicting Biodiversity under a variable future


 Climate change is pushing global mean temperature upwards over decadal scales.

 We see extreme temperature events happening on much quicker time scales – pulses occurring minutes to months.




This variability is over the scale at which many animals operate!

Jentsch et al. 2007, van de Pol et al. 2017, Latimer and Zuckerberg 2019, Jackson et al. 2021, IPCC 2021 (PC).




IPCC RCP Global mean temperature projections



Marine Heatwaves (MHWs)

- Extreme events occurring in the marine systems, driven by oceanic and atmospheric processes.
- How to define? One approach – statistical analysis of historic temperatures.
- Temperature exceeds 90th percentile of 30-year historical time series
- Describes what is extreme for a given location - but is this what is extreme for organisms?



Hobday et al. 2016; 2018

The ultimate ecological impact: Mass Mortality Events



**Intertidal Bivalves,
Salish Sea, US and
Canada, 2021**

Raymond et al. 2022



**Subtidal Gorgonians,
Mediterranean Sea,
2003 & 2018**

Garrabou et al. 2022



**Intertidal Kelp, New
Zealand, 2018**

Thomsen et al. 2019

**Forecasting Goals: 1) Predict when conditions cause mass mortality events,
and 2) what the extent of damage resulting from these events**

Statistical Lens


Duration

Magnitude

Seasonal Timing



Ramp Rate




...many other
time series
metrics

A Biological Approach:


Thermal Tolerance Landscapes

- Important to consider exposure **duration** when measuring thermal tolerance - temperature as a dose.
- Time to death follows a log-linear pattern across taxa.
- Create a **continuous landscape** of survival probability
- We constructed a TTL for the gorgonian *Paramuricea clavata*




Rezende et al. 2014, Pairaud et al. 2014,
Gomez-Gras et al. 2021


A Biological Approach: From Model to Prediction



Field Body Temperature




Thermal Tolerance Landscape



Dynamic Tolerance Algorithm

(Rezende et al. 2020, Rezende and Carter 2024)

Survival Prediction



Rezende et al. 2020, Villeneuve and White 2024



Case Study: *Paramuricea clavata* in the western Mediterranean


1

Does *P. clavata* mass mortality
severity follow MHW severity?

2

Are forecasts made by thermal
tolerance landscapes accurate?

Statistical MHWs do not describe Mass Mortality Event Severity





Method:

We modeled mortality of *P. clavata* across the western Mediterranean between 1987 and 2022 using remote-sensed water temperature at 20m.

Result:

Little overlap between statistical and biological categories of severity



Modeled Mass Mortality matches field mortality at some sites

Method

We compared observed field mortality at Medes Islands, ES, and Scandola MPA, FR against modeled mortality.

Result

Good fit of modeled and observed survival at Medes. Local adaptation may be responsible for overprediction at Scandola.

Rovira et al. 2024, Gómez-Gras et al. 2021


Towards Operational Forecasts of Extreme Event Impacts




Models that use time provide better predictions




Remote monitoring of hard-to-survey areas



Oceanographic forecasts can yield mortality forecasts



Key Takeaways



Acknowledgements

We thank Pol Capdevila, Laura Figuerola-Fernando, Joaquim Garrabou, Daniel Gómez-Gras, and Cristina Linares for their input and access to data.

Funding

ARV is funded by the University of New Hampshire Dissertation Year Fellowship and New Hampshire Sea Grant Graduate Fellowship. OOS travel generously provided through the FADEX program, the Embassy of France in the United States.

ARV and ERW supported by New Hampshire Agricultural Experiment Station, USDA National Institute of Food and Agriculture Hatch Project 7005066 and the state of New Hampshire.

Contact and Website



villesci.github.io

drew.villeneuve@unh.edu

Bibliography



Slides

