

Lys

A structural slide engine for LLM-generated presentations

What is Lys?

Zero-dependency

CSS + TypeScript library

Turns `<article>` elements

into slide presentations

Visually unopinionated

– bring your own theme

Behaviorally opinionated

– navigation, a11y, presenter sync

The HTML Contract

```
<div data-lys>
  <article>
    <h1>First Slide</h1>
    <p>Hello, world.</p>
  </article>
  <article>
    <h2>Second Slide</h2>
    <p>That's it. That's the API.</p>
  </article>
</div>
```

Progressive Enhancement

Capability	No JS, no CSS	CSS only	CSS + JS
Readable document	Yes	Yes	Yes
Scroll-snap slides	No	Yes	Yes
Keyboard and touch navigation	No	No	Yes
ARIA announcements	No	No	Yes
Hash routing and programmatic API	No	No	Yes

Size budget: JS < 5 KB gzip, CSS < 2 KB gzip.

Data Attributes

```
<article
  data-class="title-slide dark"
  data-background="linear-gradient(135deg, #0f0c29, #302b63)"
  data-notes="Speaker notes go here"
  data-transition="fade"
  data-timing="30"
>
  <h1>Your Content</h1>
</article>
```

Design Tokens

Two-tier system: `--lys-*` (public) / `--_lys-*` (internal)

Override at `:root`, container, or individual slide level

9 tokens: aspect ratio, padding, transitions, font size, gap, dimensions, focus ring

`prefers-reduced-motion` sets transitions to 0ms automatically

LLM-First Design

- Flat structure – slides are siblings, not nested
- Standard HTML elements only – nothing proprietary
- Single self-contained HTML file as output format
- Auto-initializes – zero setup code needed
- Graceful degradation – wrong attributes don't break slides



Arrow keys or swipe to navigate · Open the HTML to see how it works