

● PRO PLAN · \$19.99 CAD/MONTH

4 - WEEK TRACKING

PROGRESS TRACKER


What is not measured does not improve.
Four weeks of data so you can decide on facts and **not** on feelings.

MEASUREMENTS

ADHERENCE

TRAINING

TREND CHART



TRACKING

Measure to correct

4

WEEKS

28

DAYS LOGGED

6

BODY
MEASUREMENTS

8

PAGES

MEASURE WELL BEFORE MEASURING OFTEN

A reading taken in poor conditions is worse than no reading at all: it makes you change a plan that was working. These are the conditions that make your numbers comparable from week to week.

MEASUREMENT	WHEN	HOW TO DO IT RIGHT
Body weight	Every day, on waking	After the bathroom, fasted, undressed, same scale and same floor
Waist	Monday, fasted	At navel height, standing, relaxed, at the end of a normal exhale
Chest	Monday, fasted	Across the nipple line, arms relaxed at your sides
Biceps	Monday, fasted	Arm flexed, at its widest point, always the same side
Thigh	Monday, fasted	15 cm above the kneecap, marked the same way every time
Photos	Monday, every 2 weeks	Same light, same time, same distance and the same three poses

WORK WITH THE AVERAGE, NOT WITH A SINGLE DAY'S READING

Your weight can swing 1.5 kg between two days because of water, salt, glycogen or gut transit. Add up the seven weigh-ins of the week, divide by seven and compare **that average** with the previous week's. It is the only honest comparison.

HOW TO USE THIS TRACKER

01 Fill it in daily, not from memory on Sunday

Two minutes each night are worth more than half an hour reconstructing the week.

02 Log what you did, not what you meant to do

The record is only useful if it is honest, bad days included. Especially bad days.

03 Review every Monday and take ONE decision

Hold, add or cut. One change a week; if you change three variables you will not know which one worked.

04 When the 4 weeks are up, go to page 7

That is where you pour everything in and see the month's real trend at a glance.

7 days

OF WEIGHT BY AVERAGE

1

CHANGE PER WEEK

2 min

OF LOGGING PER DAY

WEEK 1 · FULL LOG

Start date: _____ End date: _____

BODY MEASUREMENTS · MONDAY, FASTED

MEASUREMENT	VALUE	TARGET	DIFFERENCE	NOTES
Average weight for the week (kg)	_____	_____	_____	_____
Waist (cm)	_____	_____	_____	_____
Chest (cm)	_____	_____	_____	_____
Right biceps (cm)	_____	_____	_____	_____
Right thigh (cm)	_____	_____	_____	_____
Estimated body fat %	_____	_____	_____	_____

NUTRITION ADHERENCE

DAY	AM WEIGHT	ACTUAL KCAL	TARGET KCAL	PROTEIN	WATER	SUPPLEMENTS
Monday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Tuesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Wednesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Thursday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Friday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Saturday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Sunday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3

TRAINING AND RECOVERY

SESSION	MAIN LIFT	LOAD × REPS	RIR	SLEEP (H)	ENERGY 1-10
Session 1	_____	_____	_____	_____	_____
Session 2	_____	_____	_____	_____	_____
Session 3	_____	_____	_____	_____	_____
Session 4	_____	_____	_____	_____	_____

Monday decision: ☐ Hold ☐ Add 200 kcal ☐ Cut 200 kcal · Reason: _____

WEEK 2 · FULL LOG

Start date: _____ End date: _____

BODY MEASUREMENTS · MONDAY, FASTED

MEASUREMENT	VALUE	PREVIOUS WEEK	DIFFERENCE	NOTES
Average weight for the week (kg)	_____	_____	_____	_____
Waist (cm)	_____	_____	_____	_____
Chest (cm)	_____	_____	_____	_____
Right biceps (cm)	_____	_____	_____	_____
Right thigh (cm)	_____	_____	_____	_____
Estimated body fat %	_____	_____	_____	_____

NUTRITION ADHERENCE

DAY	AM WEIGHT	ACTUAL KCAL	TARGET KCAL	PROTEIN	WATER	SUPPLEMENTS
Monday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Tuesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Wednesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Thursday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Friday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Saturday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Sunday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3

TRAINING AND RECOVERY

SESSION	MAIN LIFT	LOAD × REPS	RIR	SLEEP (H)	ENERGY 1-10
Session 1	_____	_____	_____	_____	_____
Session 2	_____	_____	_____	_____	_____
Session 3	_____	_____	_____	_____	_____
Session 4	_____	_____	_____	_____	_____

Monday decision: ☐ Hold ☐ Add 200 kcal ☐ Cut 200 kcal · Reason: _____

WEEK 3 · FULL LOG

Start date: _____ End date: _____

BODY MEASUREMENTS · MONDAY, FASTED

MEASUREMENT	VALUE	PREVIOUS WEEK	DIFFERENCE	NOTES
Average weight for the week (kg)	_____	_____	_____	_____
Waist (cm)	_____	_____	_____	_____
Chest (cm)	_____	_____	_____	_____
Right biceps (cm)	_____	_____	_____	_____
Right thigh (cm)	_____	_____	_____	_____
Estimated body fat %	_____	_____	_____	_____

NUTRITION ADHERENCE

DAY	AM WEIGHT	ACTUAL KCAL	TARGET KCAL	PROTEIN	WATER	SUPPLEMENTS
Monday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Tuesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Wednesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Thursday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Friday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Saturday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Sunday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3

TRAINING AND RECOVERY

SESSION	MAIN LIFT	LOAD × REPS	RIR	SLEEP (H)	ENERGY 1-10
Session 1	_____	_____	_____	_____	_____
Session 2	_____	_____	_____	_____	_____
Session 3	_____	_____	_____	_____	_____
Session 4	_____	_____	_____	_____	_____

Monday decision: ☐ Hold ☐ Add 200 kcal ☐ Cut 200 kcal · Reason: _____

WEEK 4 · FULL LOG

Start date: _____ End date: _____

BODY MEASUREMENTS · MONDAY, FASTED

MEASUREMENT	VALUE	PREVIOUS WEEK	DIFFERENCE	NOTES
Average weight for the week (kg)	_____	_____	_____	_____
Waist (cm)	_____	_____	_____	_____
Chest (cm)	_____	_____	_____	_____
Right biceps (cm)	_____	_____	_____	_____
Right thigh (cm)	_____	_____	_____	_____
Estimated body fat %	_____	_____	_____	_____

NUTRITION ADHERENCE

DAY	AM WEIGHT	ACTUAL KCAL	TARGET KCAL	PROTEIN	WATER	SUPPLEMENTS
Monday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Tuesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Wednesday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Thursday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Friday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Saturday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3
Sunday	_____	_____	_____	_____	_____	☐ Crea ☐ Omega ☐ D3


TRAINING AND RECOVERY

SESSION	MAIN LIFT	LOAD × REPS	RIR	SLEEP (H)	ENERGY 1-10
Session 1	_____	_____	_____	_____	_____
Session 2	_____	_____	_____	_____	_____
Session 3	_____	_____	_____	_____	_____
Session 4	_____	_____	_____	_____	_____

Monday decision: ☐ Hold ☐ Add 200 kcal ☐ Cut 200 kcal · Reason: _____

THE MONTH'S TREND

Mark one point per week and join them up. What matters is not any single point but **the direction of the line**.



SIDE-BY-SIDE SUMMARY OF THE 4 WEEKS

METRIC	START	WK 1	WK 2	WK 3	WK 4	TOTAL
Average weight (kg)						
Waist (cm)						
Days macros were met	—					
Sessions completed	—					
Average hours of sleep						

PERSONAL BESTS OF THE MONTH

EXERCISE	PREVIOUS BEST	NEW BEST	DATE

WHERE EVERY NUMBER COMES FROM

Every number in this document comes from sources that are public, free and checkable. Not one figure is invented, rounded for convenience or copied from another popular publication. This page exists so that you can verify it yourself.

WHY THESE SOURCES AND NO OTHERS

Works of the United States federal government are not subject to copyright (17 U.S.C. § 105). That makes a handful of agencies the only source of nutrition and training data that is both first-rate and legally free. This is not restricted material: it is public material that almost nobody opens.

WHAT YOU ARE LOOKING FOR	WHAT YOU WILL FIND	WHERE
Reference intakes	RDA, AI and tolerable upper intake level for every vitamin and mineral	ods.od.nih.gov
Food composition	The full profile of any food, nutrient by nutrient	fdc.nal.usda.gov
Dietary guidelines	Dietary patterns and limits for added sugars, saturated fat and sodium	health.gov
Physical activity guidelines	The weekly dose, its response curve and the strength requirement	health.gov
Physical readiness doctrine	FM 7-22: training, nutrition, sleep and mental readiness	armypubs.army.mil
Lifting equation	How much weight is reasonable to lift in each specific situation	cdc.gov/niosh
Food safety	Safe internal temperatures and the danger zone	foodsafety.gov
Health claims	What may legally be claimed about a nutrient in Europe, and what was refused	European Commission register

HOW THIS DOCUMENT CHECKS ITSELF

The reference figures are not typed by hand: they live in a data module that the typesetting program verifies before writing a single line. It checks that the macronutrient ranges can add up to one hundred per cent of energy, that none of the 19 micronutrients has a recommended value above its own ceiling without a note explaining why, and that no safe cooking temperature falls inside the danger zone. If a single check fails, the document is not typeset.

REFERENCE VALUES ARE POPULATION VALUES

They describe what covers the needs of most healthy adults. They are not an individual prescription, they do not account for disease, pregnancy, breastfeeding or medication, and no publication replaces assessment by a registered health professional. If you take medication, some of the nutrients named here interact with it in clinically relevant ways: do not change an intake or start a supplement without telling whoever prescribes for you.

WHAT YOUR DATA IS TELLING YOU

WEIGHT	WAIST	STRENGTH	READING	ACTION
Rising	Flat	Rising	Textbook clean bulk	CHANGE NOTHING
Rising	Rising	Flat	Surplus too large	CUT 200 KCAL
Flat	Flat	Rising	Recomposition under way	HOLD AND BE PATIENT
Falling	Falling	Flat	Ideal cut	KEEP THE DEFICIT
Falling	Flat	Falling	You are losing muscle	RAISE PROTEIN AND CALORIES
Flat	Rising	Falling	Poor recovery or unreliable logging	CHECK SLEEP AND MEASUREMENT

BEFORE YOU CHANGE THE PLAN, CHECK THESE FOUR THINGS

- ☐ Have I logged **everything** I ate, including oils, sauces and drinks?
- ☐ Have I compared weekly averages, or am I fixating on a single day's weight?
- ☐ Have I slept less than 7 hours on more than two nights this week?
- ☐ Have I completed every planned session with the loads I intended?

If any answer is «no», the problem is not the plan: it is the execution. Fix the execution before touching the numbers.

CONCLUSIONS FOR THE MONTH AND TARGETS FOR THE NEXT

A NUMBER ONLY COUNTS IF IT IS MEASURED THE SAME WAY

Same time, same scale, same conditions: **the four-week trend** is the only figure that decides anything. A single day is never a signal, however much it looks like one.

BASIC

\$9.99/month

Fundamentals
and quick guides

PRO

\$19.99/month

Your current plan
Advanced nutrition

ELITE

\$34.99/month

Everything included
+ coaching workbook

Prices in Canadian dollars (CAD). The subscription renews every month and can be cancelled whenever you like.

villuminations.com

YouTube **@villuminations** Instagram **@villuminations**

IMPORTANT NOTICE

A tracking template for informational and educational purposes. It does not constitute medical advice, diagnosis or treatment, and it does not replace assessment by a registered health professional. Logging weight and measurements can be counterproductive for people with a history of eating disorders: in that case, consult a professional before using this document. Results vary between individuals and are not guaranteed. Copyrighted content: reproduction, distribution or resale without written permission from VILLUMINATIONS is prohibited.