

● PRO PLAN · \$19.99/MONTH

BODY RECOMPOSITION

CUT + BULK

Eight weeks in two linked phases: build muscle first and reveal it afterwards, **without** losing what you gained.

8 WEEKS

2 PHASES

MACROS PER KG

PERIODISED CARDIO



TWO PHASES
Cut and build

4 + 4
WEEKS PER PHASE

56
DAYS PLANNED

5 days
OF TRANSITION

8
PAGES

THE LOGIC OF RECOMPOSITION

Building and cutting at the same time is possible, but slow and inefficient in an already trained athlete. Alternating **short, clearly defined phases** works better: four weeks pushing the muscle, four revealing what was built.

PHASE	WEEKS	BALANCE	PROTEIN	CARBS	FATS	TARGET
BULK	1-4	+300 to +400 kcal	2.0 g/kg	4.8-5.3 g/kg	0.9 g/kg	Build muscle
CUT	5-8	-350 to -450 kcal	2.5-2.7 g/kg	2.5-3.0 g/kg	0.7 g/kg	Lose fat

EVERY TABLE IN THIS PLAN USES A REFERENCE ATHLETE OF 80 KG

Page 3 has the conversion to your weight. Do not copy the grams if you weigh 65 or 95 kg: copy the **ratios** per kilo.

THE THREE RULES THAT HOLD THE PLAN UP

01 Protein rises when calories fall

In a deficit it is the only thing separating losing fat from losing muscle. That is why it goes from 2.0 to 2.7 g/kg in phase 2.

02 Gym loads do not drop during the cut

Same weight, same sets. If you reduce the load, you tell the body it no longer needs that muscle.

03 Cardio comes in gradually, not all at once

Start at 2 sessions and build to 4. Keeping headroom is what lets you keep progressing in week 8.

CONTENTS

02

SCALE THE PLAN TO YOUR WEIGHT

From grams per kilo to your actual grams

P. 3

03

WEEKS 1-4 · BULK PHASE

Day-by-day macros and load progression

P. 4

04

WEEKS 5-8 · CUTTING PHASE

Deficit, cardio and muscle protection

P. 5

05

THE TRANSITION AND THE COMPARISON

The 5 days that prevent the energy crash

P. 6

06

TRAINING AND CARDIO BY PHASE

What changes and what must never change

P. 7

SCALE THE PLAN TO YOUR WEIGHT

Multiply each coefficient by your body weight in kilos. If you are above 25 % body fat, use your **target weight** rather than your current one to work out protein.

MACRO	BULK PHASE	CUTTING PHASE	KCAL/G
Protein	2.0 g × kg	2.5-2.7 g × kg	4
Carbohydrates	4.8-5.3 g × kg	2.5-3.0 g × kg	4
Fats	0.9 g × kg	0.7 g × kg	9

QUICK EQUIVALENTS BY BODY WEIGHT

YOUR WEIGHT	BULK PHASE (P / C / F)			CUTTING PHASE (P / C / F)		
60 kg	120 g	300 g	54 g	158 g	168 g	42 g
70 kg	140 g	350 g	63 g	184 g	196 g	49 g
80 kg	160 g	400 g	72 g	210 g	224 g	56 g
90 kg	180 g	450 g	81 g	236 g	252 g	63 g
100 kg	200 g	500 g	90 g	263 g	280 g	70 g

Bulk calculated at 5.0 g/kg of carbohydrate · Cut at 2.8 g/kg of carbohydrate and 2.63 g/kg of protein (the plan's mid-range values).

YOUR RECORD — FILL IT IN BEFORE STARTING WEEK 1

FIGURE	STARTING VALUE	FIGURE	STARTING VALUE
Body weight		Waist (navel)	
Protein, bulk		Protein, cut	
Carbs, bulk		Carbs, cut	
Fats, bulk		Fats, cut	

DO NOT START THE PLAN ON JUST ANY WEEK

Pick an eight-week block with no long trips, house moves or events that break your eating routine. An eight-week plan executed at 90 % is worth infinitely more than a perfect one abandoned in week three.

PHASE 1 · CONTROLLED BULK

Goal: create a sustained anabolic environment with a moderate surplus of 300-400 kcal. Absolute priority to compound lifts at maximal loads. Cardio is limited to two LISS sessions of 20-30 minutes so it does not eat the surplus.

WEEK	KCAL, TRAINING	KCAL, REST	PROTEIN	CARBS	FATS	FOCUS
Week 1	2.810	2.570	160 g	380 g	72 g	Adapting to the surplus
Week 2	2.930	2.690	170 g	400 g	72 g	Add load on the main lifts
Week 3	3.010	2.750	175 g	415 g	72 g	Maximum intensity
Week 4	3.070	2.790	180 g	425 g	72 g	Assessment and measurement

Values for the 80 kg reference athlete. Rest days subtract around 60 g of carbohydrate compared with a training day.

WEEK-BY-WEEK LOAD PROGRESSION

WEEK	SETS PER MUSCLE GROUP	REPETITIONS	TARGET RIR	PROGRESSION
Week 1	14-16	8-12	3	Set the starting loads
Week 2	16-18	8-12	2-3	+2.5 % weight or +1 repetition
Week 3	18-20	6-10	1-2	+2.5 % weight on the main lifts
Week 4	12-14	8-10	3-4	Deload: drop volume, keep load

WEEKLY PHASE CHECK

WEEK	AVERAGE WEIGHT	WAIST	KCAL APPLIED	DID ANY LOAD GO UP?
Week 1				
Week 2				
Week 3				
Week 4				

SUCCESS CRITERION FOR PHASE 1

Between **0.8 and 1.6 kg** of total gain in four weeks, with the waist growing 1 cm at most. If the weight goes up but the waist grows 3 cm, the surplus is too large: cut 200 kcal of carbohydrate.

PHASE 2 · CUTTING

Goal: strip fat with minimal muscle catabolism. A moderate deficit of 350–450 kcal, protein at its highest point and the same loads in the gym. Cardio grows gradually so that you always keep room to manoeuvre.

WEEK	KCAL, TRAINING	KCAL, REST	PROTEIN	CARBS	FATS	CARDIO
Week 5	2.265	2.105	200 g	240 g	56 g	2 × LISS 25 min
Week 6	2.205	2.045	205 g	220 g	56 g	3 × LISS 30 min
Week 7	2.185	2.025	210 g	210 g	56 g	3 × HIIT + 1 × LISS
Week 8	2.165	2.005	215 g	200 g	56 g	4 × HIIT 20 min

HOW TO PROTECT MUSCLE IN A DEFICIT

- **Do not touch the loads.** Same weight, same sets. Losing 5 % of your strength is acceptable; losing 20 % means you are losing muscle.
- **Protein at every meal:** 4–5 servings of at least 0.4 g/kg.
- **Do not add more cardio than planned** even if the weight stalls for a week: check the food log first.
- **Sleep 7–9 hours.** In a deficit, sleeping badly multiplies lean mass loss and next-day hunger.
- **Salt and water:** lowering carbohydrates flushes sodium and water. Do not restrict salt unless a doctor tells you to.

WEEKLY PHASE CHECK

WEEK	AVERAGE WEIGHT	WAIST	CARDIO DONE	STRENGTH (1-10)
Week 5				
Week 6				
Week 7				
Week 8				

SUCCESS CRITERION FOR PHASE 2

Losing between **0.5 and 0.8 % of body weight per week** — about 0.4–0.6 kg in an 80 kg athlete — while holding the main loads. Dropping faster almost always means burning muscle.

THE 5 TRANSITION DAYS

Going from 425 g of carbohydrate to 240 g overnight causes an energy crash, a foul mood and disastrous sessions. These five days between week 4 and week 5 make the change digestible.

DAY	CARBS	PROTEIN	FATS	WHAT YOU WILL NOTICE
Day 1	385 g	185 g	70 g	Practically nothing
Day 2	345 g	190 g	67 g	Slightly less muscle fullness
Day 3	305 g	195 g	63 g	Weight drop on the scale (water)
Day 4	270 g	198 g	59 g	A little more hunger in the afternoon
Day 5	245 g	200 g	56 g	You are already at week 5's numbers

A reduction of roughly 40 g of carbohydrate per day, with protein rising in parallel. Scale the figures to your body weight.

PHASE COMPARISON

MACRONUTRIENT	BULK PHASE	CUTTING PHASE	ROLE IN EACH PHASE
Protein	160–180 g/day	200–215 g/day	Rises during the cut to preserve muscle mass
Carbohydrates	380–425 g/day	200–240 g/day	Fuel during the bulk, trimmed during the cut
Fats	72 g/day	56 g/day	They sustain hormone function; never below 0.6 g/kg
Total calories	2.810–3.070	2.165–2.265	Surplus versus deficit
Cardio	2 LISS sessions	Up to 4 sessions	An adjustment tool, not the main act

THE CLASSIC TRANSITION MISTAKE

Dropping carbohydrates and **fats too** on the same day. Do that and the deficit shoots past 800 kcal, testosterone falls and adherence breaks within days. Lower carbohydrates first; fats only at the end.

TRAINING AND CARDIO BY PHASE

VARIABLE	BULK PHASE	CUTTING PHASE
Weights sessions	4 per week	4 per week (unchanged)
Structure	Push / Pull / Legs / Full body	Push / Pull / Legs / Full body
Repetition range	6-12	8-12 (a few more reps, same load)
Rest between sets	90-150 s on compounds	90-150 s (do not shorten it to «burn more»)
Target RIR	1-3	1-2
Cardio	2 × LISS 20-30 min	From 2 to 4 sessions, progressive
Daily steps	8.000	10.000-12.000

LISS AND HIIT: WHEN TO USE EACH

LISS · LOW INTENSITY

- Walking on an inclined treadmill, easy bike or elliptical
- Heart rate between 60 and 70 % of maximum
- Barely interferes with recovery from lifting
- Ideal the day after legs

HIIT · HIGH INTENSITY

- Intervals of 20-40 s all-out with incomplete rest
- No more than 3-4 sessions a week of 15-20 minutes
- Never on leg day or the day before
- Start with 20 s of work and 40 s of rest, and adjust from there

DELOAD WEEK (WEEK 4 AND WEEK 8)

- Cut volume by 40 %: from 18 sets per group to 10-11.
- **Keep the load.** Fewer sets at the same weight, not easy sets.
- Remove muscular failure: RIR 3-4 on every set.
- Use it to take photos, measurements and plan the next block.

THE LOAD LOG: THE DATA THAT DECIDES EVERYTHING

If you do not write down weight, sets and reps for every session, you have no way of knowing whether the plan works. The scale lies in the short term; the load log does not.

WHERE EVERY NUMBER COMES FROM

Every number in this document comes from sources that are public, free and checkable. Not one figure is invented, rounded for convenience or copied from another popular publication. This page exists so that you can verify it yourself.

WHY THESE SOURCES AND NO OTHERS

Works of the United States federal government are not subject to copyright (17 U.S.C. § 105). That makes a handful of agencies the only source of nutrition and training data that is both first-rate and legally free. This is not restricted material: it is public material that almost nobody opens.

WHAT YOU ARE LOOKING FOR	WHAT YOU WILL FIND	WHERE
Reference intakes	RDA, AI and tolerable upper intake level for every vitamin and mineral	ods.od.nih.gov
Food composition	The full profile of any food, nutrient by nutrient	fdc.nal.usda.gov
Dietary guidelines	Dietary patterns and limits for added sugars, saturated fat and sodium	health.gov
Physical activity guidelines	The weekly dose, its response curve and the strength requirement	health.gov
Physical readiness doctrine	FM 7-22: training, nutrition, sleep and mental readiness	armypubs.army.mil
Lifting equation	How much weight is reasonable to lift in each specific situation	cdc.gov/niosh
Food safety	Safe internal temperatures and the danger zone	foodsafety.gov
Health claims	What may legally be claimed about a nutrient in Europe, and what was refused	European Commission register

HOW THIS DOCUMENT CHECKS ITSELF

The reference figures are not typed by hand: they live in a data module that the typesetting program verifies before writing a single line. It checks that the macronutrient ranges can add up to one hundred per cent of energy, that none of the 19 micronutrients has a recommended value above its own ceiling without a note explaining why, and that no safe cooking temperature falls inside the danger zone. If a single check fails, the document is not typeset.

REFERENCE VALUES ARE POPULATION VALUES

They describe what covers the needs of most healthy adults. They are not an individual prescription, they do not account for disease, pregnancy, breastfeeding or medication, and no publication replaces assessment by a registered health professional. If you take medication, some of the nutrients named here interact with it in clinically relevant ways: do not change an intake or start a supplement without telling whoever prescribes for you.

ASSESSMENT AND NEXT BLOCK

METRIC	START (WK 1)	END OF PHASE 1 (WK 4)	END OF PHASE 2 (WK 8)	TOTAL DIFFERENCE
Body weight				
Waist				
Chest				
Arm				
Estimated squat 1RM				
Estimated bench press 1RM				

WHAT TO DO WHEN THE 8 WEEKS ARE OVER

YOUR RESULT	NEXT STEP
You gained muscle and lost waist	Repeat the full cycle with phase 1 carbohydrates raised by 5 %
You gained weight but also a lot of waist	Add 4 more weeks of cutting before going back to a bulk
You lost fat but also strength	Two weeks at maintenance, and review protein and hours of sleep
There was barely any change	Check the actual food log: it is almost always the measurement that fails, not the plan

THE TRAINING THAT GOES WITH THIS PLAN

The **ELITE** tier adds periodised gym work, metabolic conditioning and a weekly session where the block is tuned to your real data instead of to a template.

BASIC

\$9.99

Fundamentals
and quick guides

PRO

\$19.99

Your current plan
Advanced nutrition

ELITE

\$34.99

Everything included
+ one-to-one coaching

villuminations.com

YouTube **@villuminations** Instagram **@villuminations**

IMPORTANT NOTICE

A document for informational and educational purposes. It does not constitute medical advice, diagnosis or treatment, and it does not replace assessment by a registered health professional. Consult your doctor before starting this plan, especially if you are pregnant or breastfeeding, are a minor, take medication or have any cardiovascular, metabolic, renal or hepatic condition or an eating disorder. Prolonged calorie deficits require professional supervision. Results vary between individuals and are not guaranteed. Copyrighted content: reproduction, distribution or resale without written permission from VILLUMINATIONS is prohibited.