



Mangirdas Skripka



mangirdas@impresspages.org
@mangirdino



Medis VS sąrašas



Dokumentacija

ImpressPages 4.0

Application

Autoloader

Block

Classes

Configuration

Content

Controller

Cron

CSS

Database

Email

Escaping

Event list

Events

[Home](#) / [Docs](#) / [Manual](#) / Thinking in ImpressPages

Thinking in ImpressPages

You can use ImpressPages as any other framework. `Plugin/Application` is main folder where your `controller`, `routes`, `views` and assets go.

In addition to that you have fully featured CMS with drag & drop capabilities on the side and `plugin` architecture which lets you to do anything you like. Each plugin has its own controllers, models and views.

All `theme` related HTML files and assets go to the `Theme` directory.

Follow the links and start exploring!

Verslas

Mokslas

Auto

Sportas

Pramogos

Gyvenimas

De

Transportas

Media

Rinkos

Kaimo naujienos

ES parama

/verslas

/verslas/transportas

/verslas/media

/verslas/rinkos

/...

/verslas

/transportas

/media

/rinkos

/...

Admin / user session



SEPARATE


COMBINED

COOKIE!



CSRF reikia tikrinti automatiškai

Jokių operacijų su GET www.example.com/sendMoney/to/XXX



Trijų rūšių kontroleriai

PublicController.php

SiteController.php

AdminController.php

UserController.php



Magic sucks, autocomplete rules

```
$administrators = Model::getAll();
ipUser()->
    m ↗ userId()
    m ↗ loggedIn()
    ipAddJs(m ↗ login(id : int))
    ipAddJs(m ↗ logout())
    Ctrl+Down and Ctrl+Up will move caret
foreach($administrators as $administrator)
{
```

Funkcijos nėra blogis

Funkcijos kaip service lokatorius

ipUser()->... ipContent()->...

Funkcijos intencijai išreikšti

ipFormatCurrency() ipRouteUrl() ...

Reikšmių objektai VS masyvai



Trys event'ų rūšys

Event



Filter



Job / notifyUntil




Symfony



Symfony

```
use Symfony\Component\EventDispatcher\EventDispatcher;
$dispatcher = new EventDispatcher();
$listener = new AcmeListener();
$dispatcher->addListener(
    'foo.action',
    array($listener, 'onFooAction')
);
use Symfony\Component\EventDispatcher\Event;
class AcmeListener
{
    // ...
    public function onFooAction(Event $event)
    {
        // ... do something
    }
}
```

Laravel



Laravel

```
<?php
Event::listen('auth.login', function($user)
{
    // do something
});

$event .= Event::fire('auth.login', array($user));
```

ImpressPages

ipEvent(...)



ipFilter(...)



ipJob(...)



ImpressPages

```
ipEvent('sprogimas', $data ));
```

```
public static function sprogimas($data)
{
    //bēgti
}
```

Mes naudojame

Aura router

ZEND translations

PSR logger

PSR autoloader

lessPHP

pclZIP

...



IMPRESSPAGES 4.0

RELEASED!

Dependency injection

- Rekalingas išimties atvejais
- Dažnai sugadina autosuggestion'us
- Sunku debuginti
- Poreikis kompiliuoti
- Sunkiai veikia “find usages”
- Sunkiai veikia CTRL + click
- Sunku refaktorinti

The background of the image is a textured, abstract painting in shades of orange, yellow, and red. The brushwork is prominent, creating a layered and dynamic feel. The composition is roughly rectangular with some irregular edges.

Simplicity
is an art.