## $\underset{_{\text{Version 1.1}}}{\text{latex-support.vim}}.$

## HOT KEYS

Key mappings for Vim and gVim. Plug-in: http://vim.sourceforge.net Fritz Mehner (mehner.fritz@fh-swf.de)

(i) insert mode, (n) normal mode, (v) visual mode

|                 |                              | $oldsymbol{H}elp$ |
|-----------------|------------------------------|-------------------|
| 'he             | English dictionary           | (n,i)             |
| 'ht             | start texdoc                 | (n,i)             |
| <b>ʻ</b> hp     | help (plug-in)               | (n,i)             |
|                 | C                            | Comments          |
| [n] 'cl         | end-of-line comment          | (n, i, v)         |
| [n] <b>'</b> Cj | adjust end-of-line comments  | (n, i, v)         |
| ´cs             | set end-of-line comment col. | (n)               |
| [n] <b>CC</b>   | toggle code comment          | (n, i, v)         |
| 'cfr1           | frame comment, type 1        | (n, i)            |
| ′cfr2           | frame comment, type 2        | (n, i)            |
| ′cfr3           | frame comment, type 3        | (n, i)            |
| 'ch             | file prolog                  | (n, i)            |
| ′cm             | plug-in macros               | (n, i)            |
| ′cd             | date                         | (n, i)            |
| ′ct             | date & time                  | (n, i)            |
|                 | I                            | Document          |
| ′dc             | document class               | (n, i)            |
| ′di             | indices                      | (n, i)            |
| ′dti            | title                        | (n, i)            |
| 'dbi            | bibliography                 | (n, i)            |
| 'dac            | addcontentsline              | (n, i)            |

|              |                               | Text      |
|--------------|-------------------------------|-----------|
| ´e           | environment                   | (n, i, v) |
| ´ts          | section                       | (n, i)    |
| 'to          | organization                  | (n, i)    |
| 'tld         | list environment, description | (n, i)    |
| 'tle         | list environment, enumerate   | (n, i)    |
| 'tli         | list environment, itemize     | (n, i)    |
| 'tll         | list environment, list        | (n, i)    |
| 'tlit        | list environment, item        | (n, i)    |
| 'tlil        | list environment, item+labels | (n, i)    |
| 'tf          | font style                    | (n, i, v) |
| ´tfs         | font size                     | (n, i, v) |
| 'tq          | quotes, single                | (n, i, v) |
| ´tqq         | quotes, double                | (n, i, v) |
| ´tgq         | quotes, single, German        | (n, i, v) |
| ´tgqq        | quotes, double, German        | (n, i, v) |
| 'tfq         | quotes, single, French        | (n, i, v) |
| ´tfqq        | quotes, double, French        | (n, i, v) |
| ítsp         | spacing                       | (n, i)    |
| ítsh         | hspace                        | (n, i)    |
| ítsv         | vspace                        | (n, i)    |
| ´ta          | line alignment + spacing      | (n, i, v) |
| ´ttc         | textcomp characters           | (n, i)    |
| ´tbi         | bibitem                       | (n, i)    |
| 'tci         | cite                          | (n, i)    |
| 'tfo         | footnote                      | (n, i)    |
| 'tin         | index                         | (n, i)    |
| <b>ʻ</b> tla | label                         | (n, i)    |
| ´tma         | marginpar                     | (n, i)    |
| ´tco         | newcommand                    | (n, i)    |
| 'tnc         | nocite                        | (n, i)    |
| ´tpa         | pageref                       | (n, i)    |
| ´tre         | ref                           | (n, i)    |
| 'tur         | url                           | (n, i, v) |

|       |                      | S <b>n</b> $ippets$ |
|-------|----------------------|---------------------|
| 'nr   | read code snippet    | (n, i)              |
| 'nv   | view code snippet    | (n, i)              |
| 'nw   | write code snippet   | (n, i, v)           |
| ´ne   | edit code snippet    | (n, i)              |
| 'ntl  | edit local templates | (n, i)              |
| 'ntr  | reread templates     | (n, i)              |
| 'nts  | choose style         | (n, i)              |
|       |                      | $oldsymbol{M}$ ath  |
| ´msp  | spaces               | (n, i)              |
| 'mac  | accents              | (n, i)              |
| ′mfs  | font styles          | (n, i)              |
| 'md   | delimiter            | (n, i)              |
| 'mf   | functions            | (n, i)              |
| 'mgl  | lowercase greek      | (n, i)              |
| 'mgu  | uppercase greek      | (n, i)              |
| ^mo   | operators            | (n, i)              |
| mr    | relations            | (n, i)              |
| 'mar  | arrows               | (n, i)              |
| ´me   | equation+label       | (n, i, v)           |
| ´mea  | eqnarray+label       | (n, i, v)           |
| ^mm   | matrix               | (n, i)              |
| 'mch  | choose               | (n, i, v)           |
| ′mddt | ddot                 | (n, i, v)           |
| 'mdt  | dot                  | (n, i, v)           |
| 'mfr  | frac                 | (n, i, v)           |
| 'mnr  | nth root             | (n, i, v)           |
| 'mpr  | prod                 | (n, i, v)           |
| ′msq  | sqrt                 | (n, i, v)           |
| ímsu  | sum                  | (n, i, v)           |
| 'mve  | vec                  | (n, i, v)           |
| mon   | operatorname         | (n, i, v)           |

|       | $oldsymbol{W}$ izard                                       | _ |
|-------|--|---|
| 'w11  |  | _ |
| 'wlil | lstinputlisting (n, i)                                     |   |
| 'nls  | lstset (n, i)  |   |
| ′wtt  | table (n, i, v)  | _ |
| ′wttf | table, floating $(n, i, v)$                                |   |
| ′wtg  | tabbing (n, i)   |   |
| ′wtr  | tabular (n, i)   |   |
| ′wf   | figure (n, i)  |   |
| 'wff  | floatingfigure (n, i)                                      |   |
| ′wwf  | wrapfigure (n, i)  |   |
| 'wbf  | fbox $(n, i, v)$   |   |
| 'wbfr | framebox (n, i, v)   |   |
| 'wbm  | mbox 	 (n, i, v)   |   |
| 'wbmb | makebox (n, i, v)  |   |
| 'wmp  | $\begin{array}{c} \text{minipage} & (n, i, v) \end{array}$ |   |
| 'wbp  | parbox 	 (n, i, v)   |   |
|       | $oldsymbol{R}$ un  |   |
| rr    | save + run typesetter (n, i)                               | _ |
| ′rla  | save + run lacheck $(n, i)$                                |   |
| ′rdvi | view DVI (n, i)  |   |
| 'rpdf | view PDF (n, i)  |   |
| rps   | view PS (n, i)   |   |
| 'rmi  | run makeindex (n, i)                                       |   |
| 'rbi  | run bibtex (n, i)  |   |
| rc    | run a converter (n, i)                                     |   |
| 'rh   | hardcopy buffer to FILENAME.ps (n, i, v)                   |   |
| rse   | show plugin settings (n, i)                                |   |
|       | Tool Box   |   |
| rm    | run make $(n, i)$  | _ |
| rcm   | choose makefile (n, i)                                     | _ |
| rmc   | make clean (n, i)  |   |
| 'rma  | command line arguments for make (n, i)                     |   |